Government	अनुबंध क्रमांक Contract No: GEMC-511687702029094 अनुबंध विधि Generated Date : 13-Feb-2025								
fficient - Transparent - Inclusive AZadi Ka Amrit Mahotsav					थि Generated Date : 13-Feb-2025 ए/पीबीपी संख्या Bid/RA/PBP No.: <u>GEM/2024/B/5701453</u>				
मंगठन विवेरण Organisation Details		खरीदार विवरण		•					
रूप Type : Centra iत्रालय Ministry : Minist वभाग Department : Depar	al Autonomous ry of Education tment of Higher Education n Institute of Technology (IIT)	पद Designation संपर्क नंबर Contac ईमेल आईडी Email जीएसटीआईएन GS	: t No. : ID : TIN :	Executive Assistar 040-23016823-60 buyer46.iiti.ts@ge -	71	Purchasa Sacti			
nunu an Onice zone. Hyder	auau	पता Address :		Room No. SF3, Str Institute of Techn	reet Floor, Administrative ology Hyderabad, Kandi, ndia. Tel: 040 2301 6823	e Building, India Sangareddy-50			
वत्तीय स्वीकृति विवरण Financial Approval D	etail	भुगतान प्राधिकर	ण विवेरण	Paying Autho	ority Details				
भाईएफडी सहमति IFD Concurrence : शासनिक अनुमोदन का पदनाम	No	Role: भुगतान का तरीका		BUYER					
प्रिसासाच्या अनुमादन का पदनामन् Designation of Administrative Approval: वेसीय अनुमोदन का पदनाम Designation of Financial Approval :	Dean SRC Dean SRC section	Payment Mode: पद Designation ईमेल आईडी Email जीएसटीआईएन GS	: ID :	Offline Executive Assistar buyer46.iiti.ts@ge 36AAAAI2661 1ZP	embuyer.in				
		पता Address:		To, The Assistant Room No. SF3, Str Institute of Techn	Registrar (S&P), Stores & reet Floor, Administrative ology Hyderabad, Kandi, ndia. Tel: 040 2301 6823	e Building, India Sangareddy-50			
वक्रैता विवरण Seller Details ।म विक्रैता आईडी GeM Seller ID : ऽपनी का नाम Company Name :	BBA8230008598466 MOHAN MEASUREMENTS PRIVATE	LIMITED							
iपर्क नंबर Contact No. : मेल आईडी Email ID :	09045328958 aman@mohanmeasurements.com								
त्ता। Address :	90 AND 91 / 401 AP TEXT BOOK CO	LONY,Karkhana,500	009,Near	Community hall,					
रमण नववारड्ड . रमएसएमई पंजीकरण संख्या MSME Registration number नीएसटीआईएन GSTIN:	Rangareddi, TELANGANA-500009, - : UDYAM-TS-02-0109119 36AACCM5035C2ZV (R)								
खरीदार द्वारा मूल्यांकित एमआईआई स्थिति MII Status as evaluated by buyer : खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as	Not Verified								
verified by buyer :	Not Verified								
रमएसई सामाजिक श्रेणी MSE Social Category : रमएसई लिग श्रेणी MSE Gender :	General Male								
⁺ जिसके नाम के पक्ष में GST/TAX इनवॉइस	पेश किया जाएगा GST / Tax in	voice to be ra	ised in	the name c	of - Consignee				
वतरण निर्देश Delivery Instructions	: NA								
उत्पाद विवरण Product Details									
ध आइटम विवरण Iter	n Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सर्भ शुल्क और क सहित) Price (Inclusive of all Duties an Taxes in IN			
उरपाद का नाम Product Name : FLUKE Three phase kiloWatt ब्रांड Brand : FLUKE ब्रांड प्रकार Brand Type : Registered Brand									
कैटलॉग की स्थिति Catalogue Status: Catalogue not कैसे बेचा जा रहा है Selling As : Reseller not verified श्रेणी का नाम और चतुर्थांश Category Name & Quadrar	by OEM	1	pieces	1,196,927	NA	1,196,927			
मॉडल Model: Fluke 1775 with 6000A AND i40S एचएसएन कोड HSN Code: 90303901									
मॉडल Model: Fluke 1775 with 6000A AND i40S						1,196,927			

अनुबंध|Contract

क्र.सं. S.No		परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा क तक करना है Delivery To Be Completeo By		
1	संपर्क Contact जीएसटीआईएन पता Address Section, Rooi Institute of T Telangana, Iu	nail ID : buyer46.iiti.ts@gembuyer.in t : 040-23016823-6071	FLUKE Three phase Power Quality Analyzers 4 Channel 40 kiloWatt	-	1	13-Feb-2025	15-Mar-2025		
Product S	Specificatio	on for FLUKE Three phase Power Quality Anal	yzers 4 Channel 40 kil	oWatt					
विनिर्देश Spe	ecification	उप-विनिर्देश Sub-Spec			मूल्य Value				
		Type of Power analyzer				Three phase			
		Number of Current Channels (Nos.)			4				
		Number of Voltage Channels			4				
		Measurable voltage range			1000 Volt				
		Measurable voltage accuracy			1 percent				
PERFORMAN	ICE	Measurable voltage resolution			1 Volt				
FEATURES		Measurable current range (with clamp)			6000 Ampère				
		Measurable current accuracy (%)			±1				
		Measurable current resolution			0.1 Ampère				
		Maximum power that can be measured (KW)			40 kiloWatt				
		Power Accuracy (%)			±2				
		Power resolution			1 Watt				
		Facility to Measure Frequency					Available		
		Frequency range that can be measured			40-65 Hz				
		Facility to Measure Inter harmonics			Available				
		Order(n) to which Facility to Measure Harmonics available	2		upto 50th				
		Facility to Measure Power Factor			Available				
		Accuracy in measurement of Power Factor (%)			0.1 percent				
		Facility to Measure Distortion Factor			Available				
					3				
		Accuracy in measurement of Distortion Factor (%)			Available				
		Facility to Measure Ripple Factor			2				
MEASUREMENT			Accuracy in measurement of Ripple Factor (%)			Available			
FEATURES		Facility to Measure crest factor			1 TO 5				
		Measurable crest factor range							
		Measurable crest factor accuracy (%)			2				
		Measurable crest factor resolution			0.01				
		Facility to Measure sag(dips) and swell(surge)			Available				
		Pattern of measurement of sag(dips) and swell(surge)			Waveform				
		Facility to Measure Total Harmonic distortion			Available				
		Accuracy in measurement of Total Harmonics distortion			2 percent				
		Facility to Measure voltage and current unbalance			Available				
		Facility to Measure inrush current			Available				
		Facility to Measure flicker			Available				
DISPLAY		Display type Display Mode			LCD TOUCH Waveform,Meter Reading,Bar graph,Vector,digital reading				
DISPLAY		Display Mode				-			

Facility to Measure Active Facility to Measure Active Facility to Measure Active Powesone Active Provision for external SC Interface Interface Internal Memory (GB) Weight of the analyser other features POWER SOURCE/BATTERY If battery operated, cher Quitable charge Jac SOURCE/BATTERY Minimum Operating Ter OPERATING CONDITION Maximum Operating Ter OPERATING CONDITION Maximum Operating Ter OPERATING CONDITION ACCESSORIES Details of All connecting SAFETY Compliance to IEC 61000 SAFETY Conformity to Dry Heat f Socion-5/1977 latest Socion-5/1977 latest Socion-S/1977 latest	GENERAL FEATURES	Facility to Measure RMS Current	Available		
GENERIC FOWER FOWER FOWER FOWER FOWER FOUTO FOUTO FOUTO FOUTO FOUTO FOUTO FOUTO FOUTO FOUTO FOUTO FOUTO FOUT		Facility to Measure Active, Reactive and Apparent Power	Available		
GENERIC GENERI		Facility to Measure Active, Reactive and Apparent Energy	Available		
GENERIC Interface Internal Memory (GB) Weight of the analyser other features other features POWER Power Supply If battery operated, cher Voltage of rechargeable capacity of rechargeable Suitable charger / adapt SOURCE/BATTERY Minimum Operating Ter DPERATING CONDITION Maximum Operating Ter OPERATING CONDITION Maximum Operating Ter SAFETY Compliance to IEC 61000 SAFETY Compliance to IEC 61000 SAFETY Conformity to Dry Heat f SAFETY Conformity to Cold Test t TEST REPORT DETAILS & conformity to Damp Heat Sysection-5/1977 latest conformity to Damp Heat Sysection-Supprise Test Report Number and Name and address of th Name and address of th Speing sourced from an authorized distributor / degrees responsible for providing genuine replacement suppliced responsible for providing genuine replacement suppliced responsib		Data transfer software provided for analysis on PC	Yes		
GENERIC Internal Memory (GB) Weight of the analyser other features POWER Power Supply If battery operated, cher Voltage of rechargeable SOURCE/BATTERY Capacity of rechargeable SOURCE/BATTERY Minimum Operating Ter DPERATING CONDITION Maximum Operating Ter OPERATING Humidity (%) Operating Humidity (%) ACCESSORIES Details of All connecting Genopliance to IEC 61000 Category of safety rating FEST REPORT DETAILS & Conformity to Dry Heat f Sysection-5/1977 latest Conformity to Cold Test f Conformity to Cold Test f 2/section-4/1977 latest Test Report Number and Name and address of th Sysection sourced from an authorized distributor / deer responsible for providing genuine replacement su Weight of Test Report Number and Name and address of th Speing sourced from an authorized distributor / deer responsible for providing genuine replacement su	GENERIC	Provision for external SD Card	yes		
Internal Memory (GB) Weight of the analyser other features Power Supply If battery operated, cher SOURCE/BATTERY Voltage of rechargeable capacity of rechargeable SOURCE/BATTERY DEPERATING CONDITION Maximum Operating Ter Operating Humidity (%) ACCESSORIES Details of All connecting GAFETY Category of safety rating SAFETY Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test i 2/section-4/1977 latest rest REPORT DETAILS & FEST REPORT DETAILS & REST REPORT DETAILS & rest Report Number and Name and address of th Sigeral Note:: Seller has given an undertaking that offered product. At the time of delivery of goods, Se being sourced from an authorized distributor / dear responsible for providing genuine replacement su spectral [Corrigendum] spectral [Corrigendum]		Interface	USB		
other features POWER SOURCE/BATTERY If battery operated, cher Voltage of rechargeable SOURCE/BATTERY EXAMPLE Voltage of rechargeable SOURCE/BATTERY EXAMPLE Voltage of rechargeable SUITABLE charger / adapt Battery backup (hours) Minimum Operating Ter Operating Humidity (%) ACCESSORIES Details of All connecting SAFETY Compliance to IEC 61000 SAFETY Conformity to Dry Heat f SAFETY Conformity to Cold Test i SAFETY Conformity to Damp Heat Sysection-5/1977 latest Conformity to the specified Test Report Number and Name and address of th Sysection is out the specified product. At the time of delivery of goods, S being sourced from an authorized distributor / deat responsible for providing genuine replacement sup Sysectial [Corrigendum] 1. GeM-Bidding-Corr-7243003-1.pdf : <td>Internal Memory (GB)</td> <td colspan="2">4</td>		Internal Memory (GB)	4		
POWER SOURCE/BATTERY		Weight of the analyser	1.5 kilogram		
POWER If battery operated, cher SOURCE/BATTERY If battery operated, cher SOURCE/BATTERY Capacity of rechargeable SOURCE/BATTERY Suitable charger / adapt Battery backup (hours) Battery backup (hours) DPERATING CONDITION Maximum Operating Ter OPERATING CONDITION Maximum Operating Ter Operating Humidity (%) Operating Humidity (%) ACCESSORIES Details of All connecting GAFETY Category of safety rating SAFETY Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test i 2/section-4/1977 latest conformity to Damp Heat 7EST REPORT DETAILS & conformity to Damp Heat 7EST REPORT DETAILS & conformity to Damp Heat 95% RH Availability of Test Repor Availability of Test Report Test Report Number and Name and address of th Steing sourced from an authorized distributor / deat %GRMF Corrigendum seting senure eplacement su %GRMF Corrigendum setif GRes at 1		other features	Self Power		
POWER Voltage of rechargeable SOURCE/BATTERY capacity of rechargeable SOURCE/BATTERY Suitable charger / adapt Battery backup (hours) Battery backup (hours) DPERATING CONDITION Minimum Operating Ter OPERATING CONDITION Maximum Operating Ter Operating Humidity (%) Operating Humidity (%) ACCESSORIES Details of All connecting SAFETY Category of safety rating SAFETY Category of safety rating SAFETY Conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test i SAFETS conformity to Damp Heat 95% RH Availability of Test Report Number and Name and address of th Report Number and Spectra Corrigendum Report Corrigendum Integrating replacement su Report Corrigendum Integrating replacement su		Power Supply	Battery operated,230 V AC +/- 10%,50Hz		
SOURCE/BATTERY capacity of rechargeable SOURCE/BATTERY capacity of rechargeable Suitable charger / adapt Battery backup (hours) DPERATING CONDITION Minimum Operating Ter OPERATING CONDITION Maximum Operating Ter Operating Humidity (%) Cetesson Control ACCESSORIES Details of All connecting Compliance to IEC 61000 Category of safety rating SAFETY Category of safety rating The equipment supplied conformity to Dry Heat ff 3/section-5/1977 latest conformity to Cold Test i 2/section-4/1977 latest conformity to Damp Heat 95% RH Availability of Test Report Availability of Test Report Number and Name and address of th Requiring INote:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / deat responsible for providing genuine		If battery operated, chemistry of the rechargeable battery	lithium ion		
Capacity of rechargeable Suitable charger / adapt Battery backup (hours) Minimum Operating Ter OPERATING CONDITION Maximum Operating Ter Operating Humidity (%) ACCESSORIES Details of All connecting SAFETY Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test i 2/section-4/1977 latest conformity to Damp Heat 95% RH Availability of Test Report Category of goods, S prestree product. At the time of delivery of goods, S being sourced from an authorized distributor / dear responsible for providing genuine replacement su spectar Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :	POWER	Voltage of rechargeable Battery	3.6		
Battery backup (hours) Battery backup (hours) Minimum Operating Ter OPERATING CONDITION Maximum Operating Ter Operating Humidity (%) ACCESSORIES Details of All connecting Compliance to IEC 61000 Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test t 2/section-4/1977 latest conformity to Damp Heat 95% RH Availability of Test Report Test Report Number and Name and address of th Requiring Inote:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dear responsible for providing genuine replacement su spectar Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :	SOURCE/BATTERY	capacity of rechargeable battery (milli AH)	4000		
ACCESSORIES Minimum Operating Ter Operating Humidity (%) ACCESSORIES Details of All connecting SAFETY Compliance to IEC 61000 SAFETY Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test t CSTS Conformity to Cold Test t FEST REPORT DETAILS & conformity to Damp Heat 95% RH Availability of Test Report Test Report Number and Name and address of th Name and address of th Fexture I Corrigendum spicatura [Gran an] (corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf : यहा [Gran an] (corrigendum) Spicatura [Gran an] (corrigendum)		Suitable charger / adaptor provided	yes		
OPERATING CONDITION Maximum Operating Term Operating Humidity (%) ACCESSORIES Details of All connecting SAFETY Compliance to IEC 61000 SAFETY Category of safety rating The equipment supplied conformity to Dry Heat ff SAFETS Conformity to Cold Test is Z/Section-5/1977 latest conformity to Damp Heat TEST REPORT DETAILS & conformity to Damp Heat S% RH Availability of Test Report Test Report Number and Name and address of th Test Report Number and Name and address of th Test Report Number and Name and address of th Test report Number and Name and address of th Test Report Number and Name and address of th Test Report Number and Name and address of th Test Report Number and Steing sourced from an authorized distributor / deat Tesponsible for providing genuine replacement su Tesponsible for providing genuine replacement su Steing Sourced from an authorized distributor / deat Tesponsible for providing genuine replacement su Steing Sourced from an authorized distributor / deat Tesponsible for providing genuine replacement su Tesponsible for		Battery backup (hours)	2		
ACCESSORIES Details of All connecting ACCESSORIES Details of All connecting SAFETY Compliance to IEC 61000 SAFETY Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test i Zysection-4/1977 latest conformity to Damp Heat 5% RH Availability of Test Report Availability of Test Report Number and Name and address of th Fextual INote:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dear responsible for providing genuine replacement su sylicg/up Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf : stel frees as 1/2		Minimum Operating Temperature	-10 degree Celsius		
ACCESSORIES Details of All connecting Compliance to IEC 61000 Category of safety rating The equipment supplied Conformity to Dry Heat ff 3/section-5/1977 latest conformity to Cold Test in 2/section-4/1977 latest conformity to Damp Heat 95% RH Availability of Test Report conformity to the specified Test Report Number and Name and address of th Report Number and Name and address of th seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dear responsible for providing genuine replacement su syccura [Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf : यहां वितक को [contents]	OPERATING CONDITION	Maximum Operating Temperature	50 degree Celsius		
SAFETY Compliance to IEC 61000 SAFETY Category of safety rating The equipment supplied conformity to Dry Heat ff 3/section-5/1977 latest conformity to Cold Test i 2/section-4/1977 latest conformity to Damp Heat 7EST REPORT DETAILS & conformity to Damp Heat 7ESTS Signal 7Est Report Number and Name and address of th 7Est Report Number and Name and address of th 7Estrop of providing genuine replacement supplied siggtra Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf : यहां क्तिक करें corrigendum siggtra Corrigendum		Operating Humidity (%)	90 percent		
SAFETY Category of safety rating Category of safety rating The equipment supplied Conformity to Dry Heat f 3/section-5/1977 latest Conformity to Cold Test 2/section-4/1977 latest Conformity to Damp Heat 95% RH Availability of Test Report Name and address of th Report Number and Name and address of th Report Number and Name and address of th Report Sourced from an authorized distributor / dear responsible for providing genuine replacement su शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf : यहां क्तिक करें data करें data करें data करें data करें data करें data करे data करे	ACCESSORIES	Details of All connecting Cables and accessories to be supplied along with the Analyser	6000A Clamp		
Category of safety rating The equipment supplied conformity to Dry Heat f 3/section-5/1977 latest conformity to Cold Test i 2/section-4/1977 latest conformity to Damp Hea 95% RH Availability of Test Report Some and address of th conformity to the specifi Test Report Number and Name and address of th compression of the specific of providing genuine replacement su syc current current supplied stress conformity to the specific of the specific o		Compliance to IEC 61000-4-30	Yes		
دور مراحم دور مراحم TEST REPORT DETAILS & دور مراحم TESTS دور مراحم TESTS دور مراحم Test Report Detrails دور مراحم Availability of Test Report conformity to the specific test responsible for providing genuine replacement superspecific test responsible for providing genuine	SAFETY	Category of safety rating	Category IV 600 V of IEC 61010		
3/section-5/1977 latest TEST REPORT DETAILS & TESTS Conformity to Cold Test 1 2/section-4/1977 latest Conformity to Damp Hee 95% RH Availability of Test Report Test Report Number and Name and address of th Report Number and Vaire of delivery of goods, S being sourced from an authorized distributor / dear responsible for providing genuine replacement su शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्तिक करे।		The equipment supplied with calibration certificate	yes		
2/section-4/1977 latest TEST REPORT DETAILS & TESTS 2/section-4/1977 latest Conformity to Damp Heat 95% RH Availability of Test Report Test Report Number and Name and address of th Fcound Note:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / deat responsible for providing genuine replacement sup शुद्धिमत्र Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्लिक करे।		conformity to Dry Heat for 16 hours at a specified maximum temp in accordance with IS:9000/part- 3/section-5/1977 latest	no		
TESTS Conformity to Damp Hea 95% RH Availability of Test Repor conformity to the specifi Test Report Number and Name and address of th Rame and address of th Rame freed product. At the time of delivery of goods, S being sourced from an authorized distributor / dea responsible for providing genuine replacement su Rame and address of th Rame and address of the specific to the spec		conformity to Cold Test for 4 hours at a specified minimum temp in accordance with IS:9000/part- 2/section-4/1977 latest	no		
conformity to the specifi Test Report Number and Name and address of th विष्पणी Note:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dea responsible for providing genuine replacement su शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्लिक करें d		conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 h each at a temperature of 40 degree C & 95% RH	no		
Name and address of th टिप्पणी।Note:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dea responsible for providing genuine replacement su शुद्धिपत्र।Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्लिक करें।		Availability of Test Reports from Central Govt/NABL approved/ILAC accredited lab to prove conformity to the specification	Yes		
स्टिप्पणी Note:: Seller has given an undertaking that offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dea responsible for providing genuine replacement su शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्लिक करें d		Test Report Number and date	MMA 31 15-07-2024		
offered product. At the time of delivery of goods, S being sourced from an authorized distributor / dea responsible for providing genuine replacement su शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्लिक करें d		Name and address of the Lab	Chandralok Sec-TS		
1. GeM-Bidding-Corr-7243003-1.pdf :यहां क्लिक करें।	offered product. At the t	jiven an undertaking that it has made arrangements for getting the stores from an authorized distribut ime of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to p uthorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuinenes 1 genuine replacement supplies.	prove that the supplied goods are genuine and a		
	-	2 2			
	responsible for providing খুব্লিपत्र Corrigendum				
	responsible for providin शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-72	43003-1.pdf :यहां क्लिक करें] <u>click here</u>			
ईपीबीजी विवरण ePBG Detail	responsible for providin शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-72 2. तक बढ़ाया गया Extende	43003-1.pdf :यहां क्लिक करें]<u>click here</u> d Upto : 2025-01-15 12:00:00			
सलाहकार बैंक Advisory Bank :	responsible for providin शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-72 2. तक बढ़ाया गया Extende	43003-1.pdf :यहां क्लिक करें]<u>click here</u> d Upto : 2025-01-15 12:00:00			
र्दपीबीजी प्रतिशत (%) ePBG Percentage(%):	responsible for providin शुद्धिपत्र Corrigendum 1. GeM-Bidding-Corr-72 2. तक बढ़ाया गया Extende ईपीबीजी विविरण ePB	43003-1.pdf :यहां क्लिक करें]click here_ d Upto : 2025-01-15 12:00:00 G Detail	NA		
	sponsible for providin द्धिपत्र Corrigendum GeM-Bidding-Corr-72 तक बढ़ाया गया Extende रीबीजी विविरण ePB ाहकार बैंक Advisory Bai	43003-1.pdf :यहां क्लिक करें]click here d Upto : 2025-01-15 12:00:00 G Detail nk :	NA NA		

1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The

Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Buyer Added Bid Specific ATC*: Buyer Added text based ATC clauses

1. Bidder should provide all the documents, annexures and other required documents as per the buyer added bid specific attached document.

2. Bidder should quote the AMC for three years (after completion of the one year warranty period) as per the annexure F given in the buyer added bid specific document.

3. Bidder should provide the technical compliance sheet for all the specifications as per gem bid along with brochure.

2.3 *Buyer Added Bid Specific ATC*: Buyer uploaded ATC document <u>Click here to view the file</u>.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.