

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687777865256

अनुबंध तिथि | Generated Date : 06-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4040759](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Autonomous मंत्रालय Ministry : Ministry of Education विभाग Department : Department of Higher Education संगठन का नाम Organisation Name : Indian Institute of Technology (IIT) कार्यालय क्षेत्र Office Zone : Hyderabad	पद Designation : Executive Assistant GN संपर्क नंबर Contact No. : 040-23016823-6071 ईमेल आईडी Email ID : con117.iiti.ts@gembuyer.in जीएसटीआईएन GSTIN : 36AAAAI2661J1ZP पता Address : Room NO. 218, Academic Block A, Kandi, Sangareddy Indian Institute of Technology Hyderabad, MEDAK, TELANGANA-502285, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : Deputy Registrar वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Dean SRC (R&D)	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : Executive Assistant GN ईमेल आईडी Email ID : con117.iiti.ts@gembuyer.in जीएसटीआईएन GSTIN : 36AAAAI2661J1ZP पता Address : Room NO. 218, Academic Block A, Kandi, Sangareddy Indian Institute of Technology Hyderabad, Medak, TELANGANA-502285, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : R11Y210002259719 कंपनी का नाम Company Name : THERMOLAB SCIENTIFIC EQUIPMENTS PRIVATE LIMITED संपर्क नंबर Contact No. : 08888808300 ईमेल आईडी Email ID : tenders@thermolabscientific.com पता Address : PLOT NO 19, 20,40 AND 41, VASAI MUNICIPAL INDUSTRIAL AREA, THERMOLAB HOUSE, UMELA PHATA, PAPDY, VASAI WEST, PALGHAR, Thane, MAHARASHTRA-401207, - एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MH-17-0009202 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN : 27AAACT2830Q1Z0

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR) में सभी शुल्क और कर सहित Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : thermolab LED display Humidity Chamber, Range +10 % RH to 95 % RH ब्रांड Brand : thermolab ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Humidity Chamber (Q3) मॉडल Model : TH 400 S एचएसएन कोड HSN Code : HSN not specified by seller	1	pieces	383,500	NA	383,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						383,500

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : con117.iiti.ts@gembuyer.in संपर्क Contact : 040-23016823-6071 जीएसटीआईएन GSTIN : 36AAAAI2661J1ZP पता Address : Room NO. 218, Academic Block A, Kandi, Sangareddy Indian Institute of Technology Hyderabad, MEDAK, TELANGANA-502285, India</p>	thermolab LED display Humidity Chamber, Range +10 % RH to 95 % RH	-	1	06-Feb-2024	07-Mar-2024
---	---	--	---	---	-------------	-------------

Product Specification for thermolab LED display Humidity Chamber, Range +10 % RH to 95 % RH

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Dimensions and Size	Exterior Dimension,(w x d x h) (mm)	Others
	Exterior Dimension,(w x d x h), (If Others)	750 x 1065 x 1630
	Volume of Chamber	400 liter
	Interior Dimension,(w x d x h) (mm)	600 x 630 x 1060
	Exterior Material	Power Coated
	Interior Material	high grade stainless steel (S.S.304)
	Interior Dimension,(w x d x h), (If Others)	600 x 630 x 1060
Technical Specifications	Heating & Cooling System	Long lasting SS tubular heaters used as heating element
	Insulation	70mm polyurethane insulation PUF or fiberboard to ensure better insulation and less leakage of temperature or RH from inner body to the surroundings
	Humidity	Humidity created by steam injection method,The boiler tank is fitted in the back side of the chamber for better servicing,Electromagnetic switch for controlling the wet heater from burning off if water level is not adequate,Float valve provided to control water level in the boiler tank
	Air Circulation	Temperature is maintained by a quiet running blower circulation air throughout the chamber,Forced air circulated vertically down and re circulated throughout the chamber for uniform temperature and humidity
Trays Specifications	distance between trays	15 centimeter
	Cabinet Tray Material	Strong Stainless steel rods strong enough to with stand heavy load
	Samples Tray Material	Removable perforated trays are part made of S.S. wire mesh
	No.of Trays,(Shelves)	3
Control Specifications	Accuracy	+/- 2 % RH
	Control Type	PID Micro Processor Based
	Temperature Range	+10 deg C to 70 deg C
	Humidity Range	+10 % RH to 95 % RH
LCD Smart Graphic Controller Specifications	LCD Smart Graphic Controller Temp Accuracy	+/- 0.1 deg C
	LCD Smart Graphic Controller Features	Monitor Low Water Level status
	Display	4.3" Graphics LCD display
	LCD Type	LED display
	LCD Smart Graphic Controller Accuracy	+/- 3% Rh
	Enclosure	Open frame flush mount type
	LCD Smart Graphic Controller Humidity	40% to 95% Rh
	LCD Smart Graphic Controller Temperature	+ 5.0 deg C to 70 deg C
	Power consumption	220-240 V ;15-950 W; 50-60 Hz
	Type	Multi channel Process controller
LCD Smart Graphic Controller Temp Resolution	+/- 0.1 deg C	
Additional Parameters	Applications	Cosmetics Industry,Plant or Insect Growth,Packaging Industry
	Accessories Included	LCD Smart Graphic Controller,Push Buttons,Switches,Individual Lamps,Other controlling accessories,Electrical wiring as per CE Compliances,Fluorescent light with door switch,Electric Motor of blower,Unit mounted on castor wheels,Voltage stabiliser,Software 21 CFR PART 11 Compliance,2 doors support with inner full length transparent

		door
	Safety Feature	High temperature safety cut off,Low water level boiler cut off,Electrical overload cut off,Time delay for compressor switch ON,Electrical circuit breaker
Generic	Warranty, (Select 0 if NA)	3 year
	Additional Information	THERMOLAB MAKE
	Features	New unique design concept
Certification, Standards and Test Reports	Calibration Report	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Name and Address of the lab (Please write NA if not applicable)	THERMOLAB TESTING SERVICE PRIVATE LIMITED
	Certification	ISO
	Test Report Date and Numbers (Please write NA if not applicable)	017/2021-22
	Test Report To Be Submitted To The Buyer On Demand	Yes

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for thermolab LED display Humidity Chamber, Range +10 % RH to 95 % RH

विनिर्देश Specification	मूल्य Value
1)Additional accessories	The storage tank for water should be provided along with RO water purifier

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic:

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#) .

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Bidder should submit all the documents and annexures as per the attached buyer added bid specific ATC.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.