Clarifications						
Date of Query	Material Description	Seller Query/Representation	Clarification			
2-Jul- 24	SERVER (Centralized Server with VMS)	The tender desired for 4U tower (optional rack mountable server) form factor under MII. Kindly allow us to quote with 2U form factor also under MII	May supply 2U form factor rack mountable server under MII			
4-Jul- 24		<ol> <li>Please provide existing system details? It will helpful to us to understand the structure and design for the best solution.</li> <li>Failover Server and Failover VMS licenses required ?</li> <li>If failover licenses required please mention the quantity.</li> <li>Site survey mandatory? (if we want to visit, to whom we reach for gate pass?)</li> <li>New setup should be integrate with existing system?</li> <li>Kindly amend the delivery period as 6 weeks</li> <li>Kindly clarify on pre-installation part</li> <li>Make In India content will be calculated on over all BOQ or item wise?</li> <li>If item wise MII content, mentioned makes for severs as Dell/HP.As you know Dell/hp are reputed brands and they don't have the LC and they cannot give declaration too.</li> <li>Request you to kindly consider overall BOQ MII declaration.</li> <li>CAMC clause applicable for only Cameras/Server/Switches?</li> <li>Any analytics want to be added in future?</li> </ol>	<ol> <li>All 595 cameras are mostly of Hikvision, few of CPPLUS, W-BOX and Samsung working on hikcentral VMS with SAN storage of Hikvision. VMS application is running on DELL server, we suggest you to visit IITH at your convenience.</li> <li>A redundant VMS application is to be installed in another existing machine. In case the new server crashes then provision should exist to copy all the licence to the existing server. Mean while the new server will get repaired. (The intension is, it should not impact the recording)</li> <li>There should be a backup file which could be copied and pasted in the existing server. No failover licenses are required.</li> <li>NO, it is advisable/ preferable to visit. For gate pass approval please email to cso@iith.ac.in, CC to office.security@iith.ac.in.</li> <li>YES.</li> <li>No, the delivery will be as</li> </ol>			

		mentioned in the tender. 7. Pre- installation/demonstration is mandatory before finalising the selected bidder. 8. Over all BOQ 9. YES, will consider overall BOQ 10. YES for cameras, server, San storage, SAS Hdd and network switches. 11. No.
5-Jul- 24	Permission for the site survey	May preferably visit the Site. For gate pass approval please email to cso@iith.ac.in, CC to office.security@iith.ac.in.
5-Jul- 24	<ul> <li>1.VMS Application software with bas license (Enterprise level) - EVMS</li> <li>Pro/i2V/Milestone/ any equivalent r brand allowed please change it to EV</li> <li>Pro/i2V/Milestone/Video line/Video any equivalent reputed brand</li> <li>2.CCTV Cameras - CP-Plus/Honeywee</li> <li>Infinova /any equivalent reputed bra</li> <li>allowed please change it to CP-</li> <li>Plus/Honeywell/Axis/ Infinova /Pran</li> <li>Hikvision/ Avaivi any equivalent reputed</li> <li>brand</li> <li>3. Switches -</li> <li>Netgear/Dlink/TPlink/Linksys/Digiso</li> <li>equivalent reputed brand allowed pl</li> <li>change it to</li> <li>Netgear/Dlink/TPlink/Linksys/Digiso</li> <li>Hikvision/ Avaivi any equivalent reputed</li> <li>brand</li> <li>4.As Per RFP Item Manageable switce</li> <li>/aruba/ any equivalent reputed brand</li> <li>allowed please accept Cisco /aruba/</li> <li>any equivalent reputed brand becau</li> <li>adding all</li> <li>these brands IITH will get more no operational</li> </ul>	eputed /MS netics II/Axis/ and As clearly stated, any equivalent reputed brand may be considered to supply, which meets the minimum technical specs as specified in tender document. I/Prama uted th - Cisco ad extreme se by

		participation and gets better commercials to IITH as well	
	1. SAN Storage		
	2. 5MP Bullet		1. Your proposal should
	camera	1. Network:- Protocol: iSCSI, RTSP, PSIA	match with our
06-Jul-	with	(Protocol not matching)	requirement, if required
24	Fixed/motorized	2. Minimum 80-100m IR range compatible	kindly visit the site.
	lens for Face	(IR Range 50 mtr only)	2. Your Proposal should
	Detection		match with minimum
	Camera		proposed specification