

Technical Specifications and Other Terms and Conditions

Annexure A

<p style="text-align: center;">Indian Institute of Technology Hyderabad Department of Sports Badminton, Basketball, kick boxing, and Squash Equipment with Specifications <u>Schedule 1</u></p>				
S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	Feather Shuttlecock	<p>AS-2 Aerosensa Solid Cork Base: Shuttlecocks built with a 100% solid cork base, ensuring stability and durability during play.</p> <ul style="list-style-type: none"> ● Real Goose Feathers: The shuttlecocks feature high-quality real goose feathers for the cone, providing superior flight characteristics. ● White Colour ● Consistent and Sustainable Trajectory: Should be designed to offer a consistent and sustainable trajectory. They originate from India. ● In one box contents: 12 Feather shuttlecocks. 	130 box	Yonex inter IIT board approved brand
2	Net	Nylon TETRON material W*H*D240*31, 572 gm, India 1.00 Set	6no	
3	Stand	Stand for hanging the shuttlecock height adjustable	4no	
4	Shuttle Feeding Tube	Weight-400 gm, length-92cm, Capacity-30 shuttlecocks, with strip	3no	

5	Surrounding Arena	Material: Polyester Size: 230 cm x 70cm"Weights: 2600 Grams Frame Material: Alloy Steel Approved/ Recommended Yonex"	50no	
6	Plastic Shuttle	Mavis350 Nylon Slow, 75 Pack of 6 green	40box	
7	Racket	<ul style="list-style-type: none"> ● Grip Size : G4 (3.25 Inches) Weight: 3U (85-92 grams) ● Colour : Black/White Head Shape : Isometric ● String Level: 20-28 lbs Strung Type: Unstrung ● Flexibility: extra stiff Balance Type: even Balance Playing Level All ● Material: Graphite ● Shaft: heavy MS Graphite/Nano metric/ex-hmg ● One Box Contents: 1 Badminton Racquet With Full Cover 	2no	
8	Grips	<ul style="list-style-type: none"> ● Lightweight racquet ● Sweat absorption 5Lx5W Centimetres 10 gm,4 inches 	2box	
9	Cushion Wrap	Dimensions: 8.3 x 8 x 6.9 cm; 10g Healthcare India Item Weight: 10g Net Quantity: 1.00 count	6no	
10	String	For Badminton Length 10 m, 0.7 mm String Gauge Coating Material: Compound Titanium Hydride Colour: White.	30no	
11	Basketball Size: 7	Basketball size: 7, Cosco challenge, composite leather, multicoloured	15no	Cosco
12	Basketball Size: 6	Basketball size: 6, Cosco challenge, composite leather, multicoloured	15no	Cosco
13	Bibs/ Vest, Cotton / Nylon	Bibs/ vest, Cotton / Nylon practice vest with number, L & XL sizes	24no	

14	Electric Foot Air Pump	Foot Air Pump	1no	
15	Ring Nets	Ring Nets Nylon/ cotton	10 Pairs	Cosco
16	Boxing Head Gear	Gear Head, Boxing Head Gears	1medim 1 free size	
17	Boxing Pads	Boxing Pads, Material Faux Leather, Hand Orientation Ambidextrous, Glove Type Punching	1no	
18	Boxing Gloves	Boxing Gloves, 12 OZ	1no	
19	MMA Bag	MMA Bag, 5ft MMA bag, Rexine type cover cloth filled, chained for hanging.	1no	
20	Triceps Press	Triceps press down bar, Triceps press down bar (solid bar), Solid Tri handle, LAT bar.	1no	
21	Shoulder Rope	Shoulder rope, Shoulder rope Standard for gym use	1no	
22	Massage Roller	Massage roller, Relaxing Massage roller (medium size). Rubber	4	
23	Gym Belt	Gym Belt, Thickness 10mm, W-4 Inch		
24	Squash Racket	<ul style="list-style-type: none"> ● HEAD size - 485 cm square ● Beam - 19 mm ● Balance - HEAD light ● Weight - 195g ● Technology - Nano titanium ● String pattern - 14/19 ● String - yes ● HEAD frame - round ● Material: Aluminium 	2	

25	Squash Ball	<p>Double dot Black 27 gm Pack of 12</p> <ul style="list-style-type: none"> ● Rubber outer material ● Used for international professional competition and club matches ● First layer of elastic hydrocarbon polymer ● One Box Contents: 12 Squash Balls ● Material: Rubber 16 x 3 x 12 Centimetres 	2 boxes	Dunlop Squash Ball Double Dot Ball (Black)
26	Grips	<p>Package Dimension- L110xB 2.5xH 0.075 length x width thickness): 43.3x1x 0.03 inch/110x2.5x 0.075cm</p>	2 boxes	
27	String	<p>For Squash Length 12mm,1.25 mm String Gauge Colour: Black</p>	15	

Approximate budget for Schedule 1-

Clause for Tender

1. The annual turnover should be more than 25 lakh.
2. Distribution Authority letter.
3. Product confirming and certified from International/ National Federations like the International Badminton, Basketball, and Squash for (Sl no. 1,2,5,6,7,11,12,24,25).
4. Manufacturers should have ISO certification for quality standards.
5. Rates must include transport, loading & unloading, and installation.
6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
7. 45 days for the delivery period
8. Warranty / Guarantee periods One year
9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years. (Enclose Previous Orders)
10. All the Sports Equipment should be manufactured in 2025 (New Stock).

Indian Institute of Technology Hyderabad

Department of Sports

Chess, Carrom, foosball, snooker, and Table Tennis Equipment with Specification

Schedule 2

S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	Chess board	Rubber 17x17 inch green mat	20no	
2	Chessboard with Table	Size: 24" X 24" Table and Chessmen – Eco Stand made of durable steel and painted black. Well balanced.	10no	
3	Chess Pieces set wooden	Wooden	20 set	
4	Chess Table plastic	Plastic durable table	20no	
5	Snooker ball set	Snooker Table Balls Set (Set of 22 Balls) - 2+1/16 in (52.5MM) Per Ball, Polyester BALLS IN A SET - This set comes with 15 red balls, black, pink, yellow, brown, green, and blue with numbers printed on them, and one white cue ball	3 set	



6	Snooker Cues Sticks	Snooker Cue Stick 9mm wooden 60 x 6 x 6 Centimetres	8 no	
7	Snooker chalk cubes box	Blue colour	10 boxes	
8	Snooker Table Plastic Frame Triangle in Black Colour	colour black, Material plastic, dimensions 26Lx26Wx3H centimetres	5 nos	
9	Billiards Ball Set	Regulation Billiard Ball Set Billiard/Pool Balls, (Set of 16 Balls) - 2-1/4 Inch Per Ball Polyester	5 set	
10	Billiards Sticks/ Cues	Billiards' Cue Stick 9mm wooden 60 x 6 x 6 Centimetres	10 nos	
11	Billiards Ball Plastic Frame Triangle in Black Colour	colour black, Material plastic, dimensions 26Lx26Wx3H centimetres	5 no	
12	Foosball Ball	White and black 36mm plastics	10 no	
13	Foosball players	White 11 & Yellow 11 strong plastic	4 set	
14	Carom coin	Wooden set	10 set	



15	Carom striker box	Acrylic carom striker 8mm	3 Dozen	
16	Carom powder	Carom powder 400 g box	10 box	
17	Snooker & Billiards Stand buckets	Plastic long Buckets	4 no	
18	Table Tennis Table	Shape of the Table (Rectangular Playing Surface) Length of the Table 2.74 meters, Width of the Table 1.525 meters Height of the Table (76 centimetres horizontal plane from the floor) Top Thickness 25 millimetres Rectangular Frame Pipe cross section (Lengthwise) 5 centimetres Rectangular Frame pipe cross section (width-wise) 5 centimetres Wall Thickness of Frame Pipe 3 mm Cross Section Shape of Leg Pipe Square, Leg Pipe 3 centimetre Wall Thickness of Legs Pipe 3 mm WEIGHT OF THE TABLE IS 128 Kg Approved / Recommended by ITTF /TTFI	1no	Stag (IISM Board Approved)
19	Table Tennis Surrounding Arena	SURROUNDINGS ARENA Material: Polyester Size : 230 cm x 70cm Weights: 2600 Grams	90 nos	



		Frame Material: Alloy Steel Approved / Recommended by ITTF/TTFI		
20	Table Tennis balls	Stag 3 star supreme balls (as per Inter IIT board) Size: 40+ mm Color: White Material: Plastic	35 dozen	Stag (IISM Board Approved)
21	Table Tennis Balls	2-star 40+ , white colour Size: 40+ mm, Colour: White, Material: Plastic	10 dozen	
22	Table Tennis Rubbers	Colour: Red, Speed: 9.5, Spin:9.3, Control:8.7, Tackiness:2.3 Weight: Medium heavy, Sponge Hardnes:7.0, Gear:8.8 Throw angle:5.6, Consistency:9.0,Durability:7.1,Overall:9.4	2 pair	
23	Table Tennis rubbers	Colour: Black, Speed: 9.2, Spin:9.5Control:9.1 Tackiness:2.4, Weight: Medium heavy, Sponge Hardnes:7.6 Gear:9.0, Throw angle:5.1,Consistency:9.2,Durability:7.5,Overall:9.2	2pair	
224	Table Tennis rubbers	Red colour/Black (2+2), Speed:83,Spin:76 Sponge thickness: 2.1, Sponge hardness: 36 Arc: 79,Type: High-tension Pimple in Technology: High Tension, Spring Sponge	(1+1)2 pair	
25	Table Tennis Ply/Blade	Table Tennis Blade Handle/Grip: FL Grip	2no	



		Speed: 9, Control: 7, Weight: 85-90 Material: arylate carbon and wood		
26	Table Tennis Ply/Blade	Handle/Grip: FL Grip Speed: 9.1 Control:8 Weight:89 Material: Ayous Thickness:6.8mm	2no	
27	Table Tennis Glue	Water-based glue 100ml	1no	
28	Table Tennis Multiball collection net	Colour: Blue Size: 210x40x180cm 1. Pipe diameter 25mm, Standard wall thickness 0.75mm 2. Thickened Oxford cloth table tennis paddle. 3. Good waterproofing & strong durability. 4. Single Size 140long & 75cm high	1no	
29	Table Tennis Net	Professional Grade Table Tennis (T.T) Net & Post Set (ITTF Approved) Quick, Easy Setup and Spring Activated Clamp Net	4no	
30	Flip paddles	Target practice Accuracy challenges moveable target hit	1 set	
31	Table Tennis Wireless Smart pad	Service & third ball return Size: 15 inches	1no	

Approximate budget for Schedule 2-
Clause for Tender

1. Annual turnover should be more than 25 lakh / annual.
2. Distribution Authority letter.
3. Product confirming and certified by International/ National Federations like the International Table Tennis (Sl no. 18,19,20,21).
4. Manufacturers should have ISO certification for quality standards.
5. Rates must include transport, loading & unloading, and installation.
6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
7. 45 days for the delivery period
8. Warranty / Guarantee periods: One year
9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years.
(Enclose Previous Orders)

All the Sports Equipment should be manufactured in 2025 (New Stock).

Indian Institute of Technology Hyderabad

Department of Sports

Cricket Equipment with Specification

Schedule 3

S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	Cricket bat	English willow Cricket bats with 7Grids for seniors. • Finest English Willow hard pressed & traditionally shaped for superb stroke • Approx. 7-9 straight grains • Imported cane handle with special formulation cork inserts fore and shock absorption • Traditional round cane handle for superior grip and bat control • Approx. 1160-1200 gm (2.9-2.11 lbs.) • Full size length approx. 85.7 cm (33.7 inches) • Depending on player height, suitable for 18 yrs.+ , if height 171 cms (5'6" and above) • Tested for usage against leather ball	10 no	
2	SG club white ball	"Sanspareils Greenland (SG) Club Non-Glossy, white colour. The Club White is a high-quality four-piece white cricket ball made from high-quality alum tanned leather. Solid one-piece grade 2 core. Waterproofed"	300 no	SG CLUB
3	Batting pad	Colour: Black, Material: PU, Sports Cricket Batting pad, Item dimensiaon:62X22x17 centimetre	8 pair	
4	Keeping pad	• Light weight and 3D moulded construction.	4pair	

		<ul style="list-style-type: none"> • Compact wrap-around fit. High-density foam facing. • Low-density foam-filled vertical bolster & knee bolster with fiber. • Can be used by both left & right-handed Batsmen. 		
5	Batting gloves	Material Leather; Polyvinyl Chloride, Polyurethane; Cotton Size Adult,	18 pair	
6	Keeping gloves	Material: Cotton, Glove Type: Wicket Keeping, Hand Orientation: Ambidextrous, Size: Adult	3pair	
7	Cricket helmet (black)	It should have a unique structural design and rigid zones that can take impacts up to 160 kmph. The additional protection comes with no restriction on all-around head movement. It should be designed for high impacts, maximum visibility, and comfort during play.	4 no	
8	Thing pad	<ul style="list-style-type: none"> • Combination of Thigh pad and Inner thigh pad. Made from imported PU facing • Constructed from micro-weight UHDF with polycarbonate reinforcement. • Soft absorbent polyester back • Premium quality elastic waist and thigh straps • Available for both right and left-handed batsmen • Available in all sizes. 	10 no	
9	Batting grips	Soft feel grip with better shock absorption. Colour and design may vary Type: Bat Care	30no	
10	Grip cone	Wooden with a Steel ring	2no	

11	Stumps	MCC wood (Black Colour) with Bails	36 no	
12	Batfish tape	Style 2nd Grade Ant Scuff Sheet, Colour White,	30 no	
13	Plastic balls	Plastic Balls, Plastic, Multicolour, 6.4 Centimetres, Weight 80 gms	36 no	
14	Wind ball	Material Blend, Colour Multicolour, Item Diameter 9 Inches, Set of 12	36 no	
15	Wooden fiber bowling base, spring back stump, iron base	Beige, Stump Set, Wood, Senior, 8 kg 500 g, 76 x 27 x 24 Centimetres, Spring Back System allows cricket stumps to retain position instantly, two wooden bails, wooden stumps, with iron base, and springs attached to the wickets, along with the stand, two bails are provided	2 set	
16	Target rubber stumps	Material: High Grade Plastic Material, 400 gm, yellow colour	6no	
17	Plastic boundary flag	Boundary flags should be made up of premium-grade plastic material, which makes them strong and sturdy so that the flags do not break easily. Boundary Marker Flags to mark boundaries for various sports like Cricket, football, soccer, tennis, baseball, athletics, etc. Boundary flags should be made of high-quality, premium-grade plastic, which is durable. The length of the flag should be 28cm, and the width 22cm. These Plastic flags should have a point peg at the end so that they can easily be inserted into the ground. These flags should have a base cap attached at the end, due to which they stay stiff on the ground and do not fall easily, even after being kicked	100 no	



18	Pitch cover	90 X 50 FEET HIGH Strength Full Size Cricket Pitch Cover PPS.	3no	
19	Manual score board	<ul style="list-style-type: none"> ● Material-Wooden ● Dimension-2.78m wide X 1.97m high. ● Scoreboard board colour-Black. ● Lettering colour-White. Optional feature - Galvanized steel legs, Galvanised steel ground socket, Movable. 	2no	
20	Boundary rope	<ul style="list-style-type: none"> ● High tear tensile strength, Long life cricket boundary rope ● Yellow colour with black tracer yarn ● Coil length of 110 meters and 220 meter ● Rummage meters/kg varies from 5.5 to 1.0 ● Breaking strength varies from 5712kgf to 28560 kg. ● High tear and tensile strength 	3no	
21	Weighting machine	Scale i-17 Weight Capacity 200kg x 20g Accuracy, Chargeable Digital Weighing Machine/Electronic Weighing Scale with Front Back Double Red Display, Heavy-Duty Mild steel Chequered Pan size 20×20"...	1no	
22	Stump position and marking gauge	Perfect distance measure and cricket bat width checker cricket tool, made of solid iron, portable tool, easy to carry with other cricket accessories.	2no	
23	Cricket bowling pace man machine balls	Grounds equipment	36 no	
24	Astro turf	Made of Quality Material -The Stump Gauge is made of high-quality Cast Iron Material.	2no	

25	Fiber tape	Ball size: 702cm/2.8inches, Ball weight 140gms,5oz, Features: Should be designed to deliver speed and bounce, Suitable for indoor and outdoor use, Suitable for pae men strike and ProX2 bowling machine only.	6 no	
26	Hard Tennis ball	Material: High Grade Plastic Material, 400 gm, yellow colour	24no	
27	Flexi Cricket Stumps		2set	
28	FORTRESS TECHNIQUE CRICKET BALL SPECIFICATIONS	Ball Weight: 150g 5.3 oz.PVC outer layer Cork core, Double flat-sided sided, ball Raised seam Suited for indoor & outdoor use Colours: Red	6 no	
29	Foam Roller	Medium	2no	

Approximate budget for Schedule 3-
Clause for Tender

1. Annual turnover should be more than 25 lakh / annual.
2. Distribution Authority letter.
3. Product confirming and certified from International/ National Federations like the International Cricket (Sl no. 1,2,3,4,5,6,7,8).
4. Manufacturers should have ISO certification for quality standards.
5. Rates must include transport, loading & unloading, and installation.
6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
7. 45 days for the delivery period
8. Warranty / Guarantee periods One year
9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years.
(Enclose Previous Orders). All the Sports Equipment should be manufactured in 2025 (New Stock).

Indian Institute of Technology Hyderabad

Department of Sports

Football and Volleyball Equipment with Specifications

Schedule 4

S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	Nivia Dominator 3.0 Football	Nivia Dominator 3.0 Thermobond Football is made of Multi-Fuze Technology (Thermos-Bond) technology, which helps in High Air Retention, Shape Retention & High Bounce. 32 Thermally Bonded Panels, Grained PU Surface covered with thousands of improved control & air flight. Suitable for Soft & Wet Ground, Hard Ground with Grass. & Artificial Turf.	150no	NIVIA DOMINATOR 3.0
2	Goalkeeping Gloves	Type: Goalkeeping Gloves Material:3mm Latex Palm with Durable Embossed PVC Backhand Colour: Orange/White Weight: 400 g The combination of performance, protection, and comfort.	10no	



3	Football Goal Post Net	Nylon with Double netted (White colour), Honeycomb mesh, strong silk (5606)	2 Pair	
4	Futsal Goal Post Net	Nylon with Double netted (White colour), Honeycomb mesh strong silk(5606)	2 Pair	
6	Aprons (Bibs)	Micro Polyester Ventilated Mesh Regular Fit, Colour Fastness	Blue:32,Green:32,Red:32, Yellow:32. Total:128 no(Medium)	
7	Score Board Manual	<ul style="list-style-type: none"> ● Material-Wooden ● Dimension-2.78m wide X 1.97m high. ● Score board colour-Black. ● Lettering colour-White. Optional feature - Galvanized steel legs, Galvanised steel ground socket, Movable. 	2 No	
8	Foam Roller	Medium	4 No	
9	Official Referees Stand -	<p>Official Referees Stand, Foldable Referee Chair (Volleyball)</p> <p>Product Description: The volleyball referee stand is powder-coated white and should be available with safety pads. The unit should come with wheels for easy transport. The stand should include a removable V-bracket with Velcro straps for connection to the volleyball post. The volleyball referee stand should be constructed of durable square steel tubing. The legs are 1-1/4”</p>	2 No.	

		<p>and the safety rails are 1". All steel should be powder-coated white. The legs include protective end caps to protect the gym floor. The weight of the stand without safety pads should be approximately. 66 pounds.</p> <p>Wheels: Non-marking wheels attached to the ladder legs for easy tip and roll transport.</p> <p>Safety Pads: They should be constructed of 1" closed-cell polyethylene foam wrapped in nylon reinforced 14 oz vinyl.</p>		
10	Volleyball Net	<p>Volleyball Net in box packing Tape: Double Side Laminated Coated Heavy Duty SRF Standard Size: (11 M X 1 M) Has a Square Mesh and Regulation Size. Covered with 4 Side Heavy Duty Double Side Laminated Coated SRF Professional Quality. 5 MM Nylon Thickness with Iron Wire. Certified by VFI or FIVB</p> <p>*The manufacturer should have ISO certification for quality standards</p>	4 No.s	
11	Volleyball Standard antenna	<p>Volleyball Standard antenna –</p> <p>SPALDING Volleyball Antenna: Fiberglass/Plastic, 5 lb Wt, 2 PK. The antenna is a flexible rod, 1.8m long and 10mm in diameter and made of fibre glass or similar material. It should be fastened on opposite sides of the net. The top of the antenna extends 80cm above the net and to be marked with 10cm stripes of contrasting colour, usually red and white.</p> <p>Easy fastening to any net, Integrated slider to prevent breakage, certified by VFI</p>	8 pair	

12	VOLLEYBALL	SPARTEN SUPER VOLLEYBALL Shape of Volleyball- Spherical DIMENSIONS AND MASS- Circumference- 65 centimetres Weight-260 grams, Material of Case (Outer)- Flexible Leather Thickness of Material of Case-1.5 millimetres Material of inside Bladder- Rubber, Colour- Blue and Yellow Certified by VFI	72No's	SPARTEN SUPER VOLLEYBALL
13	Volleyball net Wire	Volleyball Net Wire 5MM Thickness PVC Coated Iron Wire Heavy Duty. Volleyball Net (White)	6 No's	
14	Movable Volleyball Pole	Movable with Heavy Adjustable Pipe(3.0"×3.5") Volleyball Pole · Volleyball Pole Movable with Heavy Adjustable Pipe (3.0"×3.5") with PVC, Weight 250 to 300 Kgs. · Package Contents: 1 Pair Volleyball Poles	2 pair	
15	Volleyball net, Side band net	Sideband net Wide-5 cm	10 No.	
16	Volleyball ball carry cart	Blue powder-coated steel ball cart to hold 24 balls, with 4 multidirectional wheels for easy transport. It should have a handle and measure 70cm x 90cm x 60cm inside and 76 x 105 x 80cm outside. Length-1.05m, Height-0.76m, Material- Steel, Colour- Blue powder coated any other colour.	4 No.	



17	Basketball 5 no	Basketball Size 5: Circumference 69–71 cm; Weight 465-495 g.	8 no.	
18	Volleyball setting trainer	<ul style="list-style-type: none">· PATENT PENDING volleyball setter trainer equipment.· 2 HOOP SIZES TO IMPROVE ACCURACY using this volleyball setting trainer. Larger size for standard volleyball target practice and smaller size for pro setting.· 5 ANGLE and 5 HEIGHT ADJUSTMENTS to practice all volleyball passes. MOVE EFFORTLESSLY with 2 rubber wheels, creating a portable volleyball setter net for training.· Recommended Uses for Product- volleyball· Item Package Dimensions L x W x H-36 x 19.75 x 6· Package Weight-14.61 Kilograms, Model Name- Volleyball setting	2 no	
19	Air pump	Power Source-Manual Type of Product- Foot Pump Weight- 916g Dimension- 28 x 8 x 7 cm Pressure- High Pressure	2no	
20	Referee flags	Flag: Shape: Rectangular <ul style="list-style-type: none">· Material: Nylon, polyester, or similar durable fabric· Colours: Red, yellow, or white· Size: Typically 44x35cm or similar Pole: Material: Stainless steel or PVC <ul style="list-style-type: none">· Length: Around 45cm	20no	

		<ul style="list-style-type: none"> · Diameter: Around 2.5cm (may vary) · Grip: Often has a foam grip for comfort and ease of handling 		
21	Marking tape	<p>Colour-Yellow, Red, and white Size- 50 mm x 60 m Type of Product- Floor Marking Tape, Material- PVC Ideal For Highlighting and notifying the Spot Application Office, should be Industrial Water Resistant and Oil Resistant</p>	20 each colour	
22	Agility Ring	<p>Material and Construction:</p> <ul style="list-style-type: none"> · Plastic: To be made from durable plastic like PP plastic for impact resistance. · One-piece: Should be a single piece with no joints. · Thickness: Some rings to be thicker than others, offering different levels of resistance. <p>Size and Dimensions:</p> <ul style="list-style-type: none"> · Diameter: Agility rings typically have a diameter between 16.5 and 20 inches (420mm to 508mm). Weight: To be lightweight, with some weighing around 2.73 lbs (1.24 kg). · Flat or Octa: Rings can be flat or have an octagonal shape. 	4 set (each set 12 pics)	
23	Manual Semi-Automatic Push Button Call Bell	<ul style="list-style-type: none"> • Metal call bell for customer service counters, concierge desks, • All-metal construction, endowed with polished surface, ensuring the maximum durability with corrosion resistance. • Its non-slip base to keep bell in place and prevents slippage. 	12 no	

		Product Dimensions-10 x 10 x 5 cm, ; 250 g		
--	--	---	--	--

Approximate budget for Schedule 4-

Clause for Tender

1. Annual turnover should be more than 25 lakh / annual.
2. Distribution Authority letter.
3. Product confirming and certified from International/ National Federations like the International Football and Volleyball for (SI no. 1,2,9,10,11,12,14,18).
4. Manufacturers should have ISO certification for quality standards.
5. Rates must include transport, loading & unloading, and installation.
6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
7. 45 days for the delivery period
8. Warranty / Guarantee periods One year
9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years.
(Enclose Previous Orders)

All the Sports Equipment should be manufactured in 2025 (New Stock).

Indian Institute of Technology Hyderabad

Department of Sports

Athletics with Specification

Schedule 5

S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	High jump landing area/pit -	International & World Athletics Approved. (600 cm x 400 cm x 70 cm) VHJP 700	01 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
2	High jump landing area/pit, Rain cover	(600 cm x 400 cm x 70 cm)	01 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
3	High jump stand Olympic – HJS A11	Solid, telescopic pillar construction made of Special Aluminium, anodized in silver colour. A measuring tape installed in the special C-shaped groove in aluminium. Two brackets for putting a crossbar - one complies with arrow indications, the other is mounted 50 cm lower. The stand base is made of heavy-duty steel. powder-coated. Wheels installed in the base enable easy movement. Special, self-blocking mechanism of lifting and lowering crossbar brackets by means of crane lever. Height adjustment from 115 to 265 cm.	01 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI



4	Fibre Glass Cross Bar	4.0 meters Fibreglass Crossbar made by a single piece through the poltrusion process for minimum sag and extra durability, World Athletics approved	02 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
5	Fibre Glass Cross Bar	4.5 meters Fibreglass Crossbar made by single piece through poltrusion process for minimum sag and extra durability, World athletics approved	02 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
6	<u>Long Triple Jump Pit Leveller - Dura</u>	Long & Triple jump pit leveller made of heavy-duty 25mm steel tube and blade made of 3mm MS sheet. The long handle of this leveller makes raking and levelling sand pits easier. Size: Pole: 72 Inch, & Blade: 36 Inch	02no	
7	Shotput	7.26 KG: 120 mm diameter. Made of brass shell, lead filling. Precisely machine turned for accurate diameter and perfect balance. Self-coloured.	02 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
8	Shotput	7.26 KG:125 mm diameter Shell made of rust-proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance. World Athletics Approved	03 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
9	Shotput	4 KG: -95mm diameter Made of brass shell, lead filling. Precisely machine turned for accurate diameter and perfect balance. Self-coloured.	02 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI



10	Shotput	4Kg 103 mm diameter Shell made of rust-proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance. World Athletics Approved	03 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
11	Discuss Throwing circle- ALUMINIUM	Aluminium Discuss circle made of heavy-duty aluminium	1 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
12	Hammer cage net	Discus & Hammer Cage- Net 5 mm thick (machine knitted), with 40 mm square mesh, UV stabilized for long life	01 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
13	Conversion circle	World Athletics Certified conversion circle made of Fibreglass sections with reinforced Steel.	02 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
14	Hammer competition	- 7.26 KG- Alloy Steel (rust proof) hammer, precisely machine turned hammer for 110mm World Athletics approved Hammer	03 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
15	Hammer wires	wire length for men is 1.22 meters (3 ft 11.75 in), 3.20 mm thick	15 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
16	Hammer handles	World Athletics Approved. Curved aluminium	15 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI



17	Discus competition:	2 KG - World Athletics Certified, Hyper spin premium quality. designed with JOINTLESS rim. 91% rim weight, RUST PROOF ALLOY RIM with strong plastic side plates	8 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
18	Discus competition	1 KG - World Athletics Certified, Hyper spin premium quality. designed with JOINTLESS rim. 91% rim weight, RUST PROOF ALLOY RIM with strong plastic side plates	8 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
19	Javelin competition	800 grams World Athletics Certified. Made of hardened, best quality dura aluminium. Javelin head made of stainless steel for extra durability. Range: 40 M to 80 M	08 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
20	Javelin competition	600 grams World Athletics Certified. Made of hardened best quality dura aluminium. Javelin head made of stainless steel for extra durability. Range: 40 M to 60 M	08 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
21	Starting Block -	Centre rail made of special 75 mm slotted aluminium channel with ribs to slip in anchor plates ensuring high ground stability. Heavy aluminium paddles with thick rubber pads. Rust proof plates with spikes to hold the starting block on synthetic tracks / cinder tracks. World Athletics Certified	05 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
22	Drag Mat	(6' W * 2' L) Drag Mat made of corrosion-resistant galvanized steel. Heavy-duty metal angles across front of mat for pulling with help of 16 mm polypropylene rope to smooth out uneven surface.	02 no	
23	Take off boards	Take-off board system, made of solid wood. Welded aluminium tray protects take-off area and facilitates easy replacements of take-off board and plasticine	04 no	ATE

		board. with heavy construction aluminium blanking lid for durability. World Athletics approved.		
24	Pole vault poles	Normal Fiberglass Vaulting Pole. Made with "FLEXITECH" technology. Length 4.25m.Weight Range 130 LBS To 150 LBS. "Signature" Tip.	04 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
25	Pole vault, Pole placing stick	Cross bar placed strong, durable plastic with adjustable stick length 5 mtr.	01 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
26	Official flags	Single colour flag, 41 cm x 41 cm, made of heavy-duty polyester fabric. Tube made of SEP (Plastic), 54 cm long & without a hand grip. (White 20no, Red 15no, Yellow 15 no)	50 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
27	Official chair	Referee Chair made of sturdy steel tube frame and durable polyester fabric. Powder coated for extra durability, Close & fold system.	10 no	NELCO/ATE/ANY APPROVED BRANDS OF AFI
28	Weighing machine (BIG)	200kg - 16*16 inch / 400*400 mm Stainless Steel Platform Scale 400x400mm 200kg platform scale, colour grey, steel grey, display green led display size 0.56 inches. Visibility in daylight.	01 no	
29	Hurldes carrier		1 no	
30	Plyometric Box	Size: 6 Inches – 1 12 Inches – 1	1 set	

		18 Inches - 1 24 Inches – 1		
31	Massage Roller	Relaxing Massage roller (medium size). Rubber	6no	
32	Spikes	Style-Colour Gold, Heel Type-No Heel, Style NameLow-Top Pattern Camouflage, Features & Specs, Closure Type-Zipper Sport Type-Running, Shoe Type-Athletic Shoe Water Resistance Level-Water Resistant Model numberSHOES0007 UPC 606118730190 8 Size-02, 09 size-02 no, 10 Size – 02 ASIN B0D8SWXB6C Item Type Name: Hiking Shoe Item Height 20 Centimetres Item Weight: 700 Grams Measurements Shoe Height Map-Mid Top	6no	ATE, health

		Materials & Care, Outer Material Type-Silk Sole Material Polyurethane Insole Material-Polyurethane (PU) Material Type Polyester		
33	Throwing shoes	Throwing shoes specifications. Style Colour Grey/Blue Heel Type-No Heel, Toe Style-Closed Toe, Style Name-Mid-Top Pattern Solid, Season Spring, Summer Features & Specs Closure Type Lace-Up Sport Type-Track and Field Throwing Water Resistance Level: Not Water Resistant Strap Type-Lace ASIN B0DP5GNWR8 Item Height 12 Centimetres	6no	(Health, RXN throwing shoes)

		<p>Item Weight 0.35 Kilograms</p> <p>Shoe Height Map Mid Top</p> <p>Materials & Care Outer Material Type: Faux Leather.</p> <p>8 Size-02, 09 size-02 no, 10 Size – 02</p>		
--	--	---	--	--

Approximate budget for Schedule 5-

Clause for Tender

1. Annual turnover should be more than 25 lakh / annual.
2. Distribution Authority letter.
3. Product confirming and certified from International/ National Federations like the International Athletics for (Sl no. 1,2,3,4,5,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,23,24,25,26,27).
4. Manufacturers should have ISO certification for quality standards.
5. Rates must include transport, loading & unloading, and installation.
6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
7. 45 days for the delivery period
8. Warranty / Guarantee periods: One year
9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years.
(Enclose Previous Orders)
10. All the Sports Equipment should be manufactured in 2025 (New Stock).



Indian Institute of Technology Hyderabad

Department of Sports

Hockey and Tennis with Specification

Schedule 6

S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	Hockey goalkeeper kit	Goalkeeper specification: HELMET ROYAL MODEL, KICKER ROYAL MODEL, ABDOMINAL GUARD, HOCKEY BODY + ARM GUARD, SHOULDER GUARD, LEG GUARDS WITH KICKERS, NECK GUARD, GLOVES ROYAL MODEL (1PR), PADED SHORTS (BODY FITTED, GOALKEEPER T. SHIRT, HOCKEY OVER SHORT, GK BAG 3 WHEELS+ TROLLEY, GK KICKER STRIPS, GOALIE STICK, INNER GLOVES + EXTRA BUCKLE, Size: Medium. CLOSURE TYPE ZIPPER, STRAP TYPE NON-DETACHABLE, POCKET DESCRIPTION UTILITY POCKET, HANDLE TYPE PULL, SHELL TYPE SOFT.	2no	
2	Lawn tennis Racquet stand.		2no	

3	Hockey stick	Specification: Height: 38 inches, Weight: 737 grams., Carbon: 90%. Kevlar: 10% with PU grip. Dual-core Performing technology hybrid composite stick.	10 no	
4	Goalkeeper kicker belt or strips	Goalkeeper strip	20 pair	
5	Corner Flag for Hockey	Plastic with spring-loaded Heavy-duty steel spring Spike with ground plate (withstands hammering), highly visible, bright orange triangular flags affixed to white poles, 60"H x 1" OD white plastic poles. set of 4	2 sets	
6	Hockey Rakshak gold ball	Item Weight: 156 to 163 grams	60 pieces	
7				
8	Tennis AO Dunlop balls	Dunlop AO	300 barrels	
9	Lawn Tennis nets with wire	Material Polyvinyl Chloride, 12.8L x 1.07W Meters,	8 pieces	
10	Body Weight machine	Digital Weighing machine Thick Tempered Glass LCD Display Digital Health Body Weight Weighing Machine Scales for Body Weighting Digital for Human Body, Capacity: 180 Kg, Accuracy, Colour: Black, Material: Toughened Glass	2 piece	
11	Message roller	Relaxing Message roller (medium size). Rubber	2 pieces	

12	Swiss ball	Anti-burst gym ball 45cms QUALITY- Made from high-quality anti-burst foam PVC an eco-friendly material. These large, durable, anti-burst balls. A dual-action hand or foot pump to be included. Non-toxic and non-stick.	2 pieces	
13	Hockey stick grip	Hockey stick grip	25 no	
14	Chalk Line	Chalk Line	1 no	
15	Court cleaning roller squeezer	Handle: Anodized Aluminium. T-Socket & Frame: Stainless Steel. Roller: PVA Material. Length & width 920mm x 30mm.,36” Sweep., Weight: 3.6kg Weight: 3.6kg	10 no	
16	Lawn-tennis courts windscreens.	Materials: Synthetic fabrics like polyethylene or polypropylene are durable and weather-resistant. Made from heavy-duty knitted polyester mesh screen. Colour: Black, water and UV resistant. All hems are reinforced with 2-inch-wide nylon webbing.	300 meters	

Approximate budget for Schedule 6-
Clause for Tender

1. Annual turnover should be more than 25 lakh / annual.
2. Distribution Authority letter.
3. Product confirming and certified from International/ National Federations like the International Hockey and Tennis for (Sl no. 1,3,6,8,9,13,16).
4. Manufacturers should have ISO certification for quality standards.

-
5. Rates must include transport, loading & unloading, and installation.
 6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
 7. 45 days for the delivery period
 8. Warranty / Guarantee periods One year
 9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years.
(Enclose Previous Orders)
 10. All the Sports Equipment should be manufactured in 2025 (New Stock).

Indian Institute of Technology Hyderabad

Department of Sports

Aquatics with Specification

Schedule -7

S.NO	PARTICULAR	SPECIFICATION OF ITEM	QUANTITY	REMARK
1	Kickboard	Material type: silicon Outer Material: polyester Weight: 1.5 to 1.6 kg Colour: any With Grip holes Size: Free	30 no	
2	Pull buoy	Material type: Ethylene Vinyl Acetate Weight: 130 to 150 gm Dimensions: 22Lx11W cm Colour: any Size: free	10 no	
3	Swimming goggles	Frame type: Full rim Frame Material: silicone Shape: round	10 no	

		<p>Lens colour: any Lens coating: Anti-fog coating with UV protection Lens Material: Polyvinyl chloride Item weight: 30 to 40 gm Fitting: Inner eyes Fitting Strap: silicon double-head strap For: Adults</p>		
4	Swimming cap	<p>Material type: Silicon Weight: 0.05 to 0.08 gm Style flat silicon cap For Adults unisex</p>	<p>25 no White-10 Blue-10 Red-5</p>	
5	Fins	<p>Blades: short & straight blades Material: Soft Silicone Weight: 500 to 600 gm Size: UK-5 (3 Pairs) UK-6 (2 Pairs) UK- 7 (3 Pairs) UK- 8 (2 Pairs)</p>	<p>10 Pairs</p>	
6	Hand paddles	<p>Material: Silicon, polypropylene (PPE), Thermoplastic Elastomer (TPE) Size: L Weight: 280 to 300 gm Colour: any</p>	<p>20 Pairs</p>	



		For: Adults Strap: silicon Strap For comfortable adjustment		
7	Swim training waist	Swimming Training Swim Belts, Swimming Resistance Belts, Waist Belt with 13ft	5 no	
8	Ankle Buoy	Size- Adult Colour- Any Material – Ethylene Vinyl Acetate Form Item weight – 0.26 Pounds Dimensions LxWxH – 16.9x29.1x0.1 Centimetres	5 no	
9	Forearm Fulcrum	Colour – Any Material – Thermoplastic Elastomer (TPE) Fit type – Regular Closure Type – Hook Wright – 200 Grams Dimensions LxWxH – 35x13x8 Centimetres	10 Pairs	
10	Digital Pace clock for swimming	Digital countdown Pace clock for the swimming practice Size: 2x3 Feet (HxI) Water resistance 5 Meter wire with Switch	2no	
11	Swim Resistance Parachute	Swimming Parachute with Adjustable nylon belt Size – Adult 18 inches Colour- Any Material – Nylon Weight – 300 Grams	05 no	



12	Floating Pool Noodles	Size- 4 feet long Color- Any Material- Polyethylene Foam Dimensions- 120L x 6W Centimetres	10 no	
13	Swiss Ball	Material – Polyvinyl Chloride Colour- Any Size are: 55 centimetres (2) 65 centimetres (2) 75 centimetres (1)	05 no Acc. To size	
14	Massage roller	Relaxing Massage roller (medium size). Rubber	05 no	
15	AB Roller	Anti-Skid Double Wheel- AB Roller -for Abdominal Stomach - ab exercise equipment - abs workout equipment – Steel Handle- ab roller for men - ab roller wheel	05 no	
16	Resistance band	Rubber stretch cord with Handles	10 no	
17	Stopwatch	100 memory stopwatch for training	01 no	
18	Plyometric box soft	Size: 6 Inches – 1 12 Inches – 1 18 Inches - 1 24 Inches - 1	4 No. As per Sizes	

19	Big Gym Fan	Colour- Any Electric fan design- Floor Fan, Power source- Electric Style- modern Dimensions- 92D x 92W x 165H Centimetres (+- 5 cm) Type- Sports Portable Speed- 2E+2 RPM, Voltage- 200 Volts Switch type- Push Button Weight- 142 Kilograms, Usage- Indoor/outdoor, Blade Material- Plastic Size- Large, Electric- 5 Meters with switch	1no	
20	Weight machine (Big)	200kg - 16*16 inch / 400*400 mm Stainless Steel Platform Scale 400x400mm 200kg platform scale, colour grey, steel grey, display green led display size 0.56 inches.	1no	

Approximate budget for Schedule 7-
Clause for Tender

1. Annual turnover should be more than 16 lakh / annual.
2. Distribution Authority letter.
3. Product confirming and certified from International/ National Federations like the International Aquatic for (Sl no. 1,2,3,4,5,6,7,8,9,11,12).
4. Manufacturers should have ISO certification for quality standards.
5. Rates must include transport, loading & unloading, and installation.
6. The vendor shall be responsible for repairing any damage that occurs during the warranty period
7. 45 days for the delivery period
8. Warranty / Guarantee periods: One year
9. The Vendor should have supplied similar material to any reputed Organization/IITs/universities/ Sports Authority in the last three years. (Enclose Previous Orders). All the Sports Equipment should be manufactured in 2025 (New Stock)

For any technical query related to enquiry, you may contact

Dr. Himanshu Joshi, Sports Faculty In-Charge, Email: fic.sports@iith.ac.in
Dr. Baba Aditya Varma. P – Sports Officer, Email: babaaditya.p@iith.ac.in
M.D Akbar – Sports Officer, Email: akbar.mohammed@admin.iith.ac.in

For Commercial query:

Mr. M Venkatesh – Senior Assistant Registrar, Email: ar.purchase@iith.ac.in
Mr. Ramesh Kumar - Assistant Registrar Email: ar.stores@iith.ac.in
Ms. D Chanchala Devi– Joint Registrar, Email: hos.snp@iith.ac.in
With CC: office.stores@iith.ac.in

TERMS AND CONDITIONS

1. **Delivery period:** Material should be delivered and installed within **45 days** from the date of issue of purchase order. The offered delivery period shall have to be strictly adhered to in case an order is placed.
2. **Payment: No advance payments are allowed under any circumstances. 100%** payment will be made against Delivery, installation, commissioning, Training & acceptance by IIT Hyderabad.
3. **Earnest Money Deposit (EMD) (Not Applicable):**
 - i. The tender documents must be accompanied by an Earnest Money Deposit (EMD) of **Rs. 0/-** in the form of Insurance Surety Bonds/Account Payee/Demand Draft/Fixed Deposit Receipt/Banker’s Cheque/ Bank guarantee from any commercial Banks on any Scheduled/Nationalized Bank **in favor of the Director, Indian Institute of Technology Hyderabad.**
 - ii. The original document (other than MSME/NSIC) should be posted/couriered/given in person to the Stores & Purchase Section of IIT Hyd on or before opening of Technical Bid. In case of non-receipt of original document before the due date of opening of technical bid, the uploaded bid will be summarily rejected.

For Online Payment of EMD /& Tender Fees: The EMD/Tender Fees can also be paid online, the bank details are as follows:

Name of the Bank & IIT Hyderabad	Account Number	IFSC CODE	Branch code
----------------------------------	----------------	-----------	-------------

SBI	30412797764	SBIN0014182	14182
-----	-------------	-------------	-------

**The Online payment proof needs to be uploaded along with the Technical Bid.
The firm registered with NSIC/MSME/Udyam Adhaar must give proof of registration along with their quotation failing which the bid will not be considered.**

Exemption from submission of EMD/Tender Fees against valid and relevant NSIC /MSME Certification is permitted, however it shall be subject to scrutiny by the IITH and if during scrutiny, it is found that the NSIC Certificate is invalid and/or irrelevant, then that bid is liable to be rejected as “not-accompanying EMD”. Therefore, Bidders claiming exemption from EMD/Bid Securing Declaration against NSIC certificate, should ensure the same carefully, while submission of their bids.

Note: If in the view of bidder, any exemption / relaxation is applicable to them from any of the eligibility requirements, under any Rules / Guidelines/ Directives of Government of India, bidder may submit their claim for the applicable exemption /relaxation, quoting the valid Rule/Guidelines/ Directives with a copy of such notification. In this case the bidder must submit necessary and sufficient documents along with the technical bid, in support of their claim. The relevant and valid certificates in support of claim of exemption must be submitted along with the Technical Bid.

- i) The BIDDER who submits the tender on behalf of their principals should produce documentary evidence in support of their authority to quote or submit Proforma invoice of their principals for this tender.
- ii) The successful BIDDER, on award of contract / order, must send the contract / order acceptance in writing, within 15 days of award of contract.
- iii) Bids submitted without Bid Securing Declaration / relevant MSME/NSIC Certificates will be rejected & no correspondence in this regard shall be entertained.
- iv) These exemptions /relaxations are meant for procurement of only goods produced and services rendered by MSEs. Traders/ distributors/ sole agent/ Works Contract are excluded from the purview of the policy.

This Bid is also governed by the latest General terms and conditions as per GeM.

4. Bid Opening and Evaluation Process:

- a. Technical Bids will be opened as per the Date Schedule & Time.
- b. Financial Bids/Commercial Bids of the eligible bidders will be opened at a later date. The date and time for opening of Financial Bids /Commercial will be announced later.

c. Bids would be summarily rejected if the tender is submitted other than through an online portal. The Bid is to be submitted within the stipulated date / time.

Technical Committee

(i) On the due date the Technical bids will be opened and referred to a duly constituted technical committee which is duly constituted. The committee will go through the technical aspects of the tender and recommend short listed firms. The recommendation of the technical committee is the final and binding on all the parties.

(ii) The technical evaluation will be an assessment of the Technical Bid. IIT Hyd representatives will proceed through a detailed evaluation of the Technical Bids as defined in Annexure - A (Schedule of requirements, specifications and allied technical details), in order to determine whether they are substantially responsive to the requirements set forth in the tender. In order to reach such a determination, IIT Hyd will examine the information supplied by the BIDDERS, and shall evaluate the same as per the specifications mentioned in this tender.

(iii) The technical committee may formulate evaluation criteria in addition to the specifications and requirements indicated in the tender, in the interest of IIT Hyd and these criteria/recommendation will also form as a part of short-listing of the firms.

(iv) The Technical Committee will examine all the Technical aspects of the bids received. Further, the Technical Committee may seek additional information from the existing users at IIT Hyd or from other Institutes, these feedbacks will be considered for technical evaluation, the bidders will also be called for technical presentations if it is required so. The bidder will have to provide the details/any additional documents as and when sought by the Technical committee.

(v) The information received and the bids already submitted together will be examined with reference to the tendered specifications and evaluation is made by the Technical Committee.

(vi) After the technical evaluation is completed and approved, IIT Hyd shall inform to the BIDDERS whose bids have been rejected technically with the reasons for rejection.

(vii) The successful BIDDERS will be informed regarding the date and time of Commercial bid opening.

(viii) In the event of seeking any clarification from various BIDDERS by IIT Hyd , the BIDDERS are required to furnish only technical clarifications that are asked for. No amendment to commercial bid will be entertained at that stage. In case if a BIDDER fails to quote for a particular item it amounts to non-compliance and hence such bid will not be considered for further evaluation. Further during this process if any BIDDER indicates the price during the clarification such bids also will not be considered for further evaluation.

5. **The Director, IIT Hyd reserves the right to accept the offer in full or in parts or reject summarily or partly.**

6. **Bid Validity Period:**

a. The prices must be valid at least for a period of **90 days** from the date of opening of the Tender. No changes in prices will be acceptable in any condition after opening of tender till the validity of the offer or execution of the order whichever is later

b. IIT Hyd may ask for the BIDDER's consent to extend the period of validity. Such request and the response shall be made in writing only. The BIDDER is free not to accept such request. A BIDDER agreeing to the request for extension will not be permitted to modify his bid.

c. Bid evaluation will be based on the bid prices without taking into consideration the above corrections

7. **AWARD OF CONTRACT:**

a. IIT Hyd, shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated commercial bid.

b. If more than one BIDDER happens to quote the same lowest price, IIT Hyd reserves the right to award the contract to more than one BIDDER or any BIDDER.

8. **IIT Hyd reserves the right to vary quantities at the time of Award:**

a. IIT Hyd reserves the right at the time of Contract award to increase or decrease the quantity of goods and services originally specified in the tender document without any change in unit price or other terms and conditions. Further, at the discretion of IIT Hyd, the quantities in the contract may be enhanced by 25% within the delivery period.

b. Firms which have already supplied similar equipment to IIT Hyd and have not completed required installation/commissioning/after sales service/warranty replacements etc. such firms offer will not be considered for further evaluation and no enquiries thereafter will be entertained.

9. **Fraud and Corruption:**

IIT Hyd requires that bidders, suppliers, contractors and consultants, if any, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy,

(a) The terms set forth below are defined as follows:

(i) "Corrupt practice" means the offering, giving, receiving, or soliciting, directly or in directly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

- (ii) “Fraudulent practice” means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
- (iii) “Collusive practice” means a scheme or arrangement between two or more bidders, designed to establish bid prices at artificial, non -competitive levels; and
- (iv) Coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contract

- (b) IIT Hyd will reject a proposal for award if it determines that Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent collusive or coercive practices in competing for the Contract in question

10. Interpretation of the clauses in the Tender Document / Contract Document

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, Director, IIT Hyd’s interpretation of the clauses shall be final and binding on all parties.

11. Security Deposit (Not Applicable):

a. Within fifteen (15) days of the award of contract, the vendor shall furnish a Security Deposit amounting to **5%** of the purchase order value in the form of Insurance Surety Bonds, Account Payee, Demand Draft, Fixed Deposit Receipt, Banker’s Cheque or Bank guarantee from any commercial Banks or payment online of a scheduled bank in the name of Director, IIT Hyd favouring the Director, IIT Hyd.

b. The Security Deposit will be encashed/claimed if the vendor fails to execute the order as per the Purchase Order.

c. The Security Deposit should be valid for a period of 01 Year warranty + 60 days, as the same will extend the same as Performance Bank Guarantee. Hence while preparing the BG, the time required for delivery and installation and warranty + 60 days needs to be accounted for to cover the BG validity period.

d) This Security Deposit will be refunded to the vendor only on satisfactory completion of all contractual including warranty obligations as per this Tender and Purchase Order issued against this Tender.

e) Bank Guarantee wherever mentioned in this document may be read as “Bank Guarantee from any Scheduled Bank” only. The Bank Guarantee should be submitted in Hard Copy to IITH and the issuing Bank should send the IFN 760 COV Bank

Guarantee Advice Messages to our bankers through SFMS (Structured Finance Messaging System). Our Bank details are as follows:

Name of Bank: Canara Bank

Branch: IIT Kandi Campus

Account No: 3458101000222, IFSC Code: CNRB0003458, SWIFT: CNRBINBBBFD

12. **Pre-installation:** The BIDDER must state in detail the Electrical Power/UPS requirements, floor Space, head room, foundation needed and also to state whether Air-conditioned environment is needed to house the system and to run the tests. i.e. pre-installation facilities required for installation may please be intimated in the technical bid. Subsequently, before the consignment lands in IIT Hyd the bidder shall confirm that the pre-installation requirements are sufficient for installation of the equipment. The BIDDER should continuously monitor the pre-installation requirements and see that everything is ready before the consignment is taken to the site for installation.

13. **Installation:**

- a) BIDDER shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter.
- b) Installation demonstration to be arranged by the supplier free of cost and the same is to be done within 15 days of the arrival of the equipment at site, unless otherwise instructed by the Institute
- c) After successful installation what will be the minimum down time of equipment/instrument in case of breakdown. If the identified firm or person fails to put the system into working condition what is the further alternative course of action suggested to adhere to minimum down time should be covered in the Technical Bid.

14. **Inspection:**

- a) The inspection of the system will be done by our technical expert /Scientist in the presence of firm's representative.
- b) In case of receipt of the material in short supply or damaged condition the supplier will have to arrange the supplies/ replacement of goods free of cost pending the settlement of the insurance case wherever applicable on FOR at the IIT Hyd.

15. **Training:** Wherever needed, Scientist/Technical persons of the Institute should be trained by the supplier at the project site free of cost. In case the person is to be trained at supplier's site abroad or in India it should be mentioned in the quotation clearly. The supplier should bear all the expenses for such training including 'to & fro' fares and lodging & boarding charges.

16. **Warranty / Support:**

- a) The items covered by the schedule of requirement shall carry minimum **01 Years** warranty from the date of acceptance of the equipment by IIT Hyd. Warranty shall include free maintenance of the whole equipment supplied including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts.
- b) The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom duty, local taxes if any should be borne by the beneficiary or his agent. No cost will be borne by IIT Hyd.
- c) The warranty on the associated software should cover providing of upgraded version/s, if any, released during the warranty period free of cost.
- d) The Bidder shall assure the supply of spare parts after warranty is over for maintenance of the equipment supplied if and when required for a period of 10 years from the date of supply of equipment on payment on approved price list basis.
- e) The equipment must be supported by a Service Centre in India manned by the technical support engineers. Also it should be possible to contact the Principal's vendor support Centre on a toll free number/web/mail. The support through this Centre must be available during all working days and hours.
- f) The manufacturer/OEM is should facilitate the bidder/Agent on regular basis with technology / product updates & extend support for the warranty as well.
- g) The vendor will have to arrange for all the testing equipment & tools required for installation, testing & maintenance etc.
- h) The principal vendor must have a local logistics support by maintaining a spares in the country of deployment of the equipment, with the Indian Agent. This is to ensure immediate delivery of spares parts from Principal Vendor of equipment to its channel partner/system integrator.
- i) Details of the agency who shall maintain during warranty and undertake Annual Maintenance Contract/Comprehensive Service Maintenance Contract beyond warranty shall be given in the offer. In case of foreign quote, the Indian Agent who shall maintain during warranty and AMC beyond warranty shall be given in the Technical Offer
- j) **Commencement of Warranty Period:** The warranty period of an item shall commence from the date of successful installation, commissioning and demonstration & Training at

IIT Hyd. The warranty period and validity of Performance Guarantee shall be extended for the period of delay in satisfactory installation and delay in warranty services.

17. **Reasonability of Prices:** The prices quoted must be the prices applicable for a premiere Educational and Research Institute of national importance. The bidder must give details of identical or similar equipment, if any, supplied to other IITs/ IISERs/ CSIR lab/ CFTI's during last three years along with the final price paid and Performance certificate from them.
18. **Annual Maintenance Contract: (NOT APPLICABLE)** The bidder must mention in the quotation, the rate/amount of annual maintenance charges, if we opt for maintenance contract after expiry of the warranty period. This is mandatory to mention, wherever applicable. No sub-contracting will be allowed for installation or maintaining system/equipment / instrument during or after warranty period.
19. **Indemnity:** The vendor shall indemnify, protect and save IIT Hyd against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment's supplied by the bidder/OEM.
20. **Freight & Insurance:** The equipment'/items to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at IIT Hyd site
21. **Amalgamation/Acquisition etc.:** In the event the Manufacturer/Supplier proposes for amalgamation, acquisition or sale of its business to any firm during the contract period, the BUYER/Successor of the Principal Company are liable for execution of the contract and also fulfilment of contractual obligations i.e. supply, installation, commissioning, warranty, maintenance/replacement of spares accessories etc. while submitting your bid, you may confirm this condition.
22. **Liquidity Damage for delayed Services**
 - i) As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to, failing which, IIT Hyd encash/claim the Security Deposit and also LD clause will be applicable /enforced.
 - ii) If the supplier fails to Supply, Install and Commission the system as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 0.5 % of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.
 - iii) IIT Hyd reserves the right to cancel the order in case the delay is more than 10 weeks. Penalties, if any, will be deducted from the Security Deposit.

23. Requirement of registration: Vide Ministry of Finance OM No. 6/18/2019-PPD dated 23rd July 2020.

- a. Any bidder from a country sharing a land border with India will be eligible to bid in this tender only if the bidder is registered with the Department for Promotion of Industry and Internal Trade (DPIIT).
- b. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- c. "Bidder from a country which shares a land border with India" for the purpose of this Order means:
 - i. An entity incorporated, established or registered in such a country; or
 - ii. A subsidiary of an entity incorporated, established or registered in such a country; or
 - iii. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - iv. An entity whose beneficial owner is situated in such a country; or
 - v. An Indian (or other) agent of such an entity; or
 - vi. A natural person who is a citizen of such a country; or
 - vii. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- ii. For details about registration procedures please visit the above mentioned OM. Mandatory documentary evidence regarding the bidder's registration with DPIIT is to be submitted along with the tender, failing which the tender shall be liable for rejection. Bidders are also requested to submit the Model Certificates as **per Annexure** for this tender as mentioned in the Ministry of Finance OM No. 6/18/2019-PPD dated 23rd July 2020.

24. Public Procurement (Preference to Make in India), Order 2017:

- i. IIT Hyd shall compare all substantially responsive bids to determine the lowest valued bid. This Institute is following and abide with the Public Procurement (Preference to Make in India), Order 2017, DIPP, MoCI Order No. P-45021/2/2017-B.E. II dated 15th June 2017 and its subsequent amendments. Accordingly, preference will be given to the Make in India products while evaluating the bids, however, it is the sole responsibility of the bidder(s) to specify the product quoted by them is of Make in India product along with respective documentary evidence as stipulated in the aforesaid order in the technical bid itself.

- ii. As per the above order and its subsequent amendments “Local Content” means the amount of value added in India which shall be value of the item procured (excluding net domestic indirect taxes) minus the value of the imported content in the item (including all the custom duties) as a proportion of the total value, in percent. Accordingly, the suppliers will be classified in following categories.

1. **Class I local Supplier – has local content minimum 50%**
2. **Class II local Supplier – has local content minimum 20%**

- b. **Verification of Local Content:** The Class I Local Supplier /Class II Local Supplier at the time of bidding shall be required to indicate the percentage of local content and provide self-certification as per **Annexure that** the items offered meet the local content requirement. The details of the location(s) at which the local value addition is made also needs to be specified.

The bidders can be debarred for a period up to two years as, per Rule 151(iii) of GFR 2017, in case of false declaration.

Complaint Redressal Mechanism:

In case any complaint received by the procuring agency or the concerned Ministry/Department against the claim of a bidder regarding local content/domestic value addition in a product, the same shall be referred to competent authority at IITH or the relevant Ministry.

The bidder against whom the complaint is received shall be required to furnish the necessary documentation in support of the domestic value addition claimed in the product to authority. If no information is furnished by the bidder, such laboratories may take further necessary action, to establish the bonafides of the claim

A complaint fee of Rs. 2 lakh or 1% of the value of the domestically manufactured products being procured (subject to a maximum of Rs.5 lakh), whichever is higher, to be paid by Demand Draft to be deposited with Procuring Institute. In case, the complaint is found to be incorrect, the complaint fee shall be forfeited. In case, the complaint is upheld and found to be substantially correct, deposited fee of the complainant would be refunded without any interest.

False declarations will be in breach of the Code of Integrity under Rule 175 (1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

25. **Note for MSME/NSIC/Start up Bidder:** If in the view of bidder, any exemption / relaxation is applicable to them from any of the eligibility requirements, under any Rules / Guidelines/ Directives of Government of India, bidder may submit their claim for the

applicable exemption /relaxation, quoting the valid Rule/Guidelines/ Directives with a copy of such notification. In this case the bidder must submit necessary and sufficient documents along with the technical bid, in support of their claim. The relevant and valid certificates in support of claim of exemption must be submitted along with the Technical Bid.

These exemptions /relaxations are meant for procurement of only goods produced and services rendered by MSEs. Traders/ distributors/ sole agent/ Works Contract are excluded from the purview of the policy.

This Bid is also governed by latest General terms and conditions as per GeM

26. **Force Majeure:** IIT Hyd may consider relaxing the penalty and delivery requirements, as specified in this document, if and to the extent that the delay, in performance or other failure to perform its obligations under the Contract, is the result of a Force Majeure. Force Majeure is defined as an event of effect that cannot reasonably be anticipated such as acts of God (like earthquakes, floods, storms etc.) acts of states, the direct and indirect consequences of wars (declared or undeclared) hostilities, national emergencies, civil commotion and strikes at successful Bidder's premises.

27. Dispute Settlement:

IIT Hyd and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.

If, after twenty-one (21) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the IIT Hyd or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration.

Arbitration may be commenced prior to or after delivery of the Goods under the Contract. The dispute settlement mechanism/arbitration proceedings shall be concluded as under:

- (a) In case of Dispute or difference arising between the IIT Hyd and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director IIT Hyd, if he is unable/unwilling to act, to the sole arbitration of some other person appointed by his willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.

(b) In the case of a dispute between the Purchase and a Foreign supplier, the dispute shall be settled by arbitration in accordance with provision of sub-clause (a) above. But if this is not acceptable to the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules. The venue of the arbitration shall be the place from where the purchase order or contract is issued.

28. **Jurisdiction:** The disputes, legal matters, court matters, if any, shall be subject to Hyderabad Jurisdiction only.

29. The Director, IIT Hyd reserves the right to accept the offer in full or in parts or reject summarily or partly and also reserves the right to cancel the tender at any stage without assigning reasons.

ANNEXURE -B

FORMAT OF COMPLIANCE STATEMENT OF SPECIFICATIONS

1	2	3	4	5	6
S. N.	Name of specifications/part / Accessories of tender enquiry As per Annexure A of the Tender Document.	Specifications of quoted Model/ Item	Compliance Whether “YES” Or “NO”	Deviation, if any, to be indicated in unambiguous terms	Whether the compliance / deviation is clearly mentioned in technical leaflet/ literature
1					
2					
3					
n					

NOTE: The bidder should also submit the Brochure with technical details of the product supporting the compliance statement.

ANNEXURE - C

UNPRICED TECHNICAL BID
(Bidder should provide the following details on Letter head)

Quotation No :

Date:

Name of the Bidder _____
No. _____

GeM bid

Sr.No	Item Description	Country of Origin	Make & Model	HSN Code	GST %	Qty
1						
2						
3						
n						

Other Terms & Conditions

1	Payment terms	:
2	Delivery Period from the date of Issue of PO	:
3	Warranty	:
4	Any other additional terms	:

ANNEXURE – D

MANUFACTURER’S AUTHORIZATION & WARRANTY SUPPORT DECLARATION

(ON OEMs Letter head)

Date:

Tender No / GeM bid no:

To
The Director,
Indian Institute of Technology Hyderabad,
Kandi, Hyderabad – 502 284

We, _____ [name of Manufacturer], who are official manufacturers of [Insert type of goods manufactured] having factories at [insert full address of Manufacturer’s factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following goods, manufactured by us [insert name and or brief description of the goods], and to subsequently negotiate and sign the contract.

We hereby extend our full guarantee, warranty, availability of spare parts and AMC support in accordance with the Terms and Conditions of Contract with respect to the Goods offered by the above firm.

Authorized representative of the Manufacturer

Authorized representative Bidder

Signature:

Signature:

Name:

Name:

Address:

Address:

Mobile No:

Mobile No:

Email ID:

Email ID:

ANNEXURE E

Declaration for Local Content (on OEM's Letter Head)

**(To be given on Company Letter Head - For tender value below Rs.10 Crores)
(To be given by Statutory Auditor/Cost Auditor/Cost Accountant/CA for tender value above Rs.10 Crores)**

Date: _____

To,
The Director,
Indian Institute of Technology Hyderabad,
Kandi, Sangareddy 502284

Sub: Declaration of Local content

Tender Reference No: _____

Name of Tender / Work: - _____

1. Country of Origin of Goods being offered: _____
2. We hereby declare that items offered has ____% local content (**Please provide exact %**).
3. Details of location at which local value addition will be made / made: (Complete address to be mentioned) _____

“Local Content” means the amount of value added in India which shall, be the total value of the item being offered minus the value of the imported content in the item (including all customs duties) as a proportion of the total value, in percent.

“*False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.”

**Yours Faithfully,
(Signature of the Bidder/OEM, with Official Seal)**

ANNEXURE F

CERTIFICATE BY BIDDER- DPIIT REGISTRATION

“ I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, / if from such a county, has been registered with the Competent Authority (copy of the Registration Certificate enclosed) . I hereby certify that his bidder fulfils all requirements in this regard and is eligible to be considered.

Signature with Date and Stamp
Of the Bidder

ANNEXURE G

DECLARATION REGARDING CLEAN TRACK/NO LEGAL ACTION

(to be provided on letter head of the firm)

I hereby certify that the above firm namely _____ is neither blacklisted by any Central/State Government/Public Undertaking/Institute nor any criminal case registered / pending against the firm or its owner / partners anywhere in India.

I also certify that the above information is true and correct in any every respect and in any case at a later date it is found that any of the details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

OR

I hereby certify that our firm namely _____ was blacklisted by _____ for a period of _____ years/months at the Institute Level/ All Indian Level.

Date:

Authorized Signatory

Place:

Name:

Designation:

Contact No.:

ANNEXURE –H

BIDDER INFORMATION FORM

Company Name : _____

Registration Number : _____

Manufacturer /Distributor for the quoted product :

Registered Address : _____

Name of Partners /Director: _____

City : _____

Postal Code : _____

Company's Establishment Year : _____

Company's Nature of Business : _____

Company's Legal Status (tick on appropriate option)

- 1) Limited Company
- 2) Undertaking
- 3) Joint Venture
- 4) Partnership
- 5) Others (In case of Others please specify)

Company Category

- 1) Micro Unit as per MSME
- 2) Small Unit as per MSME
- 3) Medium Unit as per MSME
- 4) Ancillary Unit
- 5) SSI
- 6) Others (In case of Others please specify)

CONTACT DETAILS

Contact Name : _____

Email Id : _____

Designation : _____

Phone No : (_____) _____

Mobile No : _____

BANK DETAILS

Name of Beneficiary : _____

A/c. No. CC/CD/SB/OD: _____

Name of Bank : _____

IFSC NO. (Bank) : _____

Branch Address and Branch Code: _____

Other Details

Vendor's PAN No. _____

Vendor's GST _____

ANNEXURE – I

PREVIOUS SUPPLY ORDER LIST FORMAT

Order placed by <i>{Full address of Purchaser}</i>	Order No. and Date (Copies Need to be attached)	Description and quantity of ordered equipment	Value of order	Contact Person along with Telephone no., Fax no. and e-mail address.

Note: Technical Committee may seek additional information from the existing users at IIT Hyd or from other Institutes, these feedbacks will be considered for technical evaluation.

Signature and Seal of the Manufacturer/ bidder

Place:

Date:

ANNEXURE – J

ACCEPTANCE OF TENDER TERMS
(To be given on Company Letter Head)

Date: DD/MM/YYYY

To,

The Director
Indian Institute of Technology Hyderabad
Kandi – 502 285.Telangana, India

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No/GeM Bid no: _____

Name of Tender / Work: -

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned ‘Tender’ from the web site(s) namely _____ as per your advertisement, given in the above mentioned website(s).

2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), schedule(s), etc .), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organisation too have also been taken into consideration, while submitting this acceptance letter.

4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.

5. I / We certify that all information furnished by the our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organisation shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)



భారతీయ సాంకేతిక విజ్ఞాన సంస్థ హైదరాబాద్
भारतीय प्रौद्योगिकी संस्थान हैदराबाद
Indian Institute of Technology Hyderabad

Indian Institute of Technology Hyderabad

Kandi, Sangareddy - 502 284, Telangana, India

Phone: 040-23016071:

Website: www.iith.ac.in, Email: office.stores@iith.ac.in>
