

भारतीय प्रौद्योगिकी संस्थान हैदराबाद Indian Institute of Technology Hyderabad

NOTICE INVITING TENDER (NIT)

Name of the work: "5 Years of Operation and Maintenance of 650 KLD capacity Sewage Treatment Plant-1(STP-1) at IITH campus" (2nd Call).

Executive Engineer -Electrical

IIT Hyderabad

INDEX

Sl. No.	Description	Page No
1	Notice Inviting Tender (NIT)	01
2	Instructions for online submission	02
3	Guidelines for Registration	02
4	Preparation of Bids	03
5	Submission of Bids	03
6	Eligibility Criteria	05
7	Form – J (Affidavit)	10
8	Checklist of Documents to be submitted	11
9	Undertaking pursuant to Section 206AB of Income Tax Dept.	12
10	Proforma of Schedules A to F	13
11	Schedule F	14
12	Special Conditions of Contract	18
13	Notes on Price bid	36
13	Appendices I to III	37

INDIAN INSTITUTE OF TECHNOLOGY HYDERABAD

NOTICE INVITING TENDER

NIT Reference No. IITH/CMD/ELE/NIT/2022-23/05

Indian Institute of Technology Hyderabad invites on behalf of President of India online Item rate bids (e-tender) in Two Bid (Technical cum Eligibility + Financial) System, from the Original Equipment Manufacturer (OEM)/ OEM authorized Specialized Agencies for the below mentioned work.

Copy of valid Registration of Firm (ROF) certificate, PAN card, GST Registration certificate & GSTIN should accompany the Technical Bid and those certificates should be valid on the last date of submission of bid.

1.1	NIT No.:		IITH/CMD/ELE/NIT/2022-23/05	
1.2	Name of Work:		"5 Years of Operation and Maintenance of 650 KLD capacity Sewage Treatment Plant-1 (STP-1) at IITH campus." (2 nd Call)	
1.3	Location of work		Indian Institute of Technology (IIT) Hyderabad campus, Kandi-502284, Sangareddy, Telangana, India	
1.4	Estimated Cost: (Given merely as a rough guide)		Rs. 5,10,04,447/-	
1.5	Earnest Money Deposit (EMD):		Rs. 10,20,100/-	
1.6	Period of Completion:		5 years	
1.7	Date of Online Publication/Download of Tender		05/12/2022 @10:00hrs	
1.8	Last Date & time for receiving of Pre-Bid Queries and to mail ID	Date & Time	12/12/2022 @15:00 hrs	
		To Mail ID:	ee.electrical@iith.ac.in	
1.9	Date and Time of Pre-bid meeting at Conference Hall, CMD, IIT Hyderabad		13/12/2022 @ 15:00 hrs	
1.10	Last Date for Submission of Bids		27/12/2022 @ 15:00hrs	
1.11	Date and time of Opening of Technical Bids		27/12/2022 @ 15:30hrs	
1.12	Date and time of Opening of Financial Bids		To be decided	
1.13	Cost of Bid Document:		NIL	

The Tender Document can be downloaded from https://mhrd.euniwizarde.com OR Institute website-https://www.iith.ac.in/tenders/#Civil%20Works.

The bid is to be submitted online mode only through the E-procurement portal of https://mhrd.euniwizarde.com up to the last date and time of submission of tender. Manual bids shall not be accepted.

The bids (both Technical and Financial) shall be submitted online through E-procurement portal of https://mhrd.euniwizarde.com.

Any queries relating to the process of online bid submission or queries relating to e-tender Portal in general may be directed to the Helpdesk Support - Phone No. 011-49606060. Mail id: - helpdeskeuniwizarde@gmail.com.

INSTRUCTIONS FOR ONLINE BID SUBMISSION:

The Tender Document can be downloaded from https://mhrd.euniwizarde.com OR Institute website-https://iith.ac.in/tenders.

The bidders are required to submit soft copies of their bids electronically on the https://mhrd.euniwizarde.com using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the Portal, prepare their bids in accordance with the requirements and submitting their bids online.

More information useful for submitting online bids may be obtained at: https://mhrd.euniwizarde.com

GUIDELINES FOR REGISTRATION:

- 1. Bidders are required to enrol on the e-Procurement Portal with clicking on the link "Bidder Enrolment" on the e-tender Portal by paying the Registration fee as applicable + Applicable GST.
- 2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the e-Wizard Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Only Class III Certificates with signing + encryption key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.) with their profile or bidders can contact help desk for getting the DSC.
- 5. Only valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC / e-Token.
- 7. The scanned copies of all original documents should be uploaded in **pdf format** on portal https://mhrd.euniwizarde.com
- 8. After completion of registration payment, bidders need to send their acknowledgement copy on help desk mail id helpdeskeuniwizarde@gmail.com for activation of their account.

SEARCHING FOR TENDER DOCUMENTS:

- 1. There are various search options built in the e-tender Portal, to facilitate bidders to search active tenders by several parameters like Department name, Tender category, estimated value, Date, other keywords, etc. to search for a tender published on the Online Portal
- 2. Once the bidders have selected the tenders they are interested in, you can pay the form fee and processing fee (NOT REFUNDABLE) by net-banking / Debit / Credit card then you may download the required documents / tender schedules, Bid documents etc. Once you pay both fee tenders will be moved to the respective 'requested' Tab. This would enable the e- tender Portal to intimate the bidders through e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender No assigned to each tender, in case they want to obtain any clarification/help from the Helpdesk.

PREPARATION OF BIDS:

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF/XLSX/PNG etc., formats. Bid Original documents may be scanned with 100 dpi with Colour option which helps in reducing size of the scanned document.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, GST, Annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Documents" available to them to upload such documents.
- 5. These documents may be directly submitted from the "My Documents" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.
- 6. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that needs to be submitted. Any deviations from these may lead to rejection of the bid.

SUBMISSION OF BIDS:

- 1. Bidder should log into the website well in advance for the submission of the bid so that it gets uploaded well in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document as a token of acceptance of the terms and conditions laid down by IIT Hyderabad.
- 3. Bidder has to select the payment option as "e-payment" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4. In case of Bank Guarantee (BG) bidder should prepare the BG as per the instructions specified in the tender document. The BG in original should be posted/couriered/given in person to the concerned official of IIT Hyderabad before the Online Opening of Technical Bid. In case of non-receipt of BG in

original by the said time, the uploaded bid will be summarily rejected.

- 5. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the white Colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- 6. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data, which cannot be viewed by unauthorized persons until the time of bid opening.
- 8. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9. Upon the successful and timely submission of bid click "Complete" (i.e. after Clicking "Submit" in the portal https://mhrd.euniwizarde.com), the portal will give a successful Tender submission acknowledgement & a bid summary will be displayed with the unique id and date & time of submission of the bid with all other relevant details.
- 10. The tender summary has to be printed and kept as an acknowledgement of the submission of the tender. This acknowledgement may be used as an entry pass for any bid opening meetings.
- 11. The off-line tender shall not be accepted and no request in this regard will be entertained whatsoever.
- 12. As per portal norms Tender Processing Fee will be applicable.

AMENDMENTS OF BID DOCUMENT:

At any time prior to the deadline for submission of Bids, the department reserve the right to add/modify/delete any portion of this document by the issuance of a Corrigendum, which would be published on the website and will also be made available to the all the Bidder who has been issued the tender document. The Corrigendum shall be binding on all bidders and will form part of the bid documents.

ASSISTANCE TO BIDDERS:

For any clarification in using https://mhrd.euniwizarde.com

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to e-Wizard Portal in general may be directed to the 24X7 e-Wizard Helpdesk Support. Please feel free to contact euniwizard helpdesk (as given below) for any query related to e- tendering Phone No. 011-49606060.

Mail id: - helpdeskeuniwizarde@gmail.com

The contact number for the helpdesk is 8448288994/86/87/89/88/81/90/92/82

011-49606060, 07903269552, 9355030608, 9055030613, 7903810198, 9355030606, 9315620706, 9355030623, 9355030628, 8800526452, 9205898228, 9122643040, 9355030604 eprochelpdesk.01@gmail.com, eprochelpdesk.44@gmail.com, eprochelpdesk.06@gmail.com

- 3. The tender inviting authority has the right to cancel this e-tender or extend the due date of receipt of the bid(s).
- 4. The bid should be submitted through e-Wizard portal (https://mhrd.euniwizarde.com/) only.

NOTICE INVITING TENDER

NIT Reference No. IITH/CMD/ELE/NIT/2022-23/05

1. BASIC ELIGIBILITY CRITERIA

Bidders shall produce definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:

Experience of having successfully completed similar works during the last 7 years ending last day of the month previous to the one in which tenders are invited

Three similar completed works each costing not less than Rs.82,00,000/-only or

Two similar completed works each costing not less than Rs.1,23,00,000/-only or

One similar completed work costing not less than Rs.1,64,00,000/-only

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of submission of tender.

"Similar Work" shall mean the work of SITC (Supply, Installation, Testing and commissioning) or 24/7/365days 0 & M (Annual Operation & Maintenance Contract) of Sewage Treatment Plant with MBR Technology for a minimum period of 2 years and capacity not less than 450/600 KLD.

(For private works TDS certificate or Form-26 AS in support of value of work done.)

- 2. **Turnover:** Average annual financial turnover on similar works should be at least 50% of the estimated cost put to tender during the immediate last three consecutive financial years ending 31st March 2022. The value of annual turnover figures shall be brought to current value by enhancing the actual turnover figures at simple rate of 7% per annum. The certificate from the Chartered Accountant shall be enclosed with the bid.
- 3. **Profit/loss**: The bidder should not have incurred any loss (profit after tax should be positive) in more than two years during available last five consecutive balance sheet (balance sheet in case of private/public limited company means its standalone financial statement and consolidated financial statement both), duly audited and certified by the Chartered Accountant.
- 4. Banker's Certificate from a Commercial Bank or Net worth Certificate: Banker's Certificate of the amount equal to 40% of the Estimated Cost put to tender (ECPT), or

Net worth certificate of minimum 10% of the estimated cost put to tender issued by certified Chartered Accountant with UDIN as per format enclosed as Annexure-I

- 5. To become eligible, the tenderer shall have to furnish an affidavit as per Form 'I' of the NIT.
- 6. The bidder shall have Employees Provident Fund (EPF) enlistment and proof of the same shall be attached along with the Technical Bid clearly showing the Provident Fund Code number.

- 7. The bidder shall have the Employee State Insurance Corporation (ESIC) enlistment and proof of the same shall be attached with the Technical bid.
- 8. The bidder shall submit the Indemnity bond as per format provided in Annexure-II.
- 9. The bidder shall submit the authorization certificate from the Technology Provider of existing STP-01 plant as per format enclosed as Annexure-III
- 10. Agreement shall be drawn with the successful tenderer on prescribed Form which is available in the website: https://drive.google.com/file/d/1C7JCvsCtaK6sIZYnRIAPxe_2Eu8WZixB/view (with up to date correction slips if any) Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 11. The time allowed for carrying out the work will be as stated at para 1 from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 12. The site for the work is available.
- 13. Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen for information at the above mentioned website.
- 14. Applicants are advised to keep visiting the above mentioned website from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respects including updates thereof, if any. An incomplete application may be liable for rejection.
- 15. The contractor whose tender is accepted, will be required to furnish performance guarantee of 3% (Three Percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any scheduled bank or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F'. including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 16. The description of the work is as follows:
 - "5 Years of Operation and Maintenance of 650 KLD capacity Sewage Treatment Plant-1(STP-1) at IITH campus" (2nd Call).

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

- 17. Tenders with any condition including that of conditional rebates shall be rejected forthwith.
- 18. Cost of **Bid document cost** and **EMD** may also be remitted to Institute's account number as per bank particulars given below:

Name of the Account Holder : Indian Institute of Technology Hyderabad

Account Number : 30412797764 (Current Account)

Name of the Bank : State Bank of India

Address of the Bank : IIT Kandi, IIT Hyderabad Campus,

Kandi, Sangareddy, Telangana - 502285

Branch code : 14182

IFSC code : SBIN0014182
MICR code : 502002528
SHIFT code : SBININBB762

- 19. The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- 20. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 21. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 22. The contractor shall not be permitted to tender for works if his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Institute.
- 23. No Engineer of gazette rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the

previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

- 24. The tender for the works shall remain open for acceptance for a period of 90 days from the date of opening of tenders/ ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (strike out as the case may be) if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 25. (A) All taxes, Labour Cess etc., as applicable shall be borne by the contractor himself. The contractor shall quote his rates considering all such taxes including GST on works. Any recovery towards GST is notified by the competent authority, the same shall be effected and no claim what so ever shall be entertained by IITH. The contractor shall quote his rates accordingly.
 - (B) 2% as TDS amount of GST amount payable on the bills will be deducted as per the Govt. of India, Ministry of Finance, Department of Revenue notification vide No.65/39/2018-DOR, dtd: 14-09-2018.
- 26. GST registration certificate of the state in which the work is to be taken up, if already obtained by the bidder.

If the bidder has not obtained GST registration in the state in which the work is to be taken up or as required by GST authorities, then in such a case the bidder shall scan and upload following under taking along with other bid documents.

"If the work awarded to me, I/We shall obtain GST registration certificate of the state, in which work is to be taken up, within one month from the date of receipt of award letter or before release of any payment by IIT Hyderabad, whichever earlier, failing which I/We shall responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by IIT Hyderabad or GST department in this regard."

- 27. Bidder has to submit Undertaking on their letter head pursuant to the Section 206AB (as applicable) of the Income Tax Act,1961 in prescribed format as enclosed at Annexure-A along with each and every bill submitted for payment.
- 28. Pre-bid conference shall be held with the eligible and intending bidders in the office of Superintending Engineer, Construction & Maintenance Division, IIT Hyderabad, Kandi, Sangareddy- 502 284, Telangana State at 1500 Hrs. on 13-12-2022 to clear the doubts of intending bidders, if any. Bidders should send by email all their queries, one day prior to the date of pre-bid conference i.e. on or before 12-12-2022 1500 Hrs

Email id- ee.electrical@iith.ac.in

29. After pre-bid conference, modifications if required in the bidding documents and clarifications to the queries raised by intending bidders will be posted on the website and E-tendering portal. If

further pre-bid conferences are required for complete and effective interactions, the date and time of same will be communicated at the end of 1st pre-bid meeting or later. All modifications/addendums/corrigendum issued regarding this bidding process, shall be posted on website and E-Tendering portal only and shall not be published in any Newspaper.

- 30. This notice inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of: -
- a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.

b) Standard Contract form (General Conditions of Contract) as posted in the website of the Institute. The bidder is deemed to have gone through and understood the Standard Contract Form and the General Conditions of Contract.

Executive Engineer-Electrical IIT Hyderabad

(Signature of bidder)

FORM 'J'

AFFIDAVIT

I/we undertake and confirm that our firm/partnership firm has not been blacklisted by any state/Central Departments/PSUs/Autonomous bodies during the last 7 years of its operations. Further that, if such information comes to the notice of the department then I/we shall be debarred for bidding in IIT Hyderabad in future forever. Also, if such information comes to the notice of IIT Hyderabad on any day before date of start of work, the Engineer-in-charge shall be free to cancel the agreement and to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy of this notarized affidavit to be uploaded at the time of submission of bid)

NOTE: Affidavit to be furnished on a 'Non-Judicial' stamp paper worth Rs.100/-

Signature of Bidder(s) or an authorized Officer of the firm with stamp

Checklist of documents to be submitted along with Technical Bid

Sl. No.	Doc Ref	Description of the Document	Enclosed Yes/No	Remarks
	Applicant shall submit the following documents for Technical scrutiny			
1	Registration of Firm (ROF)	Copy of valid Registration of Firm (ROF)		
2	PAN details	Copy of PAN card		
3	GST registration details	Copy of GST Registration certificate & GSTIN should accompany the Technical Bid		
4	Details of similar woks executed (Detailed statements to be enclosed)	Not less than 40% of estimated cost i.e., Rs. 82,00,000.00 (Three similar works) Not less than 60% of estimated cost i.e., 1,23,00,000.00 (Two similar works) Not less than 80% of estimated cost i.e., Rs. 1,64,00,000.00 (One Similar works)		
5	As per Para No. 1.5 of NIT	work) Cost of EMD		
6	As per Sl. No.2 of NIT	Copy of Certificate from CA for Average Annual Financial Turnover for last 03 years		
7	As per Sl.No.3 of NIT	Profit and loss account statement for Last 05 financial years		
8	As per Sl.No.4 of NIT	Banker's certificate or Net worth certificate as per Annexure-I		
9	As per Sl.No.6 of NIT	EPF Enlistment proof		
10	As per Sl.No.7 of NIT	ESIC enlistment proof		
11	As per Sl. No. 8 of NIT	Indemnity bond as per Annex-II		
12	As per Sl.No.9 of NIT	Technology Provider Authorization certificate as per Annexure-III		
13	As per Sl.No.26 of NIT	Undertaking for GST registration in the state in which the work is to be taken up		
14	As per Sl.No.27 of NIT	Undertaking pursuant to Section 206AB (as applicable) of the Income Tax Act, 1961 (Proforma enclosed as Annexure-A)		

On Contractor/ Agency's Letter Head

Undertaking pursuant to Section 206AB (as applicable) of the Income Tax Act, 1961

To, The Registrar IIT Hyderabad Kandi, Sangareddy- 502284.		
Dear Sir/Madam,		
Subject: Declaration confirming filing of In	come Tax Return for immedia	te two preceding years.
	ce at ax Returns for immediately la	_ do hereby declare that ast 2 preceding Financial Years as
Financial Year for which Income Tax Return was due as per Section 139(1)	Acknowledgement no. of ITR filed under Section 139(1)	Date of Filing
2020-21 (if applicable on date of this declaration)		
2019-20		
2018-19		
Further, I confirm that	_ has lined the above PAN wit	h Aadhaar number as on this date.
I also undertake that he any loss/liability (including any Tax, interabove information.	andres in 1971 - The transfer in the first title of the state in the little of the first for the installation of	40 M. Tri 1, - 1 M. Tri 1,
For		
Signature: Name of person: Designation: Place: Date:		

PROFORMA OF SCHEDULES

SCHEDULE 'A'

Schedule of quantities (Enclosed): Volume 2

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

Sl. No.	Description of item	Quantity	Rates in figure & words at which the material will be charged to the Contractor	Place of issue
			NIL	

SCHEDULE 'C'

Tools and plants to be hired to the contractor

Sl. No.	Description	Hire Charges per day	Place of issue
		NIL	

SCHEDULE 'D'

Extra schedule for specific requirements/documents for the work, if any. --- NIL ---

SCHEDULE 'E'

Reference to General Condition of

Contract.

"General Conditions of Contract for Maintenance

works as posted on IITH website".

Name of the work

"5 Years of Operation and Maintenance of 650 KLD

capacity Sewage Treatment Plant-1(STP-1) at IITH

campus."(2nd Call).

Estimated cost of work

Rs. 5,10,04,447/-

Earnest money

: Rs. 10,20,100/-

Performance Guarantee

3.0% of the accepted tendered value

Security Deposit

2.50% of the tendered value

:

SCHEDULE 'F'

GENERAL RULES AND DIRECTIONS:

Officer inviting tender:

Executive Engineer-Electrical, IITH

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3

See below

Definitions:

2(a) Engineer -in- Charge

Engineer-Electrical, Executive

Indian Institute of Technology,

Hvderabad. 2(b) Accepting Authority

Director, IITHyderabad

Successor thereof.

2(c) Percentage on cost materials and Labour to cover all overheads and profit

15% (Fifteen) per cent.

2(d) Standard Schedule of Rate

CPWD, Delhi Schedule of Rates

(DSR) 2022 Electrical, with up to

date correction slips.

Standard Contract Form

IITH General Conditions of Contract

for Maintenance works

Clause 1

i) Time allowed for submission of Performance Guarantee, Programme Chart (Time and Progress) and applicable licenses, registration with EPFO, ESIC and BOCW Welfare Board or proof of applying thereof from the date of issue of letter of acceptance, in days

15(Fifteen) Days

ii) Maximum allowable extension beyond the

7(Seven) Days

period provided in(i) above

Clause 1A

Whether Clause 1A is applicable

Yes

Authority for fixing Compensation under

Clause 2

Superintending Engineer, Indian Institute of Technology, Hyderabad

Clause 3(VII): If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement-will be made ineligible.

Clause 5:

Number of days from the date of issue of letter of acceptance for reckoning date of start

:

7 days

5 Years

Milestones

:

Not Applicable

Time of AMC Period

:

Authority to give fair and reasonable Extension of time for completion of work

Superintending Engineer, IIT Hyderabad or Successor thereof

(Web based hindrance register)

Rescheduling of milestones

Superintending Engineer, IIT

Hyderabad or Successor thereof

Clause 6:- Measurement Book

Applicable

- (i) For works having estimated cost more than Rs 15 Lakh - Clause 6
- (ii) For works having estimated cost Rs. 15 Lakh or less – Contractor's option of Clause 6 or to be exercised at the time of Tender Submission

Clause 7:

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment

Rs. 5 Lakhs/-

Clause 7A:

Whether Clause 7A is applicable

Yes.

:

No running account bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-charge.

Clause 10A:

List of testing equipment to be provided by the contractor at site lab

As given in additional specifications

<u>Clause 10B</u> (i)- Secured advance on Materials:

Whether Clause 10 B (i) shall be applicable

NA

Clause 10C:

Component of labour expressed as percent of value of work

NA

Clause 10CA

Not Applicable

Clause 10CC

Not Applicable

Clause 10D

Applicable

:

Clause 11:

Specification to be followed for execution of work

For ELECTRICAL WORKS

i) CPWD DSR Items:

CPWD General Specifications

Part I Internal 2013 Part II External 1994

For all Market Rate Items:

Particular Specifications / Manufacturers

specifications

Clause 12:

12.2 & 12.3: Deviation limit beyond which Clause 12.2 &12.3 shall apply for building work

100% (as per CPWD circular No.

DG/CON/313 Dt: 17.02.2021

12.5 : Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for

foundation work

100% (One hundred per cent)

Clause 14:

Whether Clause 14 is applicable

Yes.

Clause 16

Competent Authority for deciding

reduced rates.

Superintending Engineer, IIT Hyderabad up to 5% of tendered amount, beyond which,

Director, IITH.

Clause 18:

List of mandatory machinery, tools & plants to be deployed by the contractor at site

As required for the work.

Clause 25:

Settlement of disputes by Conciliation and Arbitration

Conciliator

Dean (Planning)

Authority to appoint arbitrator

Director, IIT Hyderabad

Place of Arbitration Venue of Arbitration Type of Arbitration Tribunal

Hyderabad

IIT Hyderabad Sole Arbitrator

Note: Provisions of Arbitration and Conciliation Act 1996 with latest amendments in force shall be applicable.

Clause 32: As required for the work.

:

:

Clause 38:

(i): Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates

Not Applicable

(ii): Variations permissible on theoretical quantities:

Not Applicable

Special Conditions of Contract (SCC)

1.0 Introduction

The contractor shall ensure the Operation and Maintenance of the Sewage Treatment Plant (STP) in compliance to the guidelines contained in the latest edition of the Manual on Sewerage Sewage Treatment Systems, Operations and Maintenance, published by the Central Public Health Environmental Engineering Organization (CPHEEO), Ministry of Urban Development, Government of India, New Delhi. Notwithstanding any- thing contained in the said manual, conditions laid down here under in the foregoing sections shall also apply.

1.1 Scope of Operation and Maintenance Services

The Contractor shall operate and maintain the Sewage Treatment Plant-01 under this contract for a total period of Five (5) years.

- The Contractor shall operate and maintain the sewage treatment plant, all instruments and mechanical, electrical equipment in accordance with the quantity and quality parameters as per approved 0&M manual and maintain the quality of the treated effluent as prescribed in the contract document.
- 2. At the discretion of the Institute, the contractor shall provide the O&M services for further three months' period beyond the five years at the same quoted rates applicable for the Fifth year. The plant equipment covered under the above contract shall be totally attended to, by the contractor including any troubleshooting to ensure smooth and trouble free operation.
- The Equipment is operated and maintained at all times in accordance with the Operations and Maintenance manual duly approved by IITH
- 4. The plant is operated within the mixed liquor characteristics defined in the contract
- 5. The contractor shall monitor the performance of the sewage treatment plant; conduct analysis of the inlet sewage and effluent quality after treatment. Contractor shall initiate and take adequate actions to ensure smooth and satisfactory performance / running of the plant.
- 6. The Contractor shall prepare and implement an effective plant maintenance programme in consultation with IITH. It is an absolutely Contractors responsibility to look after all sorts of maintenance whether preventive, Minor, Major, or break-down.
- 7. The Contractor shall determine operating parameters, select settling (Chemical doses etc.) and generally optimize the process, and working of the treatment plant meeting the required quality parameters.

- 8. The Contractor should plan & procure all spares, Polyelectrolyte and all consumables including chemicals, grease, lubricating oil, cleaning agents, laboratory reagents etc.
- The Contractor shall be responsible for keeping up-to-date record of documents including History Card for equipment and maintaining every day log book relating to various analyses performed.
- 10. The Contractor shall maintain and update logbook, in which details of operational parameters are recorded every day and at regular interval say hourly or as decided mutually.
- 11. The Contractor shall prepare and submit a weekly report of plant performance records.
- 12. The Contractor shall be responsible to carry out day to day periodic maintenance, necessary to ensure to smooth and efficient performance / running of all equipment / instruments comprising the sewage treatment plant and maintaining the record of the same.
- 13. The Contractor shall have to issue identity cards with photographs to all the staff employed for Operation and Maintenance. The list of the same shall be submitted to IITH mentioning qualification & experience.
- 14. The Contractor shall employ staff for operation and maintenance of the Plant as per the minimum specified here in for entire duration of O& M Services period of Five (5) years.
- 15. The above staff shall be distributed in three shifts and at no point of time the plant shall remain unattended. As per agreement the number of staff in each shift should always remain present otherwise penalty towards absence of any staff shall be recovered from the Contractor. The Contractor shall make the arrangement of reliever for weekly off/holiday etc., Absence on any ground like weekly off or holiday shall not be considered. The presence of staff in each shift should be marked in muster (muster shall be in electronic form by use of biometric machines logged to the computer system installed in the plant) to be maintained at office of shift-in-charge at Sewage Treatment Plant that shall be considered as final. The Contractors staff must mark their presence in this muster. The Contractor may maintain a separate register for his own purpose. Copy of muster shall be enclosed with every monthly bill.
- 16. The staff of Contractor shall always remain in contact with the Engineer-in-Charge or his authorized representative deployed by IITH and follow their instruction.
- 17. Unsatisfactory and inefficient running of the plant and unnecessary and excessive usage of spare, consumable, etc. supported by the reasons which are under control of Contractor shall be highly objected. In such cases IITH s decision shall be final and binding to the Contractor.
- 18. It is required that at least once in every one month a technical expert of contractor other than the Staff of the Contractor shall visit and audit the functionality of the plant and systems and shall suggest, if required,

- to improve the efficiency and working of the plant etc. No separate payment shall be made for such visits. The visit must be recorded and outcome of the visit/minutes of the meeting should be got signed by Engineer-in-charge without which the visit shall not be considered.
- 19. In addition to the contractor's technical expert visit, the contractor shall arrange a visit to the plant by representative of **Technology Provider (GE) once in every six months**. The Technology Provider shall study the functioning of the plant, conduct tests on incoming sewage and treated sewage, compare the results with the specified parameters of effluent. The Technology Provider shall submit the inspection report commenting on the state of affairs of the plant, maintenance and up-keep of equipment, house-keeping, safety and environmental issues including the test results. The report shall also include suggestions for the reasons and corrective actions needed if the test results are not satisfactory and improvement of systems, in general.
- 20. Compliance on the issues mentioned in the inspection report of Technology Provider shall invariably be furnished by the contractor to the Engineer-in-Charge with-in one month of date of issue of inspection report. Documentary evidence shall be furnished along with compliance report substantiating the corrective action taken and the subsequent test results meeting the requirements of contract.
- 21. The first inspection of plant by Technology provider shall be carried out within the first six months (preferably at the end of first three months) of O&M period and subsequent visits shall be planned once in every three months until completion of total Five Years O&M period.
- 22. All expenses for arranging visits of Technology Provider shall be borne by the Contractor and hence the contract price for 0& M Services are deemed to be inclusive of the same. Nothing extra shall be paid by IITH on this account. In case, the visit of Technology Provider is not arranged by the contractor within fifteen (15) days from the due date of visit, IITH shall arrange such visit by the Technology Provider at the risk and cost of the Contractor. All expenses incurred by IITH towards arranging the visit of Technology Provider for inspection of plant will be recovered from the ensuing bill of the contractor in addition to a penalty amount of Rs 10,000.00 for every such default on part of contractor.
 - 23. Contractor shall comply with all safety rules and regulations mentioned in O&M manual. IITH shall not be responsible for any accident /injury to the staff of the Contractor. Further the IITH shall not provide any insurance or medical facility to the staff of Contractor. The responsibility lies with the Contractor.
 - 24. All Central/State Government / Semi-Government / Labour laws and acts/Local Bodies Rules and Regulations pertaining to this contract shall be followed and observed by the Contractor without any extra

cost to IITH.

- 25. No accommodation / guesthouse / transportation facility shall be provided by IITH to the Contractor or his representatives. Operation & maintenance staff shall not be given any accommodation facility inside the plant (IITH) premises.
- 26. The Contractor shall provide the necessary tools and tackles required for day-to-day maintenance during 0& M period.
- 27. The scope of work also includes up-keep of complete plant area premises, including floor, toilet block, railing, door, windows, light fixtures and ceiling etc. The entire premises of the plant including garden area shall also be cleaned and maintained by the Contractor regularly.
- 28. The work shall be done as per specified standard practices and by following labour, factory, electrical, TSPCB and all statutory rules and regulations as applied of Local, State and Central Government of India etc..
- 29. Right is reserved by IITH for suspension, dismissal, termination of any staff employed by Contractor who are found to be indulging in unlawful, unethical activities.
- 30. Monitoring of proper functioning of plant shall be done as per approved O& M manual. Contractor has to maintain all quality parameters of effluent within stipulated limit or he shall be penalized for not maintaining the parameters specified in the contract. All expenditure incurred for the same like, suit fee, court fee, case fee, or the penalty as decided by Engineer-in-Charge and penalty charged by TSPCB or any other statutory body shall be charged to Contractor and deducted from his security deposit, bills, etc.
- 31. Contractor shall have to test the effluent / influent at his own cost at the plant laboratory on daily basis.

 The same will be verified by and checked by IITH whenever required.
- 32. No equipment shall remain ideal or unattended or damaged for the period of more than 3 days. If any equipment is not repaired, rectified and or replaced within 3 days, the Contractor shall be penalized with no limit at the rate of Rs. 2000/- per day delay per each individual equipment of the plant. In case, the contractors fails to attend the faults within 3 days, the same shall be attended by IITH at the risk and cost of the contractor
- 33. During Operation & Maintenance period, Contractor has to supply all the spares, at his cost during preventive, major-minor breakdown, replacement and maintenance work. No extra payment shall be made for such maintenance on any ground. No separate payment for the same shall be made by the IITH irrespective of the number of such break down / minor, major repairs replacements.

- 34. At the time of handing over of the plant to IITH after the end of 0& M period, all equipment of plant shall be in good working condition.
- 35. Operation and maintenance of PLC based automation system and all instruments installed in the STP shall be the responsibility of the Contractor. All repairs, replacements towards the entire instrumentation works during the O& M period shall be in the scope of Contractor.
- 36. The Contractor shall also dispose off the sludge, screenings, grit and any other material to the satisfaction of IITH at his own cost. However, IITH shall have full rights on the dried sludge for using for its internal purposes.
- 37. The contractor shall deposit sludge and other disposable wastes coming out of the plant at the designated locations within the plant premises. Disposal of the same shall be in the scope of IITH.
- 38. At the time of handing over of the plant on completion of O&M period, the contractor shall handover all records pertaining to the plant like Operating Manuals, Warranty Certificates, AMC copies, registers of Tests/flow particulars, charts, third party reports etc. to IITH.
- 39. Output and Operational Guarantees: The Contractor is fully responsible for treating all the Sewage reaching at the Common Collection Sump. The performance of the Contractor shall be treated as unsatisfactory if he fails to treat the complete sewage or does not maintain the guarantees mentioned in the contract excepting in force majeure condition or fails to fulfil other conditions of the contract.
- 40. Treated Effluent Quality: The Contractor shall operate the Sewage Treatment Plant in such a way that the treated effluent quality attains parameters as prescribed in this contract document.
- 41. The scope of O&M Services includes softening of the treated sewage water after the process of Ultra filtration of MBR. The quantity of effluent to be softened per day shall be a minimum of 2,50,000 litres. The hardness of the softened water shall be less than 50 mg/l. The softened water shall be made available in the soft water tank. All equipment, consumables required for softening of the effluent shall be borne by the contractor and nothing extra shall be payable on this count. IITH will utilize this soft water for make-up water of HVAC system.
- 42. **Chemical Requirements:** All chemicals and other consumables consumed to operate the Sewage Treatment Plant and other facilities under this contract shall be borne by the Contractor.
- 43. Adverse Operating Condition: During which the raw sewage quality deteriorates beyond the Specifications contained in contract, the following provisions shall be applicable:
- a) If the raw sewage can still be treated to meet the Output Standards, the Contractor shall comply with such

specifications.

- b) In the event it is not possible to meet the Output Standards, the Contractor shall immediately inform IITH and take all corrective measures at his own cost and risk to ensure that the prescribed output standards are achieved.
- 44. Test to be carried during O & M period: Sampling and testing to be carried out for the parameters given below: This schedule shall also be maintained during the O& M period. Sampling shall be done in accordance with BIS 3025.
- (i) Inlet chamber at sewage treatment plant for flow, BOD, pH, suspended solids(SS), temperature, COD, oil & grease, TDS; Outlet of the sedimentation units for BOD, suspended solids, pH, COD and oil grease, TDS.
- (ii) Inlet of the reactor unit for MLSS, Dissolved Oxygen pH.
- [iii] Outlet of the reactor unit for Dissolved Oxygen, Sludge volume Index pH.
- (iv) Outlet of the secondary treatment units for BOD, Suspended solids, pH, COD and oil grease
- (v) Outlet of the chlorination units for BOD, Suspended solids, pH
- (vi) Excess sludge for Volatile suspended solids, total solids, specific gravity
- (vii) Various parameters to be tested by online monitoring system at these locations as per specific requirements of Instrumentation.
- (viii) Residual Free Chlorine after Chlorination.
- (ix) Hardness of softened water
- (x) Total Coliform
- 45. The Contractor shall get analysed the untreated as well as treated sewage samples once in every three months from TSPCB or any other lab approved by the Engineer- in-Charge for all parameters mentioned in Table 3.1 and Table 3.3 specifying the characteristics of treated sewage. The necessary lab testing charges will be reimbursed by the Institute on actuals. The TSPCB Vigilance testing charges for samples directly collected by TSPCB are also reimbursable to the Contractor. The Contractor shall ensure adherence to standard protocols of collection and storage of samples.

1.1.1 Calibration of Instruments

All the measuring instruments and other devices shall be calibrated regularly as mentioned below:

- The instruments and devices shall be calibrated by the plant Manager or any authorized specialized staff of the Contractor once in every two months.
- (ii) All such instruments shall be calibrated once in every twelve months by approved third party specialized

agency.

- (iii) Immediately after calibration, the results/reports shall be submitted to IITH.
- (iv) First calibration by approved third party specialized agency shall be done after twelve months of commencement of O& M period.

1.1.2 Contractors staff during OM period

a. Key Staff:

The minimum key staff required for 0 & M Services shall be as given below. Non-deployment of the personnel during 0&M as per the contract shall lead to imposition of penalty as mentioned in Contract.

1. One Electro-Mechanical Engineer (Plant Engineer)

A Degree in Mechanical or Electrical Engineering or Chemical Engineering or Environmental Engineering or a bachelor's degree in science (B.Sc.) with chemistry as one of the major subject from a recognized university/ Institute with minimum 06 years' experience in Operation & Maintenance of any STP.

- Plant Operator: One per each shift with minimum 7 years' experience in maintaining STP. CVs of key staff shall be submitted at the commencement of 0 & M period and shall be subject to approval of E-I-C.
- b. Non Key Staff: The contractor must deploy adequate number of non-key staff comprising of operators, skilled technicians, semiskilled and unskilled labourers to discharge the contractual liabilities of operation and maintenance and other essential activities of upkeep of the plant.
- c. Institute shall monitor the presence and availability of such key and non-key staff. As specified elsewhere in the contract document, the contractor shall maintain the attendance in biometric form for all the staff so deployed.
- d. No labour below the age to 18 years shall be employed on the work. List of all key and non key staff deputed at site along with their ID proofs (Aadhar card/Voter card/DL etc.) is to be submitted by the contractor to IITH and advance intimation to be given before deputing/removing any staff from site during the period of contract. Not more than one of the contractor's key staff shall be absent from the plant premises any given time, the contractor shall provide replacement of equivalent or better qualifications. The CV's of such key staff replacements shall be got approved from E-I-C in advance.
- e. The contractor shall pay to all the Operation & Maintenance (O&M) staff deployed at IITH, the latest applicable minimum rates of wages as prescribed by Ministry of Labour & Employment, Govt. of India for Hyderabad City for Construction or Maintenance works. Any revision in wages as per Govt. of India

shall be payable to the 0 & M staff by the contractor during contract period only, without any additional cost implication to IITH. The contractor will be at liberty to pay any deputed 0 & M staff higher wages than the minimum wages rates prescribed by Chief labour Commissioner, Govt. Of India.

f. Engineer-in-Charge(EIC) shall be empowered to direct the contractor to remove any or all staff employed on 0 & M of the plant if in his opinion continued presence of such staff is detrimental to safety or proper 0&M of the plant. Whenever the Engineer-in-Charge informs the Contractor in writing that any person on the work is in his opinion unsatisfactory or/incompetent or unfaithful or dishonest, untruthful or disorderly or to be otherwise unsuitable, such person shall be discharged by the Contractor from the work and shall not be employed again on it. The Contractor shall comply with such directions and immediately deploy suitable substitute(s) thereof.

1.1.3 Safety and Security

The Contractor shall take all safety precautions under various Acts/Rules under central/State Govt. from time to time and he shall be responsible for safety of its staff and the consequences thereof. The contractor shall be responsible for the safety of the plant, equipment and personnel during O&M period.

1.1.4 Responsibility for damages

- (a) Safety of the whole of the plant shall remain with the Contractor who shall be responsible for all accidents or damages from whatever cause arising and chargeable for anything that may be stolen, removed, destroyed or damaged to whomsoever belonging and also for making good all defects and damages to the said works or to any property adjoining or any cause whatever, whether such damage or defects were occasioned by the negligence of the Contractor or not or may be or might have been discovered during the progress to be known after the completion whereof or whether payment may wholly or partially have been made or the /works approved as supposed to have been properly done and no certificate of approval of any works by any statutory bodies shall affect or prejudice the right of IITH against the Contractor or be considered or held as at all conclusive as to the sufficiency of any work materials.
- (b) Adequate safety precautions against fire, flooding, lightening, electrical shocks, accident due to moving/non-moving heavy/light equipment shall be strictly taken up by the Contractor at his own cost. Suitable safety measures like gumboots, gloves, safety belts, ladders, safety lamps, gas masks, Oxygen apparatus, insulated tools, alarms etc. shall be provided by the Contractor. Necessary medical first aid kit shall be made available all the time. In absence of observance of above safety precautions, the Contractor shall be responsible for any unforeseen loss of the equipment or persons dealing with it. Special care shall

be taken by the Contractor while carrying out the work in sewage gas zone. Any incidence of human life or accident shall be totally Contractor's responsibility.

- (c) The Contractor shall ensure that the staff employed are adequately skilled and trained and takes all necessary precautions while carrying out the work as per Indian Electricity Rules/Factory Act/CPHEEO Manual/Approved Operation Manual or manufacturer's special instruction for safety / gas handling. The staff should use all protective and safety equipment which should be provided by the contractor during operations.
- (d) In the event of any accident on or off site, in which the Contractor or his personnel are involved, in which an injury occurs to any person whether directly concerned with the project or a third party, the Contractor shall inform IITH within 24 hours of the occurrence of the event. The plant shall be open to local/state/central agencies for verification of safety/emission/acts compliance.
- (e) During night hours, the main gate should be locked. However, shift duty staff should be alert and open the gate during surprise checking of IITH staff or any other Government Authorities or his nominee without any wait. Only bonafide persons shall be allowed in the plant premises being a prohibited area. Smoking and drinking liquor are prohibited in the plant. The staff engaged shall wear common uniform with name plate indicating name and designation during duty hours.
- (f) All staff of the contractor deployed on the plant for 0 & M shall carry valid identity cards issued by Contractor and duly counter-signed by Engineer-in-Charge.

1.1.5 Reporting

The Contractor shall prepare daily and monthly reports (in approved formats) of pumping/treatment and project performance and submit to IITH and shall assist IITH in preparing the necessary documents for their purpose and record as per Performa given from time to time. The reports shall contain the following:

- Raw Sewage quantity, quality and effluent quality as per the on-line monitoring programme and other
 tests as specified in this section and print outs of online monitoring shall be submitted to Engineer-inCharge.
- A description of the maintenance work carried out in the reporting period. A report on major failures, if any, their causes and remedial actions taken.
- Sludge quality and quantity (daily basis) in the reporting period.
- Power and chemicals consumed in the reporting period.
- An inventory of the chemicals and spare parts available at the end of the reporting period.
- 0&M staff deployed by the Contractor during the reporting period.

- Major repair works carried out, if any
- Near misses and other accidents happened during period under report.

1.1.6 Record Keeping

Contractor is required to maintain separate register as well as computerized records at STP of following information:

- Pumping register
- · Quantity of sewage treatment and performance register
- Working hours register
- Electricity break down register
- · Maintenance register
- Staff attendance register in the form of computer generated log sheets of biometric attendance.
- · Monthly Electricity consumption register
- AMC with OEM register
- · Equipment breakdown, repair record and extent of repair
- · Chlorination equipment and chlorine toner operating and using register
- · Soft water quantity register
- Any other registers/records as may be required by the Engineer-in-Charge.
- In addition to the above, the contractor shall also submit two sets of asset registers containing details of: all major electro-mechanical equipment, instrumentation like various operating machines such as Manual and Mechanical Screens, Mechanical Grit Removers, Pumps, Motors, Scrapers, Air Blowers, Centrifuge, all equipment related to PLC and Automation, etc. The information shall include the make, model number, serial number, book value, warranty, particulars of OEM etc.,

One set of the assets register shall be kept in the control room and maintained by the Plant Engineer.

- Records of effluent quality and other laboratory tests are kept in the laboratory as per testing schedules.
- The record with respect to flow shall be maintained by Contractors as per table below.

The concerned staff passes the daily log sheet to the plant Manager on the subsequent day duly signed. The plant Manager shall verify the daily record as well as the calculations and shall be responsible to generate further data using these.

Table 3.5: Hourly Record of Flow

Date/Time	Head Over Notch/ Weir / Meter	Rate of Flow	Average Rate of Flow in past Hour	Flow Quantity
0600				
0700				
0800				
0900				
7.10 176				
1400				
1500				
1600				
_				
0000				
0100				
-				
<u> </u>				

1.1.7 Site Order Book

A Site order Book shall be kept by the Engineer-in-charge at the plant site. Orders entered in this Book by the Engineer-in-Charge or his authorized representative shall be held to have been formally communicated to the Contractor. The Engineer-in- Charge or his authorized representative shall sign each order as it is entered and shall hand over the duplicate to the Contractor or his staff, who shall sign the original in acknowledgment of having received the order.

1.1.8 Operations

- (a) In case, the motor or any other equipment is burnt or damaged due to negligence of the Contractor or due to faulty operation it shall be sole responsibility of the Contractor to rewind/replace/repair it as per standards of the equipment free of cost. In case of any fault in operation and performance of the plant, Contractor or his staff at duty shall immediately report to IITH about it.
- (b) The Contractor shall run the plant after ensuring proper voltage. He shall also record all the power failures and voltage, current, power, KWH in daily log sheet. He shall bring it to the notice of Engineer-in-Charge about the breakdown/power failure. He shall also get the electricity restored simultaneously.
- (c) Any dispute with the workmen shall be Contractors responsibility as per Labour Laws/Govt. Rules and Regulations. In no way IITH shall be responsible for the disputes between them. The Contractor shall follow the rules and regulations as per rules of the Government and applicable laws.

- (d) The Contractor shall arrange all necessary required tools, tackles and instruments in advance for proper operation and maintenance of the entire plant. The Contractor shall operate and maintain all (E&M) equipment as per the recommendations of the respective equipment manufacturer. He shall further maintain and operate the plant, as per CPHEEO manual to obtain the treated effluent results as per approved norms specified in this document elsewhere.
- (e) The floating material/scum, if any, should be collected in bins and dispose the same in open pits away from the plant & machinery which should be dried and disposed off regularly at a location outside the plant and approved by statutory authority. During rainy season, this should be buried after using lime.
- (f) The screened material, grit and the dried sludge cake from the centrifuge should be collected in tractor or by appropriate means and the same shall be disposed off at site /yard within the battery limits, away from the plant. The screened material, grit and any other non-useful material so collected and accumulated over a period of time shall be removed at regular intervals from the STP and IITH premises by transporting the same using mechanical means to approved municipal dumping ground.

1.1.9 Maintenance

- a. The work shall be carried out and completed under the exclusive control direction and supervision and to the satisfaction of Engineer-in-Charge. Engineer-in-Charge shall likewise have full power to reject or condemn any work or material that he may deem unsuitable. In case of any work or material being rejected by the Engineer in-charge, the Contractor shall immediately remove and replace the same to the satisfaction of Engineer-in-Charge or Engineer-in-Charge shall have full powers to get the same removed and replaced and deduct the expenditure incurred in the process from any amount due or that may become due to the contractor.
- b. The Contractor shall use only the original and genuine spares of the original equipment as per recommendations given in the maintenance booklet of the manufactures/as per directions of Engineerin-Charge. Adequate stock of such spares is to be maintained by the Contractor. Test certificate of manufacturer is required for bearings along with supplies. Test certificate of all major equipment shall be submitted from the manufacturer.
- If any material brought to the site, be in the judgment of the Engineer-in-Charge, found inferior or improper & not as per described standards, the said materials or workmanship shall, where required by Engineer-in-Charge, shall be removed or amended by the Contractor forthwith.
- d. The Engineer-in-Charge is authorized to remove or cause to be removed the materials and workmanship so objected to or any part thereof and replace the same with such other materials and workmanship as shall be satisfactory to him and there upon the Contractor shall on demand repay to IITH the expenses

incurred there by or to which the IITH may be put or be liable in connection therewith, the amount thereof to be certified by the Engineer-in-Charge whose certificate shall be final.

- e. The Contractor shall also be responsible to maintain cleanliness in around the plant including electromechanical equipment, disposal of floating material removed from the bar screens etc., Grit and other unwanted material and keep the premises in a tidy condition. The terraces of the STP building shall be always kept free of debris, junk, waste material, vegetation etc.
- f. All leakages should be attended promptly to avoid unhygienic conditions, deterioration of plant and building. Chokages of Electro-Mechanical equipment, sewer lines of STP building, rain water pipes, storm water drains should be removed at once. All the valves/gates which are not used regularly should be operated at least once a week and make sure that they are properly lubricated /greased.
- g. All safety valves should be checked daily and ensure that they are working properly. In case of any fault the same should be attended immediately without any wait. The maintenance of the plant shall be as per maintenance manuals of the manufacturer for all equipment's. Contractor shall keep all the safety devices in working order.
- h. The Contractor should make sure that no unwanted material should float/grow in and around different units. In case it is found the same shall be removed /cleaned immediately. He shall also be responsible for cleaning/sweeping the plant buildings inside and outside, roads, foot path etc.
- i. Weirs of reactors etc shall be maintained clean round the clock. During preventive/ breakdown maintenance, the Contractor shall visit the unit/units as and when needed. The pumping units or any other machinery required, if any, shall be arranged by the Contractor at his own cost for completing the preventive maintenance work. In case of battery operated auto system panels, system alarm etc., batteries are required to be maintained and replaced as and when needed by the Contractor.
- j. The Contractor shall provide necessary protection systems wherever necessary including alarms.
 Cautionary Sign boards shall be placed at appropriate locations
- k. The Contractor shall maintain the Supervision Control and Data Acquisition System (SCADA) in working condition for the 5 years of 0 & M period. The Contractor shall not remove/shift any equipment/machinery even temporarily without written permission of Engineer-in-Charge.
- POL (Petrol/Diesel Oil & Lubricants) has to be arranged by the Contractor as and when needed as per manufactures recommendations for periodical maintenance of entire plant. IITH shall not provide such items.

- m. The Contractor shall have to carry out periodical testing of the installations/equipment as per CPHEEO manual and Indian Electricity Rules as amended up to date and shall have to maintain complete record in the maintenance register.
- n. IITH shall be at liberty to post its staff for surveillance/ inspection at the plant with access to all units, control room and records, log books, MIS (Management Information system), data etc. round the clock as required. The logbooks will be attested by the authorized IITH Officials and this record shall be open for further inspection/checking by IITH and all other Government Agencies CPCB/TSPCB etc. for further action/improvements/rectifications.
- o. In case of major repair due to normal wear and tear/break down, the Contractor should bring the same to the notice of IITH immediately and necessary measures for its repair/replacement should be taken simultaneously. Breakdown, all repairs of any kind are to be attended by the Contractor. Any unit/equipment being irreparable in the opinion of IITH shall be replaced by the Contractor at no cost to IITH.
- p. The Contractor shall give his telephone no., contact addresses, etc. to Engineer-in- Charge as well as shift duty shift staff to contact him/them during emergency/odd hours etc. The mobile number of the authorized representative of the contractor and that of plant manager shall be displayed on notice board placed at a prominent location in the STP building.
- q. The contractor shall arrange a white notice board in the control room of STP and all details like sewage volume handled/treated, treated water volume, test results etc, shall be displayed on daily basis.
- The contractor shall display in the control room a schematic flow diagram and the layout of the plant and equipment.

1.1.10 Routine, Preventive, Minor & Major maintenance

Routine, Preventive, Minor & Major maintenance of all Electrical, Mechanical, hydraulic machines & Equipment of the plant as listed below shall be the responsibility of the contractor.

- a. Routine & preventive maintenance of electrical /Mechanical/ hydraulic/ machines equipment is to be carried out as per the approved operation & maintenance manual. Minimum oil & grease requirement for one-year Operation & maintenance of the Plant to be procured by the Contractor well in advance.
- b. The Contractor should prepare schedule of daily maintenance preventive maintenance of all the equipment & machinery operated & run by him in the premises of the plant. The schedule should be as per the guidelines mentioned in the contract & as per the approved O & M manual. The scope covers Routine, Preventive, Minor & Major maintenance of all major minor equipment's, and machines in the

Plant like Submersible pumps, blowers, Coarse & Fine screens, Grit Removal Mechanism, Channel gates, Decanters, Sludge pumps, Centrifuge feed pumps, Centrifuges, hollow fibre membranes etc. All dosing systems including Chlorine Dosing equipment, etc.

- c. The scope also covers Routine, Preventive, Minor & Major maintenance of all the instrumentation system installed like PLC, Actuators, Flow meter's level indicators etc. The Contractor should also carry out Routine, Preventive, Minor & Major maintenance of all major minor electrical equipment like Electrical Panels, Switch Gears, Power Cables, Control cables, Changeover switches etc. so as to ensure uninterred round the clock operation of the Plant.
- d. The Contractor should maintain all civil structures including office/ Store room, Storm water drains, fencing etc in a neat manner. He should maintain all civil structures of the plant sturdy to complete the natural/designed lifetime. The Contractor should carry out the safety audit of the plant & necessary certificate from the competent authorities must be obtained.
- e. The Contractor should procure and keep stock all the spares required for all types of maintenance in advance in sufficient quantity. The brand/make of the part/equipment/machine to be repaired /replaced should be as per IITH approved list & as per the approved O & M manual or as per the existing manufacturers brand.

1.1.11 Release of Hazardous Substances or waste, if any

- (a) The Contractor, after first notifying the IITH/TSPCB shall be responsible for fulfilling all requirements associated with any release of any substance into the environment as required by Applicable law or by any Legal Entitlement including but not limit to the notification or reporting of releases / Hazardous substances or Hazardous Waste. The Contractor shall prepare a memorandum evidence such notification or reporting and pro- vide copies thereof to IITH, along with any documents provided to the relevant regulatory agency regarding such release.
- (b) The Contractor shall assist IITH in the process of obtaining clearances of all such agencies as required for the purpose, including all clearances during O&M period. He shall be fully responsible to comply with all requirements of Laws including hazardous substances, emission standards for air, discharge standards for effluent oil, sub-soil pollution. The Contractor shall not release any hazardous/toxic materials inside the premises.

1.1.12 Technical Audit

Engineer-in-Charge has the right to conduct a technical audit of the plant and to perform any analysis or inspection he deems necessary. The Contractor shall at his cost provide all assistance IITH requires to

complete these inspections. Such audits may cover all or any of the obligations of the Contractor, including without limitation:

- (a) Verification of the system capacity with due allowance for normal wear and tear during the O&M Period.
- (b) Verification of the performance standards and useful life of the individual assets of the Facility, with due allowance for normal wear and tear during the O&M Period.
- (c) Verification of the capacity of the Facility to meet Output Standards during the residual life of the Facility with due allowance for normal deterioration expected during such residual life.
- (d) Sampling, testing and verification of the Output Standards for treated sewage, sewage losses.

1.1.13 Inspection

- (a) At any time or at the end of each twelve-month period, or at the initiative of the TSPCB, a visit shall be organized so that both parties can check the condition of the installations at the facility.
- (b) A report shall be drawn up to record the opinions of the both parties. IITH/TSPCB reserves the right to call the Technology Provider, equipment manufacturers or specialized technicians for these visits.

1.1.14 Taking Over of Plant after Completion of O & M Period

The plant shall be taken over by IITH on satisfactory completion of the Operation & Maintenance of the plant provided:

- a. The plant /equipment are in good, smooth running condition. The results of the treated waste water quality for the preceding three months of operation of the plant are within the limits specified.
- b. In case of major repairs /replacement of equipment, the performance guarantee for such unit/equipment shall be extended by six months from the date of putting back in to satisfactory operation of such unit/equipment, in case such putting back is within last three months of the end of completion of operation & maintenance period.
- c. All records of operation & maintenance are handed over to IITH in proper condition.
- d. In case taking over of the STP is delayed on account of Contractor's failure, the operation & maintenance period shall be extended further till he meets the requirement without any extra cost to IITH.

1.1.15 Tender Drawings

For better understanding of the bidder, the following tender drawings are enclosed with the tender:

- a) Process Flow Diagram
- b) Piping & Instrumentation Diagram

3.1 Form of Performance Security (Guarantee) Bank Guarantee Bond

Performance Security (Guarantee) Bank Guarantee Bond

- 1. We, (hereinafter referred to as the Bank) hereby undertake to pay to the Government an amount not exceeding Rs. (RupeesOnly) on demand by the Government.
- 3. We, the said bank further undertake to pay the Government any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the Contractor(s) shall have no claim against us for making such payment.
- 4. We, (indicate the name of the Bank) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer- in-Charge on behalf of the Government certified that the terms and conditions of the said agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this guarantee.
- 5. We,(indicate the name of the Bank) further agree with the Government that the Government shall have the fullest liberty without our consent and without affecting in any manner

our obligation hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) or for any forbearance, act of omission on the part of the Government or any indulgence by the Government to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

- 6. This guarantee shall not be discharged due to the change in the constitution of the Bank or the Contractor(s).
- 7. We, (indicate the name of the Bank) lastly undertake not to revoke this guarantee except with the previous consent of the Government in writing.

NOTES ON PRICE BID

- 1) The bidder is required to quote all-inclusive monthly charges for various years of Operation & Maintenance.
- 2) Rates shall be quoted in both figures as well as words. In case there is any discrepancy between the rates quoted in figures and words, the rates quoted in words will be considered.
- 3) The list of Instruments, equipment's and valves given along with this document is indicative only. Bidders are advised to visit the site thoroughly before quoting rates.
- 4) IITH being educational institution, there will be a variation in the quantity of sewage generated depending upon academic activities. The contractor shall not have any claims if the influent is more than 650KLD on any day on any period. Similarly, there shall not be any recovery from the contractor if the quantity of sewage treated is less than 650KLD on any day or period.
- During the period of Operation & Maintenance of plant, monthly running account bills shall be raised by the contractor by 7th of every month in prescribed proforma (CPWA 27A). IITH shall endeavour to make payment of monthly running bills within 10 working days from the date of receipt of bills complete with all supporting documents/reports etc. in the office of Engineer-in-charge, IITH.
- 6) The tendered amount shall be inclusive of all applicable taxes to this contract.
- 7) Other Taxes: Income tax/surcharge/cess or any other tax as applicable on the amounts paid by IITH shall be recovered at source at applicable rates as notified by Govt. of India and a certificate to this extent shall be issued to the contractor.

ANNEXURE-I

FORM FOR CERTIFICATE OF NET WORTH FROM CHARTERED ACCOUNTANT

It is to certify that as per the audited balance sheet and profit & loss account during the financial
year 2020-21, the Net Worth of M/s(Name & Registered
Address of contractor/ Individual/firm/company), as on(the relevant date) is
Rsafter considering all liabilities. It is further certified that the Networth of the
company has not eroded by more than 30% in the last three years ending on (the relevant date).
Signature of Chartered Accountant
Name of Chartered Accountant
Membership No. of ICAI
Date and Seal

ANNEXURE-II

INDEMNITY BOND (VIOLATION OF LAWS, NORMS, ACCIDENTS, DAMAGES ETC) (On Non-Judicial Stamp Paper of Rs.100/-only)

Name of the work: 5 Years of Operation and Maintenance of 650 KLD capacity Sewage Treatment Plant-1(STP-1) at IIT Hyderabad campus (2^{nd} Call).

hereby execute Indemnity Bond in favour of Indian Institute of Technology (IIT) Hyderabad having
their office at Kandi, Sangareddy-502284, Telangana, India and for the project
On this day of2022
THIS DEED WITNESSETH AS FOLLOWS:
I/We, (Name of Contractor) hereby do indemnify and save harmless IITH having their office at Kandi-502284, Sangareddy, Telangana, India from the following: -
1. Any third party claims, civil or criminal complaints/liabilities/material/life loss during site mishaps and other accidents such as snake bites etc or disputes and/or damages occurring or arising out of any mishaps at the site due to faulty work, negligence, faulty construction and/or for violating any law, rules and regulations in force, for the time being while executing/executed civil works by me/us.
2. Any damages, loss or expenses due to or resulting from any negligence or breach of duty on the part of me/us or any sub-Contractor/s if any, servants or agents.
3. Any claims by an employee of mine/ours or of sub-Contractors if any, under the workman compensation act and employers' Liability act, 1939 or any other law rules and regulations in force for the time being and any acts replacing and/or amending the same or any of the same as may be in force at the time and under any law in respect of injuries to persons or property arising out of and in the course of execution of the Contract work and/or arising out of and in the course of employment of any workman/employee.
4. Any act or omission of mine/ours or sub-Contractor/s if any, our/their servants or agent which may involve any loss, damage, liability, civil or criminal action.
IN WITNESS WHEREOF THE HAS SET HIS/THEIR HANDS ON THIS DAY OF SIGNED AND

2.

ANNEXURE-III

<u>Proforma for Authorization certificate from Technology Provider</u> (M/s Suez Water Technologies & Solutions(I) Pvt. Ltd.

		Da	ted		
То,					
The Executive Engineer-Electrical, Indian Institute of Technology (IIT) Kandi-502284, Sangareddy, Telang					
Dear Sir,	ana, mara				
We		are	established	and	reputable
manufacturers/Technology Providence			11		having
factory/ factories at		(a	ddress of factory	/) do herel	by authorize
M/s (Name and	aaaress of t	nader) to	submit a bid, ne	gotiate an	d receive the
order from you against your Tende	r enquiry no.	птн/см	D/ELE/NII/202	Z-23/05 fo	or tne
1) at IIT Hyderabad campus (2nd (
technology / product updates for u 01 at IIT Hyderabad during the 05 mentioned in this tender document	p-gradation years contra on direct pa	/ mainter act (if awa yment ba	nance / repairing arded) as per the sis from the succ	/ servicin e terms an essful bido	g of the STP- d conditions
technology / product updates for u 01 at IIT Hyderabad during the 05 mentioned in this tender document	p-gradation years contra on direct pa	/ mainter act (if awa yment ba	nance / repairing arded) as per the sis from the succ	/ servicin e terms an essful bido firm.	g of the STP- d conditions
We ensure that we shall support/ f technology / product updates for u 01 at IIT Hyderabad during the 05 mentioned in this tender document We hereby extend our full guarante	p-gradation years contra on direct pa	/ mainter act (if awa yment ba	nance / repairing arded) as per the sis from the succ red by the above	y / servicing terms and essful bidder firm. You of authoris	g of the STP- d conditions ler.
technology / product updates for u 01 at IIT Hyderabad during the 05 mentioned in this tender document	p-gradation years contra on direct pa	/ mainter act (if awa yment ba	nance / repairing arded) as per the sis from the succ red by the above (Name	y / servicing terms and terms and terms and terms and terms. You firm.	g of the STP- d conditions der. urs faithfully, sed signatory

Note: This letter of authority should be on the <u>letter-head of the Technology Provider</u> and should be signed by an authorised person. It should be enclosed by the Bidder with the tender documents.

(A) CUA	Project No.	6038727	
SOES	Project	. 650 KLD STP -1	
Water Technologies & Solutions	Customer	IIT HYDERABAD	

Doc No. 6038727-AE-01

EQUIPMENT LIST





В	JUNE 26, 2018	FOR APPROVAL	SK	SCR	MAB
Rev.	Date	Description	Prepared	Checked	Approved

	EQUIPMENT LIST	LIST			П	COMPANDA SEV.				
Anne tenningspan & Militaria	1111111111				PREP BY: SK	CHKD BY: SCR	APPVD BY: MAB			REVNO; B
SLNO, TABNO.	DESCRIPTION	SIZE / CAPACITY			OUGNITTY	UNITOR	600	SHIPPING WEIGHT	WORKING	in the state of th
		DIMENSION NOT TIME	FLOW	PRESSURE IBAR CI		MEASUREMENT	1	PER UNIT IN KGS	IN KOS	
03-TK-101	COLLECTION SUMP	155,83		N.W.	100	CN	ROC			RAW SENKGE
08-080-101	DOARSE SOREEN	SOUTH VESH SIZE	162,5 n.3/v		138	NO.	68304	125		RAW SENAGE
09-190-101	Machania Sosem	A nm MESH SIZE	162.5 m3hr 161.6 m3hr		100	ON	35304 50504	120	125	Raw Sewage
08-DCT-161	OL 5 GREASE BELT TYPE OIL SKIMMER		162.5 n 34 r		100	NO.	STANDARD	210		RAW SEAKOE
08-TK-101	EQUALIZATION TANK-I	509 M3	and the second second	Alm	100	OK OK	ROC			RAW SEAMGE
9 03.P.101A.B.1	EQUALSATION TANK FEED PUMP-1		SSm3thr	11500	9 21/2/198	100	CABIND CI		100	AR
	and the state of t				for any	200	NATIONAL CHESSING	200	190	Rotto Services
24	BIO REACTOR FEED PUMPS		27 m3thr	1.15 bet	2 (104-13)	SON	INCELLER CIRETE	n	40	RAW SEMMICE
12 148-07-48-1	AUTO-DHUN SCIELLAN PROCESS BLOMSS-1	2 MV PUNCHED FOLE	27 m3/hr 57 m3/hr	A Cal har	199	D 2	SSOOd	127	340	RAW SEWACE
	MIXING BLOWER FOR EQUALIZATION TANK 1:	17	106 Mr.3 hr	0.77 500	Z (WH15)	NGS NGS	210	FEE8	1080	22
14 308-201-6-8-1	Wilderstate BLOWER 41		DPERCTING 166NerSite	0.45 bar	2 CW+183	202 203	D	568	1000	AIR.
15 OS.B.101.A.B	WICE BLOWER FOR SLUTCH HOLDING TASK SND COLLECTION		125 Nmahr	0.45 bar	D (MAY-175)	NOW	c	300	940	3
ш	BIDIES ACTOR TARGET (MIGNIC ZENE)	11000		Agus	AA.	CN	100			SOMES.
16-0(2-033-5	MICHIGAN STOCK TOWNS	177 466			W1	ON.	10,053310	15	15	SEMMOSE
California (ac)	AEROBIC TANK DEFUSER	Z-Wei-		Alm	WW.	TOIL	900			SEWACE
20 16P-301-4.B-1	RASTRANSER PUMPA		108 m 8%r	Clabor	2 (TW+15)	SON	Casho G	2303	306	PAS
21 00.76.201.1	WENNESDAY FILMS	3.65m Lx2.57m Wx3.1m LDx0.05m		The state of the s	· ma	ğ	ROCWITH POLYURETHAME	-		
-		VO CF IRAINS 1		5		2	UNNG			s evolue.
Ti.	WEVERNALS CASSETTE WITH PITERIALS	NO OF CASSETTE/TRAIN 1 NO. 48 WOULES NO. OF CASSETTE POPULATED PER TRAIN 30 NOS			1361		404	3000	9206	
		NODEL ZWS886 34.37 W2 LEAP								
	EACTOR ASSEMBLY				W	CN CN	STANDARD	¥1	100	
24 20-5-301-6-05-1	PERMEATE/BACKPULSE PUNPA		32 - 56 m3/hr	0.72 bar-1 ber	2 (1W+13)	SON	INPELLER SIGHE	211	190	MBR PERMEATE / INCARC CHEMICALS
26 26-TK-101	CHLORAGE CONTROL TANK	24 m3		Adri Am	AN AN	9 9	Bon with money has	475	2000	MER PERMEATE & BODAM HYP D
26-TK-102	FLUSH WATER TARKET	28 m3		T-SV	, Al	2 2	Mr.			SOLUTION NAR DEBUGGTE
28 26-TK-103	FLUSH WATER TANK-3	208 m3		124	A4	2	HQ0			NBR PERNEATE
714-911-46			15 mühr	3.5 50	2(10/4/18)	NOB	MPELLER SSSTE	175	292	N BR PERVEATE
71-TK-801	BOND UFACURIO TANK	1000mmA.250pmm	Tampart.	- Other	Z (1W+1S)	SCH	MERI	190	3800	SOFTWATER
71-TK-803	DPAN PIT	1,8 m3		THE STATE OF THE S	197	2	RCC WITH EPCXY CONTING			HECEN BOATION DISAN WATERPLANT
33 71-P-105-A-B	DRAIN PIT TRANSPER PUMP		16 m3.hr	1530	SHWITE	SON	SUPLEX	110	520	HEGING ATON DRAWWATERPL
50-7K-701	SLUDGE TANK	50-113		/cm	W	NO.	HCC			3000E
OF THE PARTY	SUCCE TANCHELEDR				-	TOT	Casted Ci			
Section 1	SCHOOL IN THE SCHOOL STATE OF THE SCHOOL STATE		A Constant	a line	2 (1994-18)	SCH	WELLER CYCSOTIC	22	42	30000
23-TK-101	SODIM HYPOCH ORITE DOSIGN TANK FOR MER CLEANING	2001	4000000	dtm	WI WI	200	SEG-PERSONAL PROPERTY.	3500	280	SOUN HYDON DRITE
	SODIUM HYPOCHLORITE DOSING PUMP		36-321 LPH	2 ber	\$55+M1 E	SCN	di	83	00	SOOMWHYPOCHLORITE
40 23-TK-301	CITIC ACID DOSING TANK	200 L		Arm	WE	CH	#	29	280	GIRCACID
Т	COURT OF THE SAME STATE SAME STATE S		The same of the sa		A producedor	G and	SSSTE	4 1		CIRCACID
	CAUSTIC DOSNO TANK	1062		t to a	A Liverial	Con	000	the St		CALIND COLUMNS
	CAUTIC DOSING PUMP		0-2 (PH	2 ber	2 11974151	807	95	28	30	CAUSTIC SOLUTION
	SOQUIM HYPOCHLORITE DOSING TANK FOR MER PERMEATE SOCIAL IMPROCES OF SOCIAL SOCI	100;	101	Ala over	TW STANFORD	CN	683	40		SCOLLA HYPICOLORITE
1 1		1 DCG T		Atm	2W	SCH	出	90	1150	POLVE, ECTROLYTE
BOMBK-801A/S	MIXER FOR POLYBEITED TRIB DISTANT TRIB		1		WC.	30N	70.00	· ·	9	POLYELECTROLYTE
	A PLOUR DOWN TREASURE TOWN		20 month	T the	W. 100-15	NO.	NSCI	240	250	POLYELECTROSY IS
П	COMPRESSED A R. TANK RECEIVER		-	****	M.	10	CARBON STEEL	180	370	AR
	MXSR FOR DAUSTIC TANK				177	DIA CHI			200	AIR CAUSTIC SOLUTION
	SCFT WATER TANK	65 m3		Akm	100	NO.	Roc		2 1	SOFTWATER
56 DECC101	O ISTRIBUTION CHAWBER			Agri	400	DN	900		,	RAW SEWAGE
Teocoli.	DISTRIBUTION CHANGER			Aim	1/4	DN C	NGC	- 1000		RAW SEWADE
	PLC PANEL				200	LIN LIN		Kan	2000	EA COL
								100		

(E/E) CIIO	Project No.	6038727	
S) SUES	Project	650 KLD STP -1	
Water Technologies & Solutions	Customer	IIT HYDRABAD	

Doc No. 6038727-IK-01

INSTRUMENT LIST





А	MAR 30, 2018	FOR INFORMATION	RR	RK	BPU
Rev.	Date	Description	Prepared	Checked	Approved

		ハロコン		ADD I AN INTERNATION	-			T				PROJECT 650 NLD STP-1	STP-3
		100		ICT) NUMBER (CN)		a	30/33/2018	2018	150	×	450	LOCATION HYDRABAD	Or Or
	NAMES CONTRACT	AND A SHEET PAR				PEV.	DATE	w	P. 34	C.87		DOCNO 50\$51274K-01	IN-03
SR. NO. TAGNO.	TAGND.	INSTRUMENT DECRIPTION	ENSTRUMENT TOPE	EDANES.	P.S.ID DRAWING NO.	How thates	Pressure barl	Geg to	Measuring ronge	Colbrasc Renge	Brg Unit	MAKEEMODEL.	RDIARG
-	13-13-101	LEVEL SMITCH	TILT (2-POINT)	COLLCTION SUPP TANK EVEL	01.07.10	NA.	MIN	5	£	HGH-TED,LOW	3		AT NO ANY BURE TO SEE STATE OF THE SECOND SE
no.	03-9-1014-1	MESSURE INDICATOR	DIAPHRIGHTSBIL	STURY SOURCE CAME OF DAMP 1.4 GISCHARGE PRESSURE	01.0610	MA	1.10	36.50	3636	-18D	2		10/65/10/
179	03-91-1018-1	PRESSURE PROCATOR	DINCHEMENTSER	HELICHARD BURGETTANE B. C. WHILE WITH MICHAEL MICHAEL MICHAEL	5 5 5 5	979	110	9	94.0	20.00	1		1787,000
	0012.000	700718 8007	The state of the s	The comments of the comments o					9	HIGH-TRD LOW	3		200 PMF1
1		La live care	Transport I	THE WATER SHOWN THE WATER OF COLUMN SHOWS AND THE PROPERTY OF	U1 OF 10	5	ATM	8-6	150	-TBO	bus.	2	4"NS ANSI 8 16 5 150 9 FLATISE
LO.	08-Pi-101A-1	PRESSURE INDICATOR	DIAPHRAGN SEAL	BARROLL BEARING ALL TON	01 06 10	NA.	0.60	3E-30	97.0	0.25	pa		1/21/1/4/07
w	DS-P1-3019-3	PRESURENDICATOR	DOSHRAGNSEN	SIGNESATION FEED PUMP. 1-8 DISCHARGE PRESSURE	610510	144	28.0	95-50	0.28	52'0	±Q.	v	1/2" PWITT
-	06-FT-101-1	FLOW TRANSHITTER	ELECTRONAGHERIC	AUTO DRUM SCREEN FEED PLCW	01 OF 10	36	25	35-50	0-35	10.0	m3fr		37CS ANDI 816 S 1564 FLIANIED
	36-Pi-4034-3	PRESCUEE INDICATOR	HOURTON	PROCESS ACRATION BLOWER, 1-4, OSCHARGE PRESURE	00 DF 10	×	25.0	25.90	3	0-1	ž	80	VENDORSCOPE
	16-P-4025-1	PRESSURE INDICATOR	NOCHOE	PROCESS A ENTIRAL BLOWNER: 1-B DISCHARGE RRISSUNG	02.0/-10	N.	55.0	25-90	ε	3	ž		VB-tbolt score
10	16-PH-013-1	PRESSURE INDICATOR	BOURDON	PROCESS A SEATION BLOWER-1-A SUCTION PRESSURE	00.400	ANA	AIM	99-15	MA	25	par	10	VENDORSCOPE
7	16-95-4016-1	PRESSURE SWITCH LOW	OMPHRAGH	PROCESS ASTATION BLOWDING A SUCTION PRESSURE	07.07.10	MA	ATM	52-32	NA	293	bar		VENDOR SCOPE
12	16-PL4018-1	PRESSURE INDICATOR	BOURDON	PROCESS AERATION BLOWER-1-8 SUCTION PRESSURE	02.05.10	177	ARM	8	NA	#	bar	0	VBNDOR SCDPE
13	16-65-4019-1	PNESSURE SWITCH LOW	DESTRUCK	PROCESS AERATION BLOWER-1-8: SUCTION PRESSURE	02 04 10	AM	АТМ	35-35	NA	NA	Par		VENDORSCOPE
10	20-P1-201A-3	PRESSURE INDICATOR	NOCHOOL	MEMBRANE AERATION BLOWER 1. A DISCHARGE PRESSURE	02 07 10	NA	970	25-80	2	3	par		A Bridge societies
15	20-P-2018-1	PRESSURE INDICATOR	BOURDON	MENNAME ABATION BLOMER. L. B. DISCHERGE PRESSURE	00 00 00	NA	940	06-92	1.0	0-1	pa		VENDORSCOPE
16	C6-P1-102A-1	PRESSURE INDICATOR	BOURDON	MUNIO BLOWER-1 -A FOR EQ TANK DISCHARGE PRESSURE	CZ 0F 30	Ж	0.72	8 %	P.1	1.0	Ē	٠	VBVDORSCOPE
13	CR-Ps 1028-1	PRESSURE DIDICATOR	BDLRDON	MANG BLOWEN-1-B FOR EQ TAMK DISCHARGE PRESSURE.	02 OF 30	185	0.72	8-9	3	2	bot	,	VENDORSCOPE
40	03-P-103A	PRESSURE INDICATOR	BOLRDON	MANA BLOW 56-1-4 FOR SLUGGET AND COLLECTION SLIPP DISCHARGE PRESSURE	C2 OF 30	RA	990	25-90	2	3	bar		VENDORSCOPE
21	Q1-PL1018	PRESSURE BLDICATOR	BOURDON	MANNO BLOWER-1-B FOR SLIDGE TAWK AND COLLECTION SUMP DISCHARGE PRESSURE	02 OF 10	NA	570	95-52	23	1.0	bar		VENDOR SCOPE
02	20-751-203-3	PLOW SMITCH	BELLOW	MONBRAINE BLOWNER CONNICTO DISTAINED E LOW	02.0F.30	386	990	8-8	180	T 05T=45	Nm30Hr		n. gu
52	15-103-1	TEMP INDICATOR	SHATAUC	PROCESS AGNATION BLOWER COMMON DISCHARGE TRIPS	02 06 30	116	990	9752	0-150	0-150	Degc		WITH THE THE TOTAL
22	15691-100-1	PLOW INDICATOR	ROTAMETER	PROCESS ABIATION BLOWER COMMON DISCHARGE TEMP	02 OF 30	114	970	55-32	005-0	0-300	36.37kg		.,
23	164.5H-405-1	LEVELSMICH	TLT (C-POINT)	ROBENTOR TANK LIEVEL	03 04 20	MG	MLY	25-50	DEL	HGH-TED	ž		4" MS ANSI B 165 150 # FUANGE
4.5	16-61-401-1	DO MINLYZES	34Y FIG	BIOREACTOR THUK I DO	02 07 30	MA	NEW Y	25-25	50	50	uğu		2" PP ANS: 9 16 5 1508 FF FLANDE
52	16-FT-801-1	PLDW TRONSMITTER	ELECTROMONETIC	FAS TO SUDGE LINE FLOW	03 OF 10	ा	050	05-50	0.15	51-0	#3/h		27CS AND B16.5 150# FLANGE
92	16-PH-801.4-1	PRESSURE INDICATOR	DWP-IRAGH SEAL	RAS TRANSFER PUNP-J-A. CISCHARGE PRESSURE	38.05.10	MA	050	55-38	0-1	3	ğ		14544.2/1
iş.	16-F1-8018-3	PRESSURE INDICATOR	DWP-RAGM SEAL	RASTRANSFER PLAMP-1-8 DISCHARGE PRESSURE	03 OF 10	MA	050	25-32	1.0	14	bar	*	1444427
28	20-8-903-1	PRESSURE INDICATOR	BOURDOW	VACCION EXICTOR PRESSURE	00 00 10	382	NA	35.35	NA	NA	par	ā	NEWDORSCORE
20	20-UF-201-1	LEVEL TRANSMITTER	HYDROSTATIC	MENERANE TANK-LI LEVEL	04.07.10	NA	ATM	25-35	0-5000	0-4000	ž		SUSPENSION CLAMP 336L
30	20.917-301-1	PRESSURE TRANSMITTER	Махинфиа	MENSORIVE TANK PROVENTE IRRCHOUSE PUMP SUCTION PRESDUE	04.0F.10	NA	-1701	25-35	-1.101	-1101	ig.		1dRG 22/E
11	20-61-3013-1	PRESSURE INDICATOR	ROURDOW	PERMEATE (RACIODIU, SE PUIMP 1, -AD 3 CHARIOE PROS SURE	05 04 10	MA	0.72	25-32	3550	0.25	B	140	1dN6v2/f
35	20-01-3018-3	PRESSURE INDICATOR	NOURDON	REINEATE / BACKPULSE PUMP 1-8 D/SCHARGE PRESSURE	05.07.10	MA	22.0	25-35	0-2.5	0-25	bar	*	1/2mmpt
2	20-FIT-301-1	PLOWTXMSMITTER	ELECTROMYGNETIC	PERMENTE FANCY LUCY COMMON DISCHARGE FLOW	05 OF 10	19	0.72	25-35	0.70	01-0	m30k	20	POLYMER BEST 1508 FLANGE
z	20-417-301-1	TURBIDITY TRANSMITTER	FLOW THROUGH.	MÉNBRANE TANK PERMEATE /BACKFULSE PUINE DISCHARGE TURBIOTY	05 OF 10	NA	0.72	35-35	5-0	6-5	MTU	Ŷ	1/27/191
22	20-15-601	LEVELSWITCH	TILTEPONT	BACKPULSETANK LEVEL	05 OF 1D	NA	ATH	GS-52	Teo 1	H GH+TBDLCW =TBD	¥	*	4" MS ANS BIGS 150 # FLANGE
96	1676.161	HOUND (BOB)	TIU IZ-POINT	RUSH TONK-TLEVEL	06.09.10	200	ATM	25.46	TRD	LOW-TED LOW	7977		The same of the same of the same of the same

	Г		4									0	CUENT IIT HID WASHO	0
			NO V		The state of the s							er.	ROJECT 850 KLD S.	P.I
Control Control <t< th=""><th></th><th></th><th>しつつつ</th><th></th><th>TOTAL PROPERTY CONT.</th><th></th><th>¥</th><th>30/03</th><th>SE02/</th><th>36</th><th>ЯК</th><th></th><th>DCATION HYDRABA</th><th>0</th></t<>			しつつつ		TOTAL PROPERTY CONT.		¥	30/03	SE02/	36	ЯК		DCATION HYDRABA	0
5.25 Control of the contro		Marrie Certains	scene in federalisms			100	- 1	OA	35		C 67		OC NO 50387274.	(40)
144,242. Columbination Location Location Location Location Location No. 126,190 No. 126,1	SR. N.C.	TAGNO.	INSTRUMENT DECRIPTION	NSTRUPENT TYPE	BENICE	P. 6.10 DRAWINS NO.	Worl UNION	Pressure (but)	Deg	feasuring lange	P .		MAKERMODEL	REMARKS
TATA STATE OF THE STREET CHAPTERS MONTROLLE CHAPTERS	Þ	201-51-92	LEVEL SWITCH	Three-Points	RUSH TAMA-2 LEVEL	06 OF 10	na na	ž,	55.55		HGH=TBD,LCW		34	IT MS ANS BIES 150 # FLANGE
12-45-2013 PRESENTE RECORDER MORTOR MENDER RECORDER RECOR	99	71-151-901	WOLESWITCH LOW	MAGNETIC IL PONTI	BEING PERSTERNET TARK LEVE.	07 OF 10	RIA	MTA.	25-35	TED	1044-180	MM	•	2" PP ANSI B 16 S 1 SOR PP PLANGE
PARTANIS PORTINA IL CONTRIGATORIA DE CONCRETA DE CONTRIGACIONA DE CO	9)	71-4-901A	PRESSURE INDICATOR	MODERNO	SOFTNER FEED PUMP A DISCHARGE PRESSURE	07.05.10	RIA	350	55-52	9-0	9-0	por	(4)	TGN-SZT
Probability Medical discretation Complexity	3	8f06-16-17	PRESSURE NDICATOR	NDOHDON	3 EFT SSEND 3 DEPTH 2010 (II JAPA C 0)95 KBRUJOS	07-0F-10	เหล	3.50	15-35	0.6	85	por		1/2/withT
The Agents Reference of the Control of Signification of Control of Signifi	23	71-P1-902A	PRESSURE INDICATOR	DIMPHRACIM SEAL	SOFTWAY FED MLET PRESSURE	07.07.10	RIA.	300	55-35	9-0	9-0	pd	AR.	14Nss2/T
14-6-201 Control of the finite of the control of the con	3	73-73-303A	PRESSURE INDICATOR	DIMPHRACIM SEAL.	SOFFNER-A BADAWASHINLET PRESSURE	07 OF 10	NA	308	25-35	9-6	9.0	bar	ý;	LEWIPT
14-542 PARTONIC RECURSION PARKAPORTONIC PARTONIC RECURSION PARKAPORTONIC PARTONIC PA	3	71-11-9028	PRESSURE INDICATOR	THREMODINANO	SOFTWEED NATER PRESSURE	07 OF 10	NA	300	25-32	9-0	9-9	par		LZWIPT
114-924 ROW MELCINE; MONTRELLIGH MON	3	306-F-I7	PRESSURE INDICATOR	DIMPHRACIM SEAL	SOFIVER-B CACHWASH INLET PRESSURE	07.0F.10	RA	87	25-25	9-6	9-6	par	E	TANNET.
11.8 pt	9	71-H-902	R.OW INDICATOR	RDINNETER	SOFTINGS - SGRVICE INLET UNE FLOW	07 OF 10	NA	3.50	25-35	0.3	0-3	mathr	3	4
25-53-301 LUES-MYCHOW Medical Cu-duit Spoke MYCHOW Committee Control APP (2015)	38	TI-R-901	ROW NOKATOR	ROTAMETER	NOTINER FEED TO REAM TANK FLOW	07 CF 10	rıa	3.50	25-35	6-18	0-18	m3/hc	X.	2.175
15-31-2-301 UNELLANTOLLOW MORRITOLLOWING COURT CLOUND DESIDE THAN LIBER. COG OF 10 AT 16 55 MIN 15 55 MIN 15 MI	23	23-(30-101	LEVELSMTOKLOW	PAGNETIC EL-POINTI	SODUM HISTOCHLORIDE DO BING TANKLEFIEL	08 OF 10	NA.	ATR	52-55	TBD	(00/4780	*		2" FP ANGL 9 15.5 150# FF FLANGE
15-5-100 UPE, EMPTICATION Moderate Laboration COUNTION OFFICE LANGE (EMPTICATION) CONTROL OF A CASE OFFI CANADA 615-70 A CAS DATE OF A CASADA A CAS DATE OFFI CANADA A	3	23-151-301	LEVELSWITCH LOW	MAGNETIC (L-POINT)	CITING ACID DOSING TANK LEVEL	of 30 80	เหล	ATA	25-25	TBD	UDW-180	×	92	2" PP ANSI B 16.5 190# PF FLANGE
24.54.00 UPE_EMPTOR (MAY) PRESSURE (AUTRIC CLANITY) PRODUCE (AUTRIC CLANITY) CORDINATION (MAY) RESTANDER (AUTRIC CLANITY) <	9	109-151-51	URVE, SWITCH LOW	MACNETIC [L-ROINT	CAUSTIC DOSING TANK LEVEL	08 04 10	NA.	ATA	23-32	TED	1000*780	MM		2" PP ANGLS 15 5 15CA FF FLANGE
RODE AND TABLES AND T	8	23424-102	LEVELSMITCHLOW	MAGNETIC (1,-90NI)	SODUM HIPOCHLORIDE DOSING TANK LEVEL.	00.00.10	NA	ATM	55-35		100/4-190		K	2* PPANSEB 15.5 150# FF PLANSE
Re-District Preside statution Designation Statution Control Fig. 1 6.4 6.4 6.4 6.4 6.7 Re-District	3	80.45.703	LEVELSWITCH	TILT (2-FORTH)	SLUDGE HOLDRY TRYK LEVEL	02 04 30	FIA	ATK	15-35		HGH-TED LOW -TED	200	200	4° PS ANS B 16.5 LSO & PLANGE
GACHADIS PRESENTE ENTRY PRESENTE ENTR	25	400-PL-701A	PRESSURE MOICATOR	DIMPHRACIM STAL	9.U DGE TAMSFER PUMP-A DISCHARGE PRESSURE	09 OF 10	RA	200	52-52	1	1	pd	ii:	LdNs-2/I
EACH SIGNED UNESSMITCHOW PROVIDED TRANSMERT OFF 20 RFS ATM 655 NO NO 71-74-04A PRESSMITCHOW PRESSMITCHOWN PRESSMITCHOWN 0.00 00 00 00 00 00 00 00 00 00 00 00 00	G	80-11-7038	FRESSURE BIDICATOR	DIRPHAGM SCAL	SULDGETTANSFER PUMP-8 DISCHARGE PRESSURE	01:50:00	NA	200	55-52	4-6	5-0	bor	3	1/2×2/lp1
THE STATES THE	ħ	BO-UST-803A	LEVEL SWITCH LOW	Medic (L-Poett)	PULMERCINOLVIEDICSING TRAK-A LEVEL.	02 04 30	ии	AT X	53-52	Dig.	180	MM	×	SPANCES IN STREET PRINCES
12.10.00.00. PRESSURE INCLUSIONE CONTROL FORM TO THANKES WIRE TO THAN	ы	BOUSC-BDIB	LEVE, SMTCHLOW	MAGNETIC IL-PONTI	POLYRECTROLYTEDOSING TANK -9 LEVEL	09 OF 10	MA	ATM	25-32	TBD	TBO	MM	ý	2" PP ANSI 8 16 5 1 90# FF FLANGE
TATISTICATE PRESENTE FROM THE PROPRIETY CORRESPONDE TO THE PROPRESSION TO THE PROPRESSION THE PROPRES	H	72-9-308A	PRESSURE INDICATOR	DIMPHRACIM SEAL	DADAY OF TRANSPEA PUPPIA PRESSURE	09 OF 10	g g	150	25-35	3	3	Ä	10	Temest
1245.12 LIELLANICH TUC GROUND VERFORM	(ii	71-81-3048	PRESSURE INDICATOR	DIAPHRACH SEAL	DOANN PITTRANSFERPUAP-B PRESSURE	03 CF 10	MA	138	52-52		1			TANNAZT
9-98-0001 PRESENTE VANCHICALVA DEFECTIVE VANCHICALVA DEFETTIVE VANCHICALVA DEFETTIV	8	71-13-102	LEVELSWITCH	Thurst-source	DRAWLPHTEREL	08 09 10	MA	ATM	55-52		HICHETBOLDW #TED		r	G PS MBI 8 26 3 350 # PLANGE
900-1312 PRESENTE FACTOR PRESENTE FACTOR DOT 10 RM 7.00 6.50 O-16 C+36 O+1 C+3 O+1 C+3 O+1 C+3 O+1 C+3 O+1 C+3 O+1 C+3	8	90-981-101	PRESSURE SWITCH LOW	CNAPHSAGN	AIR RECEIVER TANK A PRESSURE	10 0F 10	NA	200	25-60		NA	(200)	3.	VENDORSCOPE
90-71.12 PRESENTE TOUCHUN BOUNDUN ARCOFFERSOR DECHMINATE PROPERTIES DOT 10 IN 750 CAS CAS IN TO AD0-21.12 PRESENTE SAVITHUN DOP 10 IN TO SS-SE CAS SS-SE TO	8	50-R-101	PRESSURE INDICATOR	NDGHDGN	AIR PECONER TANK A PRESEURE	10 00 10	MA	2,00	DS-52	0.16	0.16	pa	10	VENDORSCOPE
9-3-51.02 PESSENS SYNTHEON DUMPHALTY NR COPPESSO TICH PROCEPUS TOOL PROC	139	\$0-11:102	PRESSURE INDICATOR	WOUNDOW	JAR CONPRESSOR DISCHARGE HEADER PRESSURE	10.0F.10	MA	100	25-80	0-16	0-16	per	3	1/274197
	12	90-551-102	PRESSURE SWITCH LOW	DIAPHRA CIM	AIR COMPRESSOR DISCHARGE HEAGER PRESSURE	10 CF 10	NA	200	52-32	91-0	1545	200	77	1/27/4/75

[This page intentionally Left Blank]

Project No. Project Customer SUG2 Solutions

 Project No.
 6038727

 Project
 650 KLD STP - 1

 Customer
 IIT HYDERABAD

TECHNOLOSY PROVIDER

Doc No. 6038727-PK-01

VALVE LIST

VK SK MAB	VK LP MAB	Prepared Checked Approved
FOR APPROVAL	FOR SUBMISSION	Description
JULY 26,2018	MAY 08, 2018	Date
В	٨	Rev.

		10			25-at-10		Renarks	Þ	FE	NI.	#	2	ź	SPINGLE LENSTH- SCRIM	¥	#	¥	4	\$	NC.	ź	ML	12	H.	4	ML
The control of the				П	,		DID VALVE																			
Market Technologies & Sections Market Technologies Market Te				-	P APVD	SESORIES		2	2	12	45	ž	2	ž	2	5	2	5	5	2	ž	ž	5	5	ž	ş
				-	2 8	UNTOR ACC			3	15	<u>a</u>	ž	2	ž	××	2	2	ž	2	ž	2	5	5	5	5	5
	6 HLD STP4	36727-196-31	38727-PK-31	SATUT ARICH Rese	EPARED SY:	ACT	OBLI SECUCIONE																			
**************************************	TION, 65	DOCULANO. OC	8	900, 60	- 2		1	20	2	2	.2	5.	ğ	5	25	3	NT.	25	4 X	á	ž	ž	2	2	¥.	- X
	disorgo nor	CUSTOMER	DOCU, No.	RESIDENCE	A NEW	CTUATOR DATA	200	6	5	2		5	44	8	4ñ	£	£	á	NA	74	2	77.	2	ž	2	2
						*	CAMATI TAMES CON ACTRICA (FOLIA	- 8		1		£		ž	<u> </u>	ž	ž	ž	ž	7	2	2	3	3	3	
							2 an	ū	2		, t	2	2		2	5	ź	2	3	9	1	12	SH.	2	5	-
							TYPE OF OPERATION		EAR OPERATED	E E	WASHE PLATE SYMMS	MOLE PLATE SWING	MAD LEVER	CAR OPERATED HAND WHEE KTENDED SPADLE BAAFT	Manage Color	ACAMATI DISE	AND LES-EIK	MELE PLATE SWING	NSLE PLATE SWING	ayus.	Terrate	No. Link.	Serve	ND IEVER	VO LEYER	Manager
Control Cont							MATCHWS MOEDRLING STD					100000	-	100 March 1987	-	18 18.5 RF. Ho		D MAS ME.	18 10.5 RF, sa	2	2	1	2	, i		
Company Comp							EATING FLO	å	24.6	25.8	88	36	256	259	and and a	SIAN SECTO	DAY.	\$ 00.	1448 1024	ž	2	3	5	S COL	202	
								o.	0000		24	agg .	Pess		Ě	ę.	Perco	ğ	¥034	8000	8	808	800	15	E E	100
Column C						_	_		WATER	WATER	WASS	WATER	ET-AV	E GEORGIA	W.	WAFER	WATER	86 FB	Nage and					MAPER	WAFER	
MATE Technologies & Sciultines Mater			_					*			5	5						2	ž			D			777	
Water Technologies & Solutions Section S			r (BOP			RUCTION	PNDLE	u	Š	ē	AS.	*	25		SIEW	этеи	25	5	5	NET S			Mera	Ne.	S EM:	
Water Technologies & Solutions Section S			ALVE LIS			EPIAL OF COUST	Desc	· n	NYLON COAT DUCTILE IRO	NYLON COAT DACTILE IND	95	91000	NYLON COSTI DUCTILE ROT	NYLON COAT	Man cont	NALON COATE	MLON COM	Ji di	90000	e s	179	rea e		NYLON COLATE DUCTILE HON	PACON COAPS DUCTILE IRON	
Marker Technologies & Solutions Superior			>			MATT	ă		-		BUNNA	purvn			_	EPDM	WOda	SULVAN	BUNNA	317	9174 8	10 m	Sette	<u>25</u>	2 6	
### Technologies & Solutions Water Technologies & Solutions							0.7	п	C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CI Grath FG 125 dax B	91029	ğ	70 128 4 1 1 28 4 1 1 28	To the state at th	10 Grada 80 128	CL Oracle State R	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Î	938	OF BW	OF RBM	CPBM	Ng D	Cl. Charle Fig. 126 alone D	C Const FG 128 E E E	
Mater Technologies & Solutions Solutio							VALVEGROLIS	N	RLITERELY	PUTTERSTY	CHECK VALVE	GHERNALIE	BUTTERSLY	вителем	BUTTERFLY	BUTTERFLY	BUTTERFLY	O-PER VALVE	O-IEDK WILVE	BATT MILAE	BATA NATAE	BALL VALVE	BATT NETAL	V.JPRINITIAN V	элпеяну	
MATER Technologies & Solutions WATER TECHNologies Technologies & Solutions WATER TECHNOLOGIE							N N		767	463	3	g	7	100	74	3		B	ij	3	3	275	3	74.1	74.1	
Water Technologies & Solutions Section 1982 S								-		b			-		- W	25.5	10			1000	100		10000	- C	104	
Water Technologies & Solutions Section S						Noision									-			5 - KIN -	- 55							
WATE TECHNOLOGIES & SOLUTIONS						озвен сом			8	8	8		- 00	В	300	200			200		1		1 100			
Water Technologies & Solutions Water Technologies & Solutions Wave the geographic technologies & Solutions Wave									5	5	12		p	3	97	52	2	82.	2		0	_				
Water Technologies & Solutions Water Technologies & Solutions Water Technologies & Solutions The control of						COMPENS			95.40	35-40	35-40	3	975	11 9	14 14	8	3	7	ğ	R	ā	2	2	g	S	2
Water Technologies & Solutions Water Technologies & Solutions Water Technologies & Solutions The Control of									WANIDAL	University.	Terrent	MANAGE	MANAGE	MOSTICE	TATIONS	Tensen	MARKINAL	MINING	WE14	WHIM.	(New York)	Meruk	Tennar.	GANDAL	GANINAL	
Water Technologies & Solutions Water Technologies & Solutions Water Technologies & Solutions Business State						GENETI	GUBATNEN DOR PACKARE							200				ANCO	150	1100	20063	606	2000		- 10	
Water Technologies & Solution Water Technologies & Solution Water Technologies & Solution Examination of the property of th							¥ (50%)			-					-	-		-			2					
					ions	-			723.00			1000	- 60	924			100000000000000000000000000000000000000	90.50	301	Ħ	R	ħ	Þ	且	B	
An	1	1	J		Solut	_	-		0.5	F 10 LPVC	P. 10	92	9, 9	or a	P. 10 UPVC	SNOT 01.4	540 7040	965 P	F to UPvc	9	8 9		9		3 2	- 1
An		1			echnologies &				AUZZTION TANK 3 PUNF (\$5P-101A1) - 61 G HARIOS	RUZATION TAIK N PLAP (SSP-10 B-1) (01.0) HRRCE	NUZATIONTHING PUNE (DAP-101A-1) (01.0 HARIOE	- 6		10000								SEC BLOMER (16.8- 1) DISCHARGE	TESS BLOWER (NE-S. 20F			NEVBRAIE BLOMERED.
AA	100	100			Water Te					100				7.667		10.0				All of 1-10 TO OUR	APPER TOTAL DISTRICT					NEVB
					100		SUND WAY		1 CO-HV	2 03404	2 85.0%	4 63-07.	. ashtr.	. D3.997.	7. Otto:	86.HV	a SELAY.	2	15 80 80 80	28	25 24 24 24	20	15 10cHp	01 24.01	TT 18-Hu	

ř.	
ж,	
-1	
90	
σ.	
2	
P4 .	
а.	

9		Rename				10						1				111					ii
State Conte			ź	¥.	ź	ź	ź	7	ź	코	ž	보	ź	ų	ź	SPECIAL LENGTH- SCROMM	ž	ź	ガ	¥.	ź
IMB APAD BY	NIES	SOCIENCID VALVE	*	ž	25	5	ž	5	2	5	ž	2	5	3	ž	2	2	ž	5	ş	,
2 Ave 5	ACTUATOR ACCESSONES	THAVEL	ž	N.	2	<u> </u>	NA.	ž	2	*	32	YY.	X	Ť.	3	\$	54	ž	M.	22	1
en e	ACTUATOR	EEDBACK			75.														- 00		
AV VERNERAL BY AVERNERAL BY AVERNERA BY AVERNERAL BY AVERNERAL BY AVERNERA BY AVERNERA BY AVERNERA BY AVERNERA BY AVERNERA		CPENCLOSE PEROBACIA	1				(4)				8		la l						69		
3		1	£	ž	ž	2	12	g g	¥	ž	Si.	1	質	ă.	2	2	ş	- 5	1	1	2
OLIGHT NAME JOB DESCRIPTION. CHETOMER DOCU, No. DOCUL, No. REFERENCE DOC. A REFERENCE TOC. A	ATA	ACTLE PR (BAR)																			
AND OF STREET	ACTUATOR DATA		ž	M	NA	ž	7A	ž	į	ž	2	2	N.	2.0	ź	MA	2	ž	748	2	ž
		PNEUWATI TIPE OF O. ACTU. BLECTRICA (PCPOF)	ď	4	ď	K.	A.	ď.	2	ž	N.	A.	Ä	\$	Z.	28.4	ž	NA	XX	ž.	ž.
		I I	5	5	5	5	d.	99	ž	12	ž	77	746	8	ž	5	ş	ž	4	972	3
		TYPE OF OPERATION														ODAR OPERATED HALD WHEEL EXTENDED SPECIE SHAFT		9	А	В	9
		TAFE	WHILM	WPLEVER	HAND LEVER	THEMAN	MANUAL	WD LEVER	asies i de	TANNAS	Лизмен	80008	AND LEVER	Teltific	MOLEVER	AR OPERUI	MANUAL	SAR OPERATED	SAR OFERATED	SAROFERATED	SR CPERATE:
		PILLING	2	w.	No.	2	2	_ x	5	3	2	#; 3		- 2	*		2	Ö	ä	0	# E
		MATCHNO PLAND STD	\$	ANS 9 16.5, F	ANG 0 16.5. (ž	2	AMELIA 16.5, RF., 16.00	ANGI B 10.5	2	2	FEST BIDS	ACST B 1815, R	3	A201 G 1200 A201	AVSI B 18.5, FE. 1574	ž	1504 1504	ANSI B 13.5, FF.	Ayat 0 18.6. RF, 150#	ANCE B 10.5, RF 152M
		VALVE PRESUPE RATING	ACO5	Pend	Profe	#G5	9000	Prote	Pisto	Accos	ncos.	PATE	DIVIG	200	Phrit	pest	*009	Prince	Pisto	24	DEN
		CONNECTION		WEER P					P P							d diseaso					2
		DOG!	NS 50		WEE	Graw Barth	Crow Bary F.	WAFER		CPMM BSP(F)	CFRM NSP(6)	WATER	WAFER	CHARL SERVE	WATER		9100 9100	WAFER	WATER	WATEN	areas.
		DIAPHOATES PINCLESHAFT APPRING	A NOTE	STM: Spm: NA	STEM: SOME NA	PD ACCOR NOT	\$5576	383.16 An	MA SESTION NA	STEM:SS316 OF	2016	en state he	STEM: SELLE	D 9638'-75L	STEM: SEATE NA	20000	STEM SSSM	SS416 NA	SSATE	STEM SOUTO NA	STEM: SOLD
VALVE LIST (BOP)	эткистом	4	Ğ			ATBM	STEA	9.E	in.	Na Na	20.15	in		1		in a	No.	20 20 20 20 20 20 20 20 20 20 20 20 20 2	M216		ATED NON NON
ALVE LIS	WATTRIAL OF CONSTRUCTION	Blac	42	NYLON COATED DUCTILE INDN	S'TCH COA'ED	4	NA.	NYLON COATED DUCTRE (ROM	NYLON COATED DUCTALE INCH	ž	N.	NYLON GOATED DUCTEE IRON	NYLON COATED DUCTLE IRON	7	AYLONCOATED DUCTLE INCN	NYLON COATED CUCTLE IRON	NA.	NYLON COATED DUCTILE IRON	NYLON COATED CUCTURINGN	NYLON GOATED DUCTRE INGN	NYLON COATED OUCTLE IRON
>	TAN	75	351d	3	Made	TIFE	PTFE	704	мон	PTFE	PITE	MOJS	MO#	W-12	Mode	MOD	1	WO.	EPCM	юсы	M-CM
		Bacr	- N	A COME DE COME	d cases FO 128 does in	Ne so	Creak	70 Crack	O Drade Fo 126 date 1	G-IM	West	Cl. Dreste PG 126 dens 2	D Dang Fig. 120 U. sale U. sale	Na Sa	D Greek 25 25 35 25 E	C Draze FG 125 date it	8	G Grass FG 128 dace #	C Crede FG 120 dess B	G Grade FG 420 dess B	G Bradt FG 126 daw B
		VALYE GROUP	BATE NATAE	MIEREN	DUTTERSTY	BATANTE	BATKA TIM	итеечу	темегу	BALL VIEVE	att vacor	инееси	ипеест	Echa Th	UTTERSELY	лтеяч	BALL WLYE	левегу	тееч	MTERRY	TTERECY
		0				nva Bvr	BAL			BALL	BALL	10	- 4	3	- 10	- E			ai .		Tá.
	200	VALVE NN	736	ty geven	מ פארו	AVE BY	VE BY44	34	S SPALL	NE BINT'S	Will Brita	CA BENATI	D. BEWALL	2775	ETAMB AT	N Bryon	D-FG Br-Co	N Brydz	ty Brivas	TA BLAGS	CS BLACES
	z	VALVE T/PE	BATT MATAE	BUTTERSTY	BUTTERSTY	פעדר אש"אב	BALLVALVE	BUTTERRY	BUTTERRY	BALL VALVE	BALLVALVE	BUTTERFLY	SUTTERFLY VALVE	DATA ARAE	BUTTERSTY	BUTTERRY VALVE	BALLVALVE	BUTTERRY	BUTTERRY	SUTTENTY	MUTTERSCY VALVE
	N CONCINCIA	PAESSURE BARIG)	8	80	E D	5	5	5	5	7.0	8	67	70	3	8	ā	2	160	÷	2	3
	MCMSSq	SU TEMP.	8	8	8	ä	129	120	ā	601	6	- E	100	140	190	8	8	R	88	R	8
	CONDITION	DES.C (0)	2 C	8	55	01. 7.0	110 0.7	11.0	- E	0.00	8 6	8	0.0	8	18 8	1 0750	25-25	35-40	35-03 sen	05 pe 20	97 Dr-56
	-	MANUAL! ON SAFF TE					500											150	101		
	-		MASSARAL	MANAUN	MANNAL	MANUAL	MANERAL	THEOREM	VACOU AL	WANDAL	MANUAL	NAMES AL	HENDY	Teasyn	MANNEAL	TVDSVN	MANERAL	SAMP	DANKAL	WONGE	MANAGA
		TIT CLIBITABA BOK B) PAGIAGE	200	23/15	2316	2318	3167	3462	25	29%8	ZINs.	23%	BVEZ	ZINS	23/12	22.83	23/15	Mar.	diame.	25/75	23
_	_	SRIE, CRIANTITY Y NB (NOS)	-	*	*	. r		-	-	-		. н	-		*	+	-	-	-		-
utions		HPE SON	'n	8	B	¥	ā	8	18	2	£	2	8	-	B	Dr. 0	153	E Stab	Na Na	BI.	9
e so		¥2	5 H 0	2 OF 10 GI	2 DF 10 GI	2070	30F10 GI	2 OF 10	20 % NO 28	201.28	8 ac ac	E	2011	5 9 9	95 40 50	92 92 92	9 6	9 40	9 9	90 00 00	8 5
Sologies		DESCRIPTION LOCATION		ACMERÇES 30CHM30E							MBR03-B- 1 SLUDGE NR A. J DUNF DRUM	MAKE BLOWEROSE 1914.1 DECHARGETO SLUDGE HOLDING TARK & COLLECTION SIMP	MNND BLOWERODE TIMES, DECHNOR TO BLUDGE HOLDING TWKS, COLLECTION SUM	MANA BLOWERING. 1914/B-11 DISCINNIGE TO S SLUDGE HOLDING TARK	0.0		CH PUMPS 10 DBAIN	RASTRANSTER PUNATION PASTATI SUCTION	RASTRANSFER PURPLIS	AND TRANSFER PUARTIE PLETTANT DISCHARGE	SCHARGE
SUEZ		Muhassa	MINASAZAH B.OWENZO. HAZO'B-1 DISCHARGE DRAN	MENBORNE IL OWENCE HVERVA () DISCHARGE CRAM	MEMBEZENE BLOWBINGS HAZDIB-1) DISCHARGE DRUM	MOTHER RECOVERGES TO 19 MAY DECEMBER TO EQUALIZATION TANK : 1	MONG BLOWDROED. 1918-1) DOCHARGETO SOUNDENTMAK-1	MANG BLOWGROUP TOTAL), DISCHARGETO EQUIQUATION TARK-1	MINNE BLOWERIDS-B- Tank-1, DECHARGE TO EQUALIZATION TRUK-1	MXXIII ILUMINIUM THANI FOR QUIDGE HOLING TANK & COLLECTION SIMP DISCHARGE DRAIN	MINICE BLOWGROSE: 1919-17, FOR SUDGE 1904, DIST TANK A. COLLECTION BLINE DISCHARGE DRAIN	MASAC BLOS 1914-1) DISC SCUEDTION COLLECTION	MYNA BLO TIMET, CISC SUDDE HOL COLLECTION	MXNX BLO (DIMB-1) DI BLODGEHDL	MINIS BLOWERODE. TRIMBIL DISCHMOETS COLLECTION SUMP	MLET TO STORE ACTOR TRIKE (AND SICE DONE)	RASTRANSFER PUMPS (196P-101AB-1) DISCHARGE DRAM				RASTRANSFER PURPUS. PASTEN DISCHARGE
Wat		WALVE TAG	2944/2018-1	20 HV 2024-1	29-1W-2028-1	DAHA-IDHA-I	CE-HV-1048-1	06-H9/1058-1	19501-940	CD-494.103A	CONFRACIONS.	63.HV:104A	01-HV:104B	361/4/150	65-176-108	1407/1496	169649631	16496-2031 A-1	NEW SOTIEST	16-6029-1	1-5203-11-94
		SLIED	91	8	2	R	8	a	n	×	8	ň	a	Я	5	n	В	8	Я	Ħ	a

**

	1 1		_		1	_	1	_	_				_			1		_		_
36.44.18 DATE		17	ž	2	ž	Ŋ	TN N	N.	ź	ź	g	불	PAL	펄	al d	ž	ź	ź	z	ź
AR CONTRACT	9	¥	*	5		4	4	4	MANUR TYPE & 24/201905 INSULATION F CLASS & ELECTRICAL	MANUT TYPE 8 24YCC/P66 INSULATION! CLASS 8 ELECTRON	HWALE TYPE & DAVIDING HINDLANDAP CLASS & FLECTRON	6	•	5	\$	4	5	NAMES TITLE & SANDO INDS INCOLUMNOS I CLASS I RECTROS.	W. SA	74
9 8	ACTUATOR ACCUSCONES		2	2	5	5	5	5	1	5	2	5	1	4	1	1	5	4	2	ź
SERVICE STRAFF SERVICE STRAFF SERVICE STRAFF SERVICE STRAFF NA NA NA NA NA NA NA NA NA NA NA NA NA	ACTILATOR		144	111	69	RA	BA	74	SYMMETRY DE PRODUKTY SMITCHES RECIRION, CONNECTION NO 1471	2 V/RE 34V DC PRODMITY SMITCHES RECTRICAL CONNECTION 12" NFT	2 VARE 34V DC PRODUMEY SANTONES ELECTRICAL CONNECTION 1/2" NOT	ž	2	2	2	5	5	ZVARS DAV DC FROMMEY SWITCHES REPORTED.	5	*
GUEST HAVE JOB DESCRIPTION, GUSTOMET DOCU. No. BREEKENDE DOC. A REEKENDE DOC. A	8	700	TN	20.0	¥	ž	ž	2	18	3	14	5	88	ž	5	111	2	3	W	£
	PNEUWATI TVPE OF Of ACTU.	ğ 2	ž	ž	5	3	3	3	5	98	<u>4</u>	1	ž	1	ś	W.	£	ž	NA.	ź
	PNEUN	g a	g.	97	3	ă	1	á	o product	DE D	S. PNEUWIT	ž	2	72	¥.	25	ž	A PHELIMIT	5	5
	D THEOLOGISHMON	нееп целяк	SHOP E PLATE GALLIC	ENIOTE SEATE GARLICE	OEAR OPERATED	Archips.	NOVELLANG,	Notice	DOUBLE ACTING NOC : ALDARMAN CODY, WITH CPCN B CLOSE NOTO-TON A 1P66 THOUGHAN WANN MANAGED COLORS	DOUBLE ACTING NACC - ALWARNIA BODY WITH OPEN 8 CLOSE INSIGATION - 8 IPED BRICOUSER'S SC WAY MANEGLD	DOUBLE ACTIVIS NOC. ALWINGLIN BODY WITH DREN CLOCK INDICATION A LPSS BACLOUSER & 62 WAY ARREPOLD	DEM GPERATED	GEAR OPERATED	אואם באוא	HAND LEVER	SNOLE PLATE SMINS	SHOLE PLATE DATE OF	DOMERACING MOC. ALVARAM BODY WITH OFEN A CLOSE RETICATION & PIPE BNOLUVER'S SE WAY MANIFOLD	MARINE	THIRDINA
	MATCHENG FLANGE DRLUNG STD	A43 6 10.5 RF.	ANS 9 10.5 RF.	April to 16.5 sp.	ANSERTES, NV.	5	25	5	500 500	AND B 16.6, RF.	300 3165, 95, 1500	ANSI B 16.6, RE.	AMEL 818.5, RE. 1004	AMELS TREE, RC., COM	AMEI STEE, RC, SOM	AVES DI TAS, RE, SOM	ANCE B 16.5, RF.	ANSI B 16.6, RF.	MA	4 22
	VALVE PRESSINE NATING	0118	#S	21	Partic	EQ.	900	2005	Pint	Dear The	PMC	Daniel	PHIC	Plant	Parc	1004	1EO#	ынс	WOOD	•
	GAN MOTOSMACO	ar a	5	59-8W	MER	98.7S	13000	6	WYER	WAFER	WEER	5	15	NATE:		5	5	335		
	8		5	*	-	6133 6133	2001 E 200	(4)d88 /we-c		(a)		WASER	WATER		WATER	WARD	WAFBR	WATER	SOCIE NO	Ofbit Society
-	DIAPHSATES		ž	2	20 20 20 20 20 20 20 20 20 20 20 20 20 2	200	9:	100	STEM SENS	93	DA: 92416	2002	31150	SSMG NA	STEV. SONS IN	2	á	21 25	atree 50	STE4: 58310 OF
ST (BOP	DONSTRUCTION	ANTED STEM	9	25	METS STEM	N N	16	NO.		F.	- 00	8	ğ	ā		NA.	**	ğ	8	916
VALVE LIST (BOP)	ATERIAL DE	ON GENERAL SERVICE	90	200	IPPLON COATED DUCTLE IRON	- 1	3	2	NYLON COATE DUCTLE IRON	AYLONCOATED DUCTLE INDN	NYLON CONTRO DUCTLE IRON	NYLON COATED DUCTLS RON	PUCTUE INDIA	NATION CONTES CHEMILE MON	MLON CONTED DUCHLE IRON	91000	91.228	MUCH COATED DUCTLE ROW	3	2
	2 200	N. S.	30.864	MUSEA	Si Si	9,44,6	882	12	W Co	8	SECOND SE	- A	WG de	20 E	EPDM EPDM	BLEWA	BUNNA	A h	Ę	¥.
) O	G 0166 50 728 61 728	508	20 20 20 20 20	0.55 de 0.00 d	7)	à	20	G Glocal Str. 128 Blocal Blocal	C Comp describe	D Grade 50 128 dess 8	G Brate Chase date a	G Brade Sc 128 date B	CI Grade PC 124 dess B	CC Grady FG 130 Mes B	9684	96376	10 Grads 60 100 H	200	25 25 25
	D VALVEGROUP	влтены	O ECK WALKE	OHEX VALUE	влтеми	Bocs well/S	JANS TRA	BALL 1/52 VF	влтент	алтвацу	вллени	Neers	BUTTERLY	NTESTA.	рипрецу	CHECK WAVE	CHECK VALVE	алтенету	פארו גארגב	BALLVALVE
	VALVE IDENTIFICATIO N	5748	ZZ OVEZ	ty ty	Drives	Dv:13	3643	9414	INVOKI	BFY-DAT	1307/081	III V CO	E A A CO S	LT Add	BPVL1	24.0	24.02	мом	BV-113	2
	WEVE THE	DUTTERETY	CHECK VR.VE	HEX WEYE	BUTTERRLY VALVE	BATIKA TIPE	ALL YALVE	BATRA THE	VALVE	NALVE	BUTTERSTY VALVE	WALVE	AUTTERRUY VALVE	PATTERRY.Y VALVE	BUTTERRY.Y	CHEDKYALVE	CHECKVALVE	SUTTERPLY WLYE	PALLVALVE	BALL VALVE
	200 I w/s	2 2	2	2	2 28	2 2	2	2	3	2 2	Ü. 33	52 52	25 25	2	3.2	12 E	5 P	23	- 2	
	DESIGN TEMP.	8	8	8	8	8	9.	В	3	2	8	E	8	3	8	8	8	8	R	8
	CONDITION PRESSON		8	8	8	ю		ž.	3	870	n.s	ŝ	9	3	3	8	82	8	å	• 8
		78	7	9 8	n n	ş	3	9	N N	¥	S S	7 2	8:40	7	84	93	35.43	44	34	956
	NANUAL/	Technol	Tunnaw	Mekinet	MANUA	жим	Meesa	Harvetel	AUTO	AUTO	alma	Управи	MANUAL	Mandrak	MANUAL	MANAUM	NAMM	NUTO	MANAUM,	MANUAL
	CUDITIVES SOR PACKAGE	Die Charles	Die Die	2200	200	29	3762	131	Street	Zens	26152	No.	tal Ra	E1 18	23	23/2	ğ	ZW2	23	2016
	QUANTIF Y WGS		-	-				2				P		-						
tions	質を	3	9	150	9	я	18	N	β	92	B	ž.	24	8	9 400	В	8	8	φ	2
® Solut	SHEET TANKS	50 51 52	3 Of 78	3 OF 10	30 F 16	50 TO SS	15 9 8	E 01.400	5 OF 10 5003	5 OF 18 38316	5 OF 10 SEEDS	500 to 5000	ECC 10 SCAN	\$ OF 10 \$3316	6 OF 10 89316	\$ OF 19 SCHIS	\$ OF 10 55315	6 OF 19 80318	6 OF 19 SES16	5 OF 10 58316
SUEZ SUEZ	DEBCR PTION LOCATION	RASTENSIES PANP DISCHARE HEATER FOR SLUDGE HOLDING TANG	RAS TRANSFER PUMP, TS. 9	RAS TRANSFER FULLPOS. 9 PARKED DISCHARGE	RAS TRANSFER PURP RECENCIATION	PAGNATURANTE PAGNATURA PAGNATURANTE PAGNATURANTE	RAS TRANSFER RUPPYS. PAINTE I DISCHARGE 3 FLURARS	AIR FROM PRODESS OL CAMERS TO DIFFUSERS OF IN BICHEACTOR TANK	PERMENTERUNFONF. SONAS-1) SLOTTON HENDOR	BACKPULSEPUNF (BLP. 5 301AB-1) SUCTION HENDER	BADOPASE PLANTOCH. SOLAR-1) DISCHARGE 5 HENGR	PERMENTERACIONARE SAUCHON	PERMENSIONALSE STANDARD STANDA	PERMEATERACIPALSE RAVE (SEE 301A.1) CISCHARSE	PENENDAGOLISE RAW (SPR-MEI) GOGHNSE	PERVEATERACIONALSE DUNP (25.P.391A-1) CISCHIPGE	PERMEATERACIPLISE PLANE (29-P-3918-4) CISCHARGE	PERMENTE PUNP CO.P	PERMEATERACIPALISE FUND (25.P. SOTING) 11.SUCTION HENCER DRAWN	PENNEATERACOPILISE PUNE (2019/2018) 10 SCHARGE HEACHE DRAIN
Water	YALVETAO	PROFESTI	16.DV 801A.1	16-CW-661B-1	15+W-60+1	1-Y-005-W-1-95	15-14-608-1	of hotels with	SpPedicial	IHOMAHS	25,P44035.1	T-ACCOR-1	ZI-Watter	20-44-2036-1	20-H-308-1	25-CV-321A-1	29-04-2016-1	29-FV-000-1	29-H/4301-1	29+164-204-1
£.,	SL _N O	*	8	8	\$	Ω	22	2	67	ş	4	4	9	3	25	5#	3	2	9	8

				25-34-78 CATE		Remarks	ASTA ASTA ASTA ASTA ASTA ASTA ASTA ASTA	ASTN SCHOOL STANDS OF STAN	ź	4	ź	벌	M.	NI.	191	NE.	Pit	146	Pag.	N.	Ng.	Jul.	Į.
			П			BOTEN DIO NATAE	NUMBER S SANCE BES INSULATION FOR CLASS S ELECTRICAL CONNECTION POR CLOSE CONNECTION POR CLOSE C	NAME TYPE II BOND C PAS A CAME A COMMETTON FOR STANDARD A COMMETTON FOR STANDARD FO															
				CHIOLBY APPVORY	ACTUATOR A INCESSORES		MANUR SANDO N INSULAN CLASS N ELECTR CONNEC	NUMBER SANDE B INSTANT CLASS & SECTION CONNECTED CONNECT	ž	2	ž	ž	45	5	2	2	1	2	ź	74	¥	ž	¥
	t	+		2 9	Day ko	TEAVE.	2	\$	<u> </u>	2	2	ž	2	5	2	ž	2	2	2	2	2	2	2
IT HYDERASO	Control of the last	803777-94-21	80.287.27.85	VIV.	AGTUAT	OFEWSLOSE FEEDBACK	2 WRE JAY DO PROMATY SATTO-ES ELECTROAL CONNECTION 1/2 NOT	2 WHE 3W DC PRODUITY SAVID-ES ELECTROAL CORRECTION 1/2 NET	ýg.	Page (1	至	199	49	5	9	9	956	W-	ž	ž	**	3
CLIENT NAME	KI B DESCRIPTION.	DOCU. No.	REFERENCE DOC.	A Sev	ACTUATOR DATA	ACTU. PR (BAS)	3	3	411	NAC	2	2	78.	их	104	TIA	12	104	131	2	2	24	2
	-	166	101	31.4	TAUTOA	ACTUL FORFOR	2	NA NA	4	NA.	ž	ž	*	**	4	00	2	1	YN.	8	10	2	4
						PREUMATH TYPE OF 07 ACTU ELECTRICA (FOFO)F U	PACUMATI	PNEUMATI	4	en:	1	110	NA.	5	3	3	1	ź	NA.	NA.	ž	NA	4%
						THE OF OFERATION	DOUBLE ACTION MOS. ALLANNAU BODY WITH ORDN'S CLOSS PROCEDING SPS WAY AMMERICAD	DOUBLE ACTION MOC. LAMINAUS BODY WITH GPBH 5 MOC. LAMINAUS BODY WITH GPBH 5 ENDLOLGER 5 02 WAY MAYED.D	PAL CHECK	פאדו מ-נכאן	OEAR OPERATED	MACD LEVINE	HAVID LEVER	HAND LEVER	Mature	Nections	HAND LEVER	30451 D404	HAVO LEVER	HENER	HMO LEVER	GUDLE PLATE SAND	SNOLE PLATE DANKS
						PLANCE DISLUNG STD	ž	2	2	2	ANCE 15.5. PE. 1900	ANGI 8 16.5, 19F. 19CH	ANNUA BINUS NV. 1008	ANS 8 16.5 NF. 1508	ž	ž	AUSI B 10.5 RF. 150#	Atten 12 16,5, 55,	ALES B. T.C.S. HF.	A144 N 16,5, 109, 150#	AMELS 16.5, 165, 155, 155, 150, 150#	AND DIVE, RE.	ARCI BAGG RE
						M RATING	9CH30 235 PS	SCH10 256 P.B.	3CH80, 225 P34	BCH60, 226 PSI	ž	200	92.54	Pet 0	3CHI0 23SP3	SCHAG 200Ps	atife	extension of the second of the	Phile	544.6	744.6 5	3	80
						CONNECTION	SOCIET	SOCKET	SOCIET	SOCKET	MAPER	KSIAW	GE1900	WARET	1500S	SOCKET	NAS-ER	WATER	FELLEN	WAFER	WATER	WASTER	WESTER
						Batt	g g	55.00	ž.	20,50	2	2	ž	2	OPIC	UPVC	NA NA	4.5	68	á	5	á	5
		BOP)			TION	DIAMICATES PERCESSAFT APRICE	STBA GPAC	STEM CPAC	ৰ	W	STEM METER	Merican Merican	S'EM: SSA'N	STEM SELEC	DAM WELS	STEM: UPVC	STEM SS416	STEM SEAT	מבנא מוונה	STEM SOUS	STEM SSHIS	2	2
		VALVE LIST (BOP)			MATERIAL OF CONSTRUCTION	pge	2	2	ž	MM	NYLON GOATED DUCTILE IRON	NYLONCOATED	Philipson control of the second control of t	HM.ON OD ATED DUCTUE IRON	2	MA	NYCDN CDATED DUCTNE IRON	AYLON COMED DUCTUE IRON	AYLON COATED BUCTLE PRON	NYLON CONTED DUCTILE PRON	NYLON CONTED DUCTILE BROW	Section	PILOS
		1			TAN	SEAT	#	PTRE	1111	FFE	100	No.	No.	МОН	3HE	PTFE	e-bw	MO dia	20	W BPDW	Woda 4	BLEAGET	BIENTA
						P607	5	OPVC	B.	9	Cl Grade P.C. Tale alless B	CA Cheeds Ac 12% deep B	20 Dress 25 128 0 Essa	0 77 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DA CPR	nbvc	Cl Deeds FO TO dass B	10 Smds 70 % dans	70 00 mg and a mg and	G Grads FG 128 6466 B	F0 136	SISSI	98
						VALVE DROUP	BAT NEW A	BATT VALVE	CHECK MEVE	OFEKWINE	MATTERNALY	инани	BUTTERSTY	BUTTERFLY	BATT NUTNE	פער מונעכ	BUTTERLY	влтени	BUTTERNY	BUTTERNY	BUTTERFOR	CHECK UNIVE	O-ECK VALVE
					2000	VALVE IDENTIFICATIO N	Bradaz	BV-DA2	OMB :	28-62	97/433	17,000	977,489	17XdB	Ev 42	57.48	BEVCI	BFV4.1	BEAGI	Brvet	Brwet	Clear	Di Consti
						VALVETYPE	BALL VALVE	BALL VALVE	SOK VALNE	CHECKYALVE	BUTTERSTY	BUTTERFLY	RUTTERSETY	NALVE	BATKA TINE	BATK AWAY	BUTTERETY	BUTTERRY	BUTTERELY	BUTTERFLY VALVE	BUTTERNIY	HECK WIDE	O EOK VALVE
					CONCRITION	PIESEURE BASJO;				0	E 2	m >		-	-	2 8	87	2	25	R.	g g	5	3
					DESIGN	TENP.	8	Я	3	8	8	3	8	33	9	93	8	F	8	8	2	8	3
					OPERATING	PACSON NE DAN (O)	N.	N	п	r.	MA	24	YUY	w	id	i i	-	*	85	2	1,5	3.5	22
					CONCO	TEME	ā	12 N	₹	3	3640	24	27.00	34	なな	35-40	8	ğ	848	3	N N	9 8	8
						MANALAL.	D.IW	MITO	MANUAL	MANUN	MANUAL	NANUAL	MWW	MASSIER	MANAM	MINITAL	Mexical	Heliode	MANUAL.	Manual	Terrorea	Manue	MANUAL
						TI CUBRANDA DOR PACHAGE	Na Na	2905	212	2000	8052	Di Di	8 23	Zina	ZINS	ZZY	Zans	29%	Zans	27	2005	D D	7376
						COUNTY Y (NOS)		·······································	-	- Tr	-	,	-			-	-	TF:	S e	-			
				tions		A O	25	4	y	<u>p</u>	2	g	8	8	- 81	N	8	¥	¥	н	38	8	8
	1	T T		& Solu		SHEET AND NO MOC	60F18 CINC	6 PF 10 CPNC	8 P P B B B B B B B B B B B B B B B B B	SOF10 CPVC	6 DF 10 SESSIS	COS 10 PVC	80F18 PVC	274 \$1 808	70F19 UPVD	20°13 UPA	Toe ts PVC	ir and	24 trace	7 OF 10 PMC	70510 PIC	20-10 2-10	7010
		SNek	ò	Water Technologies & Solutions		DESCRIPTION LOCATION	OTRIC ACID DOSH46 TD packarysis Discharics: 6 HEACER	SODIUM PPRODUCENTE COUNT TO INCICATE S DISCHARGE HEADER	CHACACO DOSNO TO BACAPUSE DISCURSE S PEACHE	SOCIAL HYPOTACISTE TOSHAT TO BACKLATSE S DISCHARGE HENCER	BACKPULSE WATER TO FURNIATE ANCIOUSE 6 PURES	HERVEATE TO SCHTARM A	protection trace and the agency of all	SERVICE WATER TO 6	SERVICE WATER TO BRINE WEASURING TARK	EFFER MEASURED TAIR +	SOUTH TENNEY ,	SOUTHER REED PUMPLE T	SOFTHER RED RUPA ,	CISCHMEN PERS PUMPA: 7	SOFTIEN PED PURP RESECUATION	DISCHMENTED PUMPA 7	SOCINGREED PUNPER TO SUCCESSION OF THE PROPERTY OF THE PROPERT
	100	3)	Jes	Water		VALVETAG	03 to://sc	25 PK-101	200/300	201-40-402	20144-02	71+14-401 ES	20494-001	92-14-408 84	32 M-140 SE	706-94-7	20 at	S STANFOLD	S MONALY	71-M-208	200-W-F/F	71-12-12-12 12	71-Cv-60'8 BY
						35,760	G	3	3	8	5	B	В	3	8	8	\$	3	4	2	*	-2	£

Page

ж.	
ť.	
5	
3	
2	
Ħ	

2

3CH60, 216543

Pve

E

DIME

VALVE

R

8

9

i

200

1

Ħ

3

2 24

SOUNDE (T. D. ACAS)

21.44.026

		DALLING TYPE O	Terrore	CHECKLES CONTROL OF THE CHARLES CONTROL OF TH	Tentant	SHELE-ACTION GLOSS HETCAL SHORT AUTHOR SHELE-ACTION SHELE	SMOLE AUMILIA MOC. AUMILIA SMOLE MERONE SMOLE MERONE SMOL	SHALLE ACTIONS MOC. ALUMANU C. COR MATICAL C. C. C	S IS. NOC-AUMINO COSSIMILATIONS ENCONSTRUCT	CATE WORKGOODS	A 16- GOUGLEACHIN BACKERSONY BACKERSONY BACKERSONY BACKERSONY BACKERSONY	POUREACHINA MACCALLINA	A POLICE ACTUAL CONTRACTOR CONTRA	A-FE, MOCHAMIUM CHASENGAR ENGLOSERS	6-F. GURELSAGTUS NOC. ALMEND GURESPORMI BROLOUER & R TRANS, STORAG	TEMPERATURE AND S	COURT ADDITION OF THE PERSON O	SACORESCENO OCURE ACTIVATION OCUPA ACTIVATION
		FLAISCEDALING STD	á	£	á	£	ž	á	A163 B 14,5 FG.	AND D-16,6-35-	7015 <u>8 18.5 16.</u> 168	200 B 16 S OF	Matheman sta	MIG S SEATH	MS-9166-7F.	MGB166-7F;	MOGNATOR AND	ANDERS 18 E. R. 16.28
		WALVE PRESSURE RATING	9000	1	BC1907398-181	Ba 907 08100	E-90'39-08	Br-980 DB-03	gue.	244	31	David David	3945	ži d	PAG	de de	al de	***
		GOIRNECTION	TEOOLS.	1900	13/00/	159000	500	Book	MAFER	MASSES.	65 mm	WATER	5	2000	Market State	5	Haren	S S S S S S S S S S S S S S S S S S S
		BALL	1	1	The state of the s	Sheri	Mark	Office	1	1	74	2	2	75	¥	1	3	1
30P)	5	DAPHICATES PROLEGISAT 1898/12	3037778	REPORT FOR S	aron 1019	247.183	Order other	Diameter Control	STEW-SENS	61EW-656414	100	511-85-WEb	N 100 ACE	Mile State	10	70	OFFIR STAN	Name and Park
VALVE LIST (BOP)	MATERIAL OF CONSTRUCTION	9 6	1	1	1	3	\$	3	CACCILETRON	ELECTRICONIED. DAGREEMON	Net Strong Brown	DATE CONTEN	ENCONCOATED.	NYON-SPATED.	DUCTRESPON	PACSH-COATED	MONTH TO HOLING	NOTIFICATION OF THE PERSON OF
VAI	MATER	SEAT	ı	# N		1	12 17	2415	8	3	7.	nes.	70	3	705	700	West .	100
		5	1	1	Steph	Die man	Na.	oner o	444	134	111	188	1:1	0.00da 20da 30da	20.00 20.00	4	# # # # # # # # # # # # # # # # # # #	4
		VALVE GROUP	9	BATKATING	מוראסות פ	מדייתייום	מודר אמראב	מל שליו אמריות	214	27.4	2 X	20 A	3 3 3	D 20 20 20 20 20 20 20 20 20 20 20 20 20	25.00	77.8	13 8 71 8 11 11 11 11 11 11 11 11 11 11 11 11	25.8
		VALVE IDENTIFICATIO N	9 17178	answare a	7	111	il il		d tennam	Be THOME		e mone	and/se	9075	1000	7000	a wave	BENDAN B
		VALVE TYPE	Britan the	BATHANIA	Marie A Printer	BATT	MATERIAL PROPERTY.	BULL DALLER	A CTEREIX	WW	B.ITEROLY.	ALTERNATION OF THE PROPERTY.	S. TIBLES.	SUTTENSIVE.	PACHE BRITA	PALINE WALKE	POTTE SELEC	WITH THE PARTY OF
	ношимо мовам	PYESSUKE BAF(0)	3	3	3	1	1	1	1	3	3	- 5	1	3	格	10.0	200	3
	DESION	48E	8	3	38	3	2	2	я	3	3	3	3	8	3	3	8	3
	TING	PRESSU RE GAR (9)	3	3	3	3	3	3	2	я	1	2	3	96	3	3	23	3
	NUTAKEND NOTICE OF	TEVP.	3	3	3	1	3	1	38.00	25.00	1	27.00	1	3	2 2	2.2	7	1
		MANUAL	Total Control	NUTO	Terrore	600 W	OE W	9770	OFFIC	OUTIN	9	OTTY	our o	AUTO	AUTS	anta a	AUTO	DIM
	Lidwar	GUBITA'BA BOR PRICKAGE	3	25	No.	1	25.00	9	9	7	4	1	3	g	9	270	E.	
		gyax 7 (avos)	4					*						,				
suc			8	76	W.	*	君	3	3	3	3	3	3	3	32	3	58	8
N g		HPE NON	3	de la company	g	3	B 3	89	4	9	il T	2000	2	13	9	MAGES	MEET	Mess
Le Ce		PACET DI SACET	A 10.	300-10	3	20F-2	101	1	3	100	3	1	20420	205	5 to 2 to	205-10	705.10	10-10
(Co) SUe2	7	DESCRIPTION LOCATION	SCHOOL MEDICALIANS	DEDWINGE TO ELECTOR	FIFE MESSARIE TANK	PECMARANCINE	ESECTOR(21 EL MITTO- BORD-ERZL PLACUE)	ELECTOR(74 EJ 831), TO.	FEED MAET TO SOUTHER.	AEED MUTTO COTTUIN (T. IX KOIR)	SADAMASHIMLETTO- SCHTASKE (TRUCKOLIN)	SACONADO MAINTE SCRIMENÇA DE SOLA,	STORMSHOUTHER HICH ECHTER (STAC 664)	SHOWARK CATEGORY (C. C. C	SALVE CLTLET HOLE	BOTHER (TI IN COUR	PRODUCT CUTLET FROM	RECOLUTI CUTLET SIROM.
Water		ALVETAG	200.791	207.65	8047447	157-468	- PV6643	7 m	130	870074	100	B B B B B B B B B B B B B B B B B B B	Year	2007/87	70	80007	Vice in	5000

STOP SOLENDED VALVE

ACTU. PR (BAS)

PARLMATT TYPE OF OLI ACTU.
ELECTRICA (POPONE L L)

SLN0

#

7

12

3

1

3

3

3

3

3

3

1

1

2

3

ACTUATOR DATA

BY: GHIC BY ARPYD BY ACTUATOR ACCESSORIES

Zhashid Darm	E Randris	1	#	ź	1	ŧ	1	ź	2	4	ź	ý	ý	ź	ź	1	ź	ź	ž
MAG	BATKA GAORI NATAE	AUGUSTOS	MARINE L MELANOR AMERICA AMERICA ALCONOM	NAMUR TYPE & ZWACE PHS SMOULANDERF CLASS & BLEOTHDAL															
MA APPLICATE	ACTUATOR AINCESSORIES TAMEL TAMEL TOTAL TO	1010101	1911	NAMA NAMA NAMA NAMA NAMA NAMA NAMA NAMA	1	. 1	3	- 1	4	2		2	5	2	-1	1	2	3	2
2 B	ACK TIAN	1 11	± ₹#		1	#		3	1	1	3	5	ž	2	- 3	- 1	ž	1	2
101 101 101 101 101 101 101 101 101 101	ACTUATO OPENICLOSE FEEDBACK	SAMES SALSO BROKESTA EMICASS SASSIGATION EMICASS SASSIGATION	2-WRE 24V DO PROJUNETO: OMTO-EDELEGTRIGAL CONNECTRON-ST-AFT	SWIFE 24V DC PROZNATY SWITCHES ELECTRICAL CORNECTION 172*14TT	1	1	1	1	ž	1	2	* ৬ ক	<u>a</u>	4	***	á	Ý.	1	1
CLENT MANE JOB DESCRIPTION CUSTOMER DOCU, No., DOCU, No., REER BYCE DOC. A PERW	ACTUATOR GATA THE OF ACTU. ACTU PR (BAR)	ā	2	5.5	3	1	\$	1	780	id.	71	. Cik.	2	1	75%	ı	***	15	2
	ACTU ACTU PEDFOR	2	2	ž	3	1	1	1	ž	3	ž	3	2	1	ä	1	2	2	2
	PARUMATI TYTE OF O. O. ACTU. ELECTRICA (FOFOIF 1)	Simple of the state of the stat	the state of the s	PHEUMATI	1	1	1	1	3	1	Si .	9.	×	1	9	41	ş	\$	ş
	THE OF OPERATION	BILLIOUSER TRANSPORTER STORES CHOCKER TO BE CHANNED BE STORES STORES TO BE STORES STORES STORES	SPACE ACTIVATION AND COMMENSATION OF SPECIAL SPACES.	DOUBLE ACTING MOC: ALAMANU GODY MITH OPEN S CLOSEN DOCATION & PES SHOLDUSEN X RET MAY MANGROLD		Эксполи	**************************************	The state of the s	ered & Disk visits	THE RESERVE	16 E-12 E-12 E-14 E-14	HAVED SEPTISE	No. 17 (A)	Monthe	- Activity	WALLING.	MANUAL	TWINNER	Marture.
	MATCHNG FLANSEDRLING 870	THE STREET	100	ANSI B 16.1, RF, 1508	4	3	ş	1	100 mm	41 474 (b. 54 6. 485	25 28 2 28 2 28 2 28 2 28 2 28 2 28 2 2	89/2 B 12.5 W. (43)	5	\$	4	1	5	1	1
	VALVE PRESURE RATING	pare d	2	Pittic	#028	P309	700	3	ž	the contract of the contract o	Case of the Case o	(h)yer()	503	ecos	#U20	#029	#029	#C09	20100 232FB
	CONNECTION	1	MASSA	WATER	130m	13000	## PP P	19008	1	1	Walker of the Control	W.	(A. (A) 10	15003	(x age	G and	lá-lege lage lage lage lage lage lage lage	4	800EF
	17	3 5	3	2	N N N N N N N N N N N N N N N N N N N	200	N N	1	3	5	5	2	16 16	7 2	120	n	2	# 5	8
ВоР)	DARWOATER PROCESSANT	P. PR VALIS	51355-78LS	STEAL BESHE	nes res	SHEW-REIGH	51E4-8634	STELL-SSMA	person person	11.05	S-80 3838	06586)KBLB	5450 CB.4	\$100.8888	355 FEET SEES	SLESSINGLS	815W+88318	9754-8836 O	STEM UPAG
VALVE LIST (BOP)	MATERIAL OF CONSTRUCTION DATE PROPERTY OF CONSTRUCTION	MICHERON	DACHLE RON	NYLON CONTROL DUCTILE RON	3	3	1	3	And a contract	MACHINE BOX	NALZE CORTED SCOTLE SCH	MERCHONIA MERCHONIA	2	2	1	ž	1	1	2
>	MAD T	*	7	76 6h	2000	ı	Ħ	¥	.1	evCW.	#5.65	#E00	(# E	3	H	PIFE	Betad	1	E STA
	ADD04	Cl. Small	40.00	PG 6728 PG 128 dess 28	1	1000	ī	4	G. Grass Ec. 136 Ec. 136	CI-Orosa ALL LE Gara S	Cl Grade No.134 Absc 24	122	Waso	8	Will Street	C-BM E	W.	m com	D. Carlo
	VALVE ORDUP	Chamilia	SUTEROLY.	PATTERSTY	and the	BALLWAVE	ST-WALVE	Bracking	771988111	N. Carrier St.	Annes	уданых	TT ANCHE	DATE AND A	TO NAME OF	MILWAYE	an went	SULVA, LL	HALL VALVE
	VALVE IDENTIFICATIO N	-							3	- 4		Dr.	a	di	_ a	m .	d		
	A DESCRIP	170	SPS 788	BPV-DAT	20.00	84148	27	1	900	Belgin	4	0005.3	772	3	Baltice	3	1	1	27+69
	VALVETIME	BATTER LA	ALTERNAL.	BUTTERFLY	Section 1 shall	BALLWALVE	BALLWALVE	Bellychine	44,475	Moreich Gie-	ROTTERPLY	ALTERAL F	BATE TARK	BATT-NYFAE	Britishing	BALLWAVE	BALLWALVE	STICK TIES	BOTO A TIME
	PRESSURE BARROL	2	2	72	3	22	3	3	2	1	ń	A.	S.	× 4	3	8	1	3	8.
	DESIGN CONDITION TEMP. PRESSURE DEG.C BARGO	u	8	8	a	8	8	a	3	3	2	9:	я	8	8	8	12	3	8
	FRESSU RESSU RESSU (0)	3	*	2	3	3	3	3	2	1	2	\$ 4	2	3	4	2	3	3	3.5
	-0	7	3	35-40	1	3	1	3	TOTAL	1	Ä	98 375	3	3	97	3	1	į	35-20
	MANUAL/ OH OFF	anu	AUTO	жто	1	MANAGE	Motorise	THEMPI	100000	4	SVSHELPE.	147000	THEREPA	MANAGAL	757100	Terrane Property	MANAGARA	TUTERON	MERNAL
	III CUIDITABN DOR PACKNOR	28	9	13	9	15/15	Egrap	9	7	THE REAL PROPERTY.	14 21	D.	ij	ğ	14	rg Ta	g	2872	23/18
	BONNIII P Y REGIS	-							Д.			e e		- #	-11	-	- п	н	
tions	H a	3	3	8	3	39	4	7	8	3	2	8	ig a	3	3	4	#	3	<u>4</u>
Solution Solution	DOM DOM	10 to	97 JO	7.0F-10 MSE	97	204 to 1889	1	1	20.00	DALM LANGE	9 8	STEEL WEST	100 000	9701	3	Pot a ver	1	7 7	7 DF 36 UPVC
Water Technologies & Solutions	PRECEIPTION LOCATION	SERVE SHE SHOT	ARRESTANT USE FROM 1-25	SOFTNER FEED PUND 7 OF	ENCOUNT COURT DRAW.	PRODUCTOURIET OF ANY SERVICE STABILITY IN 2.03 4014;	CHARLOW SPERMENT CO.	CHANN ON BACKAMEN FLETTER TO SOUTHER, 7-CS (PLIX-1019)	Commence of the constraint of	ARRIVA BLIEFE BAARWINGST	ACCEPTANT AND TOTAL OF STATE	Sections (IR sales (714%), 16-9),	D C IB-GD GARLWESK	DECISIONALE CHE- 20	Semination seminal seminal semination semina	FEED MAET TO LOFTHER. PAINT ON THE PER POST PORT PROATION WAYES	SACANAS HREET 40- ELECTRONING (PLIC ORD), OC. 2-26 BOURDOLINGE	SCELOR (FAMELY)	DISCHARGE DRAW 7 09
(€	VALVETAG DI	and Michaele	800	193444 193	148	# # # # # # # # # # # # # # # # # # #	516	516	800000	277	23444 (SE PE)	29 Selevino	Dia Statuto	33	100	25 A0143/542	19 minester 8	# 100 mm	71+W-805A BE
	SLNG VA	a s	ā	8	8	3	8	8	3	4	#	101	<u>\$</u>	3	4	4	8	# #	101

GENERAL PROPERTY OF THE PROPER		

	Water Technologies & Solutions	utions										8	VALVE LIST (BOP)	(BOP)							CUSTOWER DODL, No. DODL, No. THE DELICE BOC. D. THE PRINCE BOC.	COSTON PRODUCTION OF THE PRODUCTION OF T	U WAS	ZS-culotô
DESCRIPTION LOCATION	in s	77 200 86 000	DUNNTIT GUS Y GLISH (2019)	GENETI GLEVINEN MANALU BOX PACKEGE	OPERO COND TEWP DEBLG	34	DESIGN CONDITION TEMP. PRESGURE DECIG BARIES	ON VALVETIME	PARM DEMINER	ווס איראני פונסרים.	450 450	R	MATERIAL OF CONSTRUCTION DIA IT DISC PRIN	DLANGATER PHOLESHAFT FARING	3	DND V	VALVE MESURE RATHG	MATCHNS FLANDE DICLEMS 6TD	TYPE OF DRIKATION	PREUMAT C./ ELECTRO	ACTUATOR DATA ACTUATOR DATA BEGINNATI TYPE OF C, ACTU, BLECTROA (TOTO)	J Begranded	RIES	W.L.M.
CONTEMBRYEED RUND B	7.0F10 UPVC	Š ā	Da	MANUAL	3540	8	8	BALLYALVE	/E BW2	SALL VALVE	Sien	ž.	ž	STBV: UPIC	3	DE LEVORE	E SECTION		MARIAL	, 		2	A8	ź
1.0	97-90-0	15	2000	ON COMPANY OF	9840	3	3	THE PERSON	80 th 60 th	STAN SEE	20	ile is	25	51.55-712.3	*	8	4		de de la constante de la const	5	3	15	3	4
9	accental	17 12 14	22	- Consession	25.45	7	2	Sanya man	4	11.11	3	Į.	TF	ecconder.	2000	POS Friend	3		though	5	4	3	±	g
DRAM FOR SOCIUM HMPCHLONTE DONIS TANKFORMER CLEANING	2 60F14 DPMC	n g	120	MARKE	35.60	+	2,	BOTO THOS	E WALL	BRELVALVE	9 6	344	2	STEN OPIC	8	190000	DCHD), 234PG		MARICAL	1	ž	á	2	를
SCIDILLE PYROCHEGIER DOSING FOR NER CLEANNO TAINK ISOLATION VALVE	60F10 SPYC	\$1 41	13 %	Mension	25.60	-	2	34764 7768	25	BATT ANTAE	8	THE	5	STEN GPVS	8	E SOCKE	DOHBO ZISPIB		Terrana	3	5	un un	3	ź
SERVICE WATER TO DOBMA HYPOGROPHE DOSMG TANK FOR MER Q.EANNG	of the Carry	n ¥	24.8	Monday	DF-40		~	פאלד מעלאני	27.16 SV	BATT AVENE	SH S	ALE:	*	STEM UPPO	8	200KET 200	An Eritz zahiz		Meptices.	3	£ 21	G. 22	3	<u> </u>
OTRO ACID DOG NG TANK DRAIN	90 at 40 as	ж.	279	THTHUM	27		3	SWIT NATIVE	T1/40 3/	BYLL VALVE	ş	345	2	STEM CPVC	9 9 6	es Esces	SCHIO 201PS NA		MARLINE.	9	NA NA	1	52	72
CTRC ADD TOBAS TANCISO ARIDIN YALVE	8 CF 10 CPVC	¥ 9	Z) s	Tennew	9-16	-	60 1.6	BALVAVE	7E 89/13	BATT NATUE	246	77.6	ZZ.	STEM: OPVC	S S	OS JENOOS	SOHIO 225PS NA		Тичем	ş	NA NA	ž	5	42
SENTICE WATER TO COTREC ALD DO SIND TANK	or spe	N.	29/8	Menual	9		3	BATT NATAE	5 Mg	BATT MEA	8	MIE	RA	oren urvo	S S	300ET 85	A01100 200110		NAVJEL.	5	7.45	2	2	ž
CAUSTIC DOSING TANK DROPI	BOF 10 GP/C	8	t sage	Manuel	2	-	2	BATT NATAE	\$1-V8 EA	BALL WLYE	8	PTFE	5	STBM. CPVC	8	300eT 30	AN ESSES OHOS		Manties	1	2	2	5 2	H
SERVICE WATER TO CAUSTIC DOSBNO TANK	9	8 9	278	TATIONAL	3	10	9	BATE ANTAG	# BW#	BALL VALVE	NA.	PT P	V.	STBR. DIVIC	DE CPVC	DOM: SONS	20 239°38	2	NUME,	1	2	2	5	Ħ
SODULK HIPCOHLONTE DOSNIG FOR MAR PERMEATE TANK DRAIN	10 D	ñ.	200	MANNA	ä	-	8	BATT MENE	3/6	BALLVAVE	98	E SE	2	STRM. COVE	DAY O	100	20/60 28/FS 148		мини.	NA NA	NA NA	A.A.	V 200	714
CETNICE WATER TO SOCIAM HPDCH, CRETE DOZING FOR MER PERMENTE TANK	50F10 UP,O	N 0	200	Jenseau	35-60			BALLVACVE	57-08 20 20-08 20-	BALLVRVE	DA.	E .	2	STBM: UPVC	S. S.	DOM:	SOHO, 235PS 446		ROOME.	2	250	2	, ki	Ħ
RENNOE WATER HEADER	80F10 UPVC	8	2016	Massual	Dr-St	10	8	BUTTERSTY	Y SPY4:	ылтеке,	C Cress Fig. 120 Base 23	AC-S	MIDN COATED	STEM: SWITE	5	ужик Разо		1500 1500	HEART CHAN	ria	20	A.	¥	ž
CREAN PT TRANSPER PUAP (7)-PV61A CRISCHARGE	oran at toe	- 18	E S	MANUAL	975	5	22. 21.	SUTTERFLY VALVE	di di	PUTTERPLY	G Grede Pro ton alaba B	WO-SI	NALDR CONTEN	STEM SKITS	20	WATER PURC		1634 8115,107,	WO LEVER	12	98	**	V FRW	ğ
DRAN PT TRANSFER PUVP (24-P-1010) GECHARSE	306.19 UPAG	8	2008	NAMEUN	Ŷ.	2	22.	PUTTERN.Y VALVE	, Breci	BUTTERSTY	Cl Grade Fig.126 date 8	WOOD	NYLON COATED DUCTILE ROW	STEEN WITH	92 W	Park Pratic		AND 8 165, IO. 14	EVEL CAVE	3	211	NA BAY	V 184	Ħ
DRAW PT TRANSCER PURE (712-1014) DISCHARGE	90619 (69)0	8	257	Mahaling	N N	2	8 23	CHECKYRING	NE CYCSS	DHECK WENE	ğ	BLNEN	91105	72	, m	WANGER TRANS		1526 1526	SHOLE PLATE SAME	4,	21	¥	A 664	¥
CRAWPT TRMISTER PURP (7-15-1019) CISCHARGE	activity trave	10	ZOUCK L	MANAGE	38-40	2	S. S.	G-BCK VALVE	NA CIVES	CHECKYRUM	3834	BUNDAN	91798	72	8	STORY MEDICAL		AMERICA IN. 124	SHOLE PLATE SAMES	ž	24	ž	N BSA	THE STATE OF THE S
AIR FROM MEGING ILL CHAMP, 100-MET AND ILL CHAMP (100-MET) TO ILL CHAMP (100-MET) TO ILL CHAMP (100-MET) AND (100-	8 OF 10 G	N N	Zans a	MANUN	8	5,0	505.0	BALL YALVE	e Parte	BALLVALVE	8	PINE	5	2000 1000	18 No. O	*005 (d).des	5		MONTAL	ž	2	5	1	Ħ

Ŀ	×	
-	а	
- 3	r	
	ε,	
	٠	
	ķ.	

S-Jaritt		E Resurks	11 5 G 11 C 11 C 11 C 11 C 11 C 11 C 11	r blor (og. s) System	E Per se No.	n Table at T	THE.	1991	the state of the s	in the sales	18	100	JE .	cyber to it.	edge not m eyelber	10 mm	Upgs 8	181	量	16	병
SW SHOOTH STORY	CNCS	פסר באסום האראב	5	5	4	5.	5	ve:	7	A	1	ş	±	14	3	1	9	eg.	MA	RA	FAS
3 8 8	ACTUATOR ANGESSERES	TFAME,	1	ž	3	ž	5	*	¥	4	1	2	ă,	1	yy.		jį.	15	ž	2	ž
ITT SYTCHEADD (GOVELD STF-1) (GOVELD STF-1) (GOVELD STF-1) (GOVELD STF-1) (GOVELD STF-1) (GOVELD STF-1) (GOVERD	ACTUA	GFENGLOSS PEEDBACK	y,	2	2	1	2	24	<u>1</u>	1	ş	2	×	1	1	and.	4	ž	7	3	5
CLIENT NAME JOS CITACOURIOS CUSTO WIRK COCIL, No. DOCU. No. SIFFE DAGE DOC. A NEV	ACTUATOR DATA	ACTU: PR (BAR)	4	1	396	2	5	3	2	¥	5	3.	ŝi.	1	*	1	5	5	19	2	1
	Actual	FINGUINATI TYPE OF C.I. ACTU, ELEGENICA (FORFOIT L.I.	1	1	¥	3	**	4	Ē.	15	5	*	3	1	1	4	3	1	1	1	VI
		PNBLIMA	\$	पु	#	推	ž	섰	2	g	512	\$	5	1	2	1	2	2	NX	× v	ź
		WHEN OF OFERATION	- Period Control Control	157.55 CEVER	Three	NALLY N	STG. DVS	Party Charles	7.22.0	***************************************	STATE SATE	DNALEPLATESTANS	TVTSIR	de inflament.	University.	erberake	ample (m.)	NOTE IN	WATE LAL.	WHILE	MANALAL
	10000	MATCHAUD FLANCIE DIRLLING STD	4542 B 148, 46.	AGESTER.	ş	5	150 E	And The Asset	4	1	509 509	4538 145, FF	10.4	4	12	70	4	412	SIA.	100	NA.
		VALVE PRESURE PATING	meter	Queno.	80-190 -00-190 80-190 -00-190 80-190 -00-190 80-190 -00-190 80-190 -00-190 80 80-190 80 80-190 80 80 80 80 80 80 80 80 80 80 80 80 80	Market Application	2004	CHER	200	Hrs.	#85	N.	ByRT West	New States	E2001-04-IS	20-00-00-00	800000 GA000	30-80, 239-58	coett, zsářsí	soved, 23/PSI	SCHIC) 23648
12		END COMPECTION	William I	side priori	18000	1	N. Angles	VVACES.	(Section)	1.000	WA'N'DE	10	encue;	230002	erenter.	moderitor.		SOCET	SCORE	Tacos	ESCORE
	- 3	55 FF 8841	5	5	50,20	Topologia (September 1997)	4	5	7	3	¥	ş	94	3	9711	2000	35	DV43	Desc	O-Pic	OP-C
(BOP)	UCTION	DIATHICATES PRICLESHAFT APRING	State State	- 1000 mm	STEET FEET	South South	N 150 75 3	94755 vid.13 g	7	2	25	ž	2012/2014	Steroothe	20 th - 10 th	Constitution on publication of the constitution of the constitutio	1948 - 1886	STEW LPAC	STEW LIPVE	STEM LPAC	STEM: UPVC
VALVE LIST (BOP)	MOTINIME OF CONSTRUCTION	2500	NATION COLUMNS COUNTS IN ARRIVA	SACTOR	2	1	MALZHOOGED SACHEL NON	Notes could Cueffic Resi	S.	*	ğ	ii R	ž	5	1	3	4	472	5	2	1
>	TOW	SEAT	Attens	650m	ij.	Į	8	201.00) 6 (1 (1	##	FE 150	W.23	18 11 X	Sele	100	* otto	75	7176	100	ž.	#
		ACCR	17-CF-200- 5-0-5-00- 5-0-5-00- 5-0-5-00-	50.405 70.405 descr. ii	\$	31	100 024	12.00 10.00 10.00	Jan 1	sheri.	8	8	Va)	840	September 2	28.0	34	UPAC	Den	man	O)-din
		VALVEGROUP	Accompany	BUTTERFO	14.0 V-4.00	154 E-175 E-175	, Anderson	AWARELES	STREET, STREET	PARAMETERS.	OHECKNIVE	SHEWALLS.	William Take	SELVAGE.	Septement took	Sheart along	Servici we	BALLVALVE	BELL VALVE	BALL VALVE	BALL VALVE
	100	VALVE EDENTIFICATIO N	politics.	577	gering.	277	3	Part.	4	20.00	e e	9	B4 (2	3	7	9	24	27-44	84.12	8612	£110B
		VALVE TYPE R	Section of the sectio	SULT BESUTA	8 10.00	Type-balloff B	AUTORICK B	ALTERNA B	P STOP COL	o service	0.69 Wale (1	15.2 A 4 A 1/15	BALL SALVE B	all all the same	Service Services	Physical State of the Control of the	Branch and	BALL VALVE: BE	BALL VALVE B	B41 W176 B	פארד הערה פי
	NOCION	PRESSURE	3	1673 24		n	63	*	4	3.	-		, n	ih it	2	97	a a	27 88	27 All	7.3 86	2.5 BA
	DESIGN CONDITION	TENT. DEG.C	ΝĒ	Œ	3	¥	я	¥	ú	3	ē	3	3	8	3	3	a	8	8	3	3
	CONDITION	PRESSU Ne tack Ids	4	. m	4	*	ŧ,	*	N		8	71	ā	9	*	ų	W	•	.		a
		TEMP.	*	10.00	1	ž	28.00	7	K	Ĭ.	8	18	4	R.	955	18	3	Ÿ.	N N	ş,	8
	2	ON CAPA	are story	Trivide	action.	Andrew Co.	Particular American	76 8655	descent.	Tativitation	Ter HONOR	SORTE	thurst.	T-riside	Turners	all the district to	To the last	PASSES	MANUGE	Marking	мээспи
	and a	PACIONE S	en e	to en	35	\$	54 18	2	3	259-58	120	1305	77.00	254.0	Sharry	energy (3	29762	2797	2016	경
o		SEE NEW Y NEW (NOS)		-		-+		g.		-t	-	-	-	++	4	3	- N	-	9		(4)
Solution		PIPE	to the term	2005	on share o	4	20 00	1 SP4C 10	3	20000	200	3	tong w	35 No. 10	15 CO-001	the spirit	#	PN D	o o o o o o o o o o o o o o o o o o o	E PPUC	N S S
Water Technologies & Solutions		DESCRIPTION LOCATION NO. NO.	ALCOHOLD TRANSMIRE TOUR PROPERTY.	KLADOM INTO COLONNE SERVERO O DE 10	Service distribution of the second of the se	Automorphism Separation of Colombia	SLEDTE DELANTED PAINS DON TO SELECTED BY	ALDGE TIANGERT MARP FOR 111 ICLEVIOLEDISCOLARTE	Mandate Washington Autorit	Str. 2008 Described action of the street of	ALDOS TANOPER PLUP ACE TO SPECIFIC DISCOURTS	SLOW You speck following the TO	AUXOU INAMENIANIP DOF TO	FUSHINGTOGLESS TONOTHEROTOS SEE TO THE RECTORNING	FLUIS CENT TO TALESCHI PRINCESS STARTS SOFT MINELLINES LANG	Track with State of the Control of t	EL JASHER EN TO SLUZGO VERNINGE EN MAS BAIN. SUB EXCENTANCE	PLUBLING TO SLUDGE TRANSTER PLAP 60A- TRANSTER FRANCES	SERVICE WATER HEACER 1800-ABONTO FLANH LINES	SERVICE WATER BALET TO POSY BALET WOLVER DOCING TANK BATHARDIA	SENACE WATER REET TO POLY ELECTRICITY DOSTNO TANK RETICABLE
(E)		VALVETAG DEBOR	2000 2000 2000 2000	20 mm	SALLING ARTHUR SALLING	Sylven Bearing	TLESS CHANNESS	3,100 2012 3,100 3,100 3,100 3,100	States States	Secure Security	MINING GLEGO	RATE BASES	SCHALLE PATRICE	FLUSH, TOAKS Junkan	School School	Author Takes	THE STATE OF THE S	200			
		SLMO VALV	3	# #	er de lec in	3	33 33	\$25 60-99	3	10-08	E E	U)	\$ 3	25	181 M-08	25 4-37	3	137 85-14-20	tre scientific	TSS RE-M-SS	100-10-103

	N
	De
	N
Charles of	8
	(5)

VALVE LIST (BOP)

								1																			
	DESCRIPTION/LOCATION	SHEET PIPE	12 to 1	GLANTIT CLE	CLEATIVE NA	NANUAL /				WALVE THE	WALVE IOSMITIFICATIO	VALVEOROUS		MATE	MATERAL OF CONSTRUCTION	NOIL		2	VALVEPRESIME	MATCHNO	TYPE OF OPERATION	A PURSUA	ACTUATOR DATA		ACTUATOR ACCESSORES	COESSORIES	
		2	-	la Jaconi		-	DEG.C (C)	ak TEMP.	PACSSURE BARIC)				Agos	189	35.55	DIRTHDATUS PHOLEISHAFT ISPRING	MALL		PATING	OTC .		D. C. C.	ELECTRICA (FORCE)		SPENSLOGE FEEDBACK 1	TRAVEL BOLDHOID VALVE STOP	VALVE Reneta
YJOR BLOS-W-JOB NESCO BLOS-W-JOB	POLY EECTROLYTE DOSING TAIK 60.7K-801A DI DRAFY	0 OF 16 COVC		Zerez 1	TWINGHT Z		9 12	* 28	25	BATK MILKE	5.45	BALL VALVE	98	II.	ź	STEM CPVC	268	30CKET 80	SCH30, 238PG	1	Тистини	- 5	25 20	4	ą,	3	#
	POLY BLOTHOLYTE DOSHIG TRAK BUTK-BOLB DOC 10 DRAIN	20,00	я	1 200	Z mmung		9 0-9	3	92	BATT ANTAE	778	BALLVALIE	GP-0	3116	48	attin Gve	97.6 56	300 KGE	50490, 201P3	ž	THE PROPERTY OF THE PROPERTY O	3	2	5	27	3	ź
SOHW-602A DOCUM	POLY RECINCLYTE DOCENG TARK 60-TK 6016. BOE 10.	00F10 GP10	P	Tare 1	Z manual		9 9	8		BALL VALVE	87/8	BALLVASVE	243	TIFE	an an	STEM CRVC	25 25 26	300KET 35	20100 23293	42	Manuel	3	NA. RA.	8	2	5	2
Ander BIOS-W-IGE ANDER BIOS-W-IGE	POLY BLACTWOLYTH DOSNOT TNK 86-TK-601B B OF 13 ISDLATION	04 to 09/0	ţı.	Zire I	Z MANUAL Z		7 9	3		BALL VALVE	57/6	BALL VALVE	SAdo	E	NA	STEM CPVC	24. 24.	26 26	92410 23410	ž	меклег	5	2 2	1	2	87	ž
HOSIO HON-M-SE ATOM	POLY BLISCHOLYTE DOSCHOUP MINE BISCHARGE HEADER	or to	11	23762	Z MANUAL		2 22 22	8		BALLVALVE	£1×12	BATKA TINB	8	£	an a	STEM GIVE	2M2	SCOOKET 35	3CH80 23593	2	MANUEL	प्र	ž	NH.	ž	2	ŧ
POLY BACK-HIZ DESPH DISCH-	POLY ELECTROLYTE DOCKNO PLAYP DISCHARGE HEADER	8 OF 10 GP/G	ħ	2002	Z BANVIAL		200	8		O-ECK WILVE	2640	CHECK VALVE	240	# d.	52	2	CPNC SOC	SOCKET 80	30HB 235 P38	2	MUL DHICK	97	20	y a	Ą	22	ž
SCHUCK TOWNS	COMPRESSED NR RELEMBN OUTLET	10 OF 10 GE	N	Zirs .	Z MANULE.		2	8	\$at	BATEN THE	F7738	BATT ANTAG	N D	# H	4	STORY WEST	OP80	i has	**	ā	Тиглором	STR.	4	¥	ž	5	ž
SCHALTEZ AIN DR	AN DRUER BLETT TO	10 OF 10 GE	'n	50K	Z Manual.		2	R	501	BATA THE	BYLL	BATT ANTAIR	No.	8417	KIA.	NEW WEIS	OFEN RSP	S (director)	200	ž	Туплеви	5	3	ž	2	ž	ž
80-NA-183 AR DR	AR DRES CUTLET	10 05 10 68	N	Zine 1	У МИНТИК		60 7	8	200	BALL WALVE	DM444	BALL VALVE	OP M	FYFE	FLA	STEM SECTE	OFOW BY	#000 Li.i.esq		2	Terrisona	4	77	44	ž	ä	ž
90-W-104 MR DR	AP ORER BYPASS	8 0 0 0	'n	Zare :	Terroca Z		2	8	- Sec.	BATT NEW	BWIS	BATEO TIEN	W (C)	PTFE	12	MOTES MINTS	CF64/ N.20	(s) des	3 000	2	Tennew.	15	77	É	2	ž	¥
TORNE	TO INSTRUMENT IN	a	р	20155	Ternosar 2		4	2	10,5	BATKA TINB	BYLLA	BOLL VALVE	Si Ch	8414	1	S. BM: SSTA	oran est	la l	#C09	5	Tenwork	tst.	an na	45	2	5	ź
Threds:	DO SDATEVALVES	0 OF 10 VCVC	#	2005	Z MSNUM		9	- 56	7.5	BATK WINE	EKC12	BATKA TXB	DIAN .	PISE	MA	STEM UPPO	008 District	SOCKET ST	SCHIO DIEPO	3	TWO NOT	N/H	, , , , , , , , , , , , , , , , , , ,	ž.	5	W	М
Stevas	BDARE VALVES D.C.	9 OF 18 UPVC	.8	2705	Z Manuat		4	*	7.5	ENT WIVE	21:A#	BATRATRE	DMC	PIPE	24	STEM: UPIC	26	2008	SCHOOL COMPGS	2	MINNO	***	257	1	5	¥.	ML
The World	BPANE VALVES DO	0.0F10 GNG	*	2 8002	Z MENUAL		5	4	7.5	BATT AWENE	BV.Lk	BALL VALVE	946	375	74	STEM: CPVC	DOS BANG	35 191008	2048, 28PS	3	Marion	1	2	PAN	5	W	H

Pages